# soft sector

The Monthly Magazine For Sanyo Personal Computer Users





# An INTELLIgent COMmunications Program YOU CAN SPEND MORE!!! WHY WOULD YOU???

### **QUALITY SOFTWARE**

Your PC can be more than a simple terminal, it can be a powerful communications system - with the proper software. Don't be misled! Compare features of the various communications products BEFORE YOU BUY. Buying overpriced software is no wise business decision. Don't you really want the best product - even if it costs less? The Computer Toolbox is pleased to offer you INTELLICOM - Compare features and then decide!

### EASE OF USE

For those with limited telecommunications experience our documentation includes a Beginner's Primer. This primer clearly and simply explains basic terms and can serve as the total manual needed for using INTELLICOM. We even include a complete sample logon session for Compuserve that demonstrates how to use that service. For the advanced communicator there is complete documentation on all emulations and protocols used. Actually, Help Screens are available anywhere within the program by pressing a single key and the manual is almost unnecessary. COMPARE!

### **REAL TERMINAL EMULATION**

INTELLICOM offers you real terminal emulation. Not just dumb TTY. Select from a menu of terminals that include Digital VT100 and VT52, ADDS Viewpoint and 25, ADM3 and ADM5, Televideo 910 and 925, and of course a simple TTY. By the way, our VT100 emulation is extensive and has been tested on the VAX editor EDT and several other mainframe editorsand it works fine. A real "break key" is implemented on all emulations. We even allow you to look like the Compuserve Executive Terminal. Your PC can look like any of the above with INTELLICOM and operate with your business or university computer.

Which terminal(s) does our competition emulate?

### FILE TRANSFER CAPABILITIES

Of coure INTELLICOM offers the ability to send and receive files - all kinds of files. You may send and receive simple ASCII files with XON/XOFF support (the most common for text) but you may also use the most popular error checking protocol, Xmodem. We support both checksum and CRC methods in Xmodem. This method of file transfer will allow you to transmit any type of eight bit data including an EXE file. You may purchase the source code for host support on several mainframe computers of this most popular error checking protocol for only \$10.00. We also support the Compuserve A protocol for error checking for use on that system. For those who may require it, we also include Hex file transfer capabilities and PTR/PTP support.

Why be tied to some proprietary, uncommon protocol?

### MSDOS WINDOW

INTELLICOM offers you our Window Feature - a truly powerful function of the program. While logged onto your

favorite data base service or work computer you can select this feature and instantly have access to MSDOS where you can run another program while INTELLICOM waits patiently in the background. One of the most practical applications would be to run your word processor to create a document and then, by a single keystroke, return to INTELLICOM and send it - all without ever having to log off your system. What does the competition offer?

### SPEED

INTELLICOM will operate at speeds up to 4800 baud on the Sanyo 550/555, 9600 on IBM PCs or look-a-likes and 19200 on the DEC Rainbow. Just because you are using a 300 or 1200 baud modem now, INTELLICOM will not become outdated as inexpensive 2400 baud modems become available. You can do direct wire transfers between computers at really fast rates and not be tied to your modem's limitations. Compare Speed!

### **USEFUL FEATURES**

INTELLICOM even allows you to define ten keys to be any string of character (up to 80 char long each). Your ID number, password or any often sent string can easily be defined for each application you have. Of course you can toggle your printer on and off with a single keystroke. Yes, the Hayes modem is supported as is the Anchor Mark XII. Yes, telephone directories are supported (23 entries/directory and no limit to the number of directories on disk) and the program will continue to redial until the connection is made or you tell it to stop (persistance feature). Yes, INTELLICOM will work with any modem - if it is not an Anchor or Hayes all you will lose is the ability to have the computer dial the phone. INTELLICOM will even recognize Michtron's DSDOS (2.11 version) or standard MSDOS 2.11 and work properly with each. Of course the program is menu driven but we also allow you to use single keystrokes for the most popular features - no need to memorize cryptic commands. Reasonable update policy - previous purchasers may update to the most current version by returning their original disk and a check for \$15.00 Compare again!

### SUPPORT

The Computer Toolbox is dedicated to dealer and end user support. Our TOLL FREE number is available not only for orders but also for technical assistance. If you have a question or problem call us. We pride ourselves on our after-sale support and would be happy to provide you with copies of complete testimonial letters. We are second to none in standing behind our products!

INTELLICOM is available for the Sanyo 550/55 and 775, IBM PC and JR. DEC Rainbow and VT180, and IBM PC compatibles. System requirements are 128K RAM, one disk drive and MSDOS 2.0 or higher.

IN THE FINAL ANALYSIS IT REALLY DOES COST LESS TO GO WITH THE BEST!!!

INTELLICOM is priced at only \$69.95
Order INTELLICOM from your local Sanyo dealer or direct from:

# THE COMPUTER TOOLBOX

1325 East Main Street - Waterbury, Conn. 06705

Toll Free Number 1-800-321-DATA

In Connecticut Telephone (203) 597-0273

MasterCard, Visa and COD orders are welcome. Specify DOS Version and Computer when ordering. Connecticut residents add 71/2% sales tax — and \$5.00 for shipping.

### soft sector

### The Monthly Magazine for Sanyo Personal Computer Users

Vol. II, Issue 2

September 1985

**Editor and Publisher** Lawrence C. Falk

Managing Editor Belinda C. Kirby Consulting Editors Gordon Monnier, T. Kevin Nickols Submissions Editor Jutta Kapfhammer Reviews Editor Monica Dorth Editorial Consultants Tamara Dunn, **Danny Humphress** 

Contributing Editors Fred Blechman, Michael W. Ecker, Ph.D., Tim Purves, Brian M. Stone, Charlotte A. Stone

Technical Assistant Ed Ellers
Editorial Assistants Wendy Falk,
Judi Hutchinson, Shirley Morgan

Art Director Kevin Quiggins
Design Staff Tracey Jones, Heidi Maxedon, Jerry McKiernan

Chief of Typography Debbie Hartley Typography Services Jody Doyle, Angela Kapfhammer, Suzanne Benish Kurowsky

FPSS, Ag. Publications Enterprises, Inc.

President Lawrence C. Falk

General Manager Patricia H. Hirsch

Editorial Director James E. Reed Asst. Editorial Director Jutta Kapfhammer **Executive Editor** Courtney Noe Creative Director Sally A. Gellhaus Manager of Public Relations Wayne Fowler

Administrative Assistant to the Publisher Marianne Booth

Asst. General Manager for Finance Donna Shuck Bookkeeper Diane Moore Advertising Accounts Bev Taylor Dealer Accounts Judy Quashnock Accounts Payable/ADP Lisa Ragan Director of Fulfillment Services Bonnie Shepard Asst. Dir. of Fulfillment Services Sandy Apple Customer Service Representative Deidra Henry Soft Sector on Disk Subscriptions Monica Wheat Word Processor Manager Patricia Eaton Chief of Production Services Melba Smith Dispatch Janice Eastburn

Advertising Coordinator Doris Taylor Advertising Assistant Debbie Baxter (502) 228-4492

Research Assistants Judy Brashear, Laurie Falk, Laila Masri, Sharon Smith

For Soft Sector Advertising and Marketing office information, see Page 78.

SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users (ISSN 8755-7460) is published every month of the year by FPSS, Ag. Publications Enterprises, Inc., 9529 U.S. Highway 42, P.O. Box 385, Prospect, KY, 40059. Phone (502) 228-4492. SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users, SOFT SECTOR ON DISK and the SOFT SECTOR logotypes are registered © trademarks of FPSS, Ag. Second Class Postage Rates are paid at Prospect, Kentucky and additional offices. USPS 741-750. POSTMASTER: Send address changes to SOFT SECTOR, P.O. Box 385, Prospect, KY 40059. Forwarding Postage Guaranteed. Entire contents copyright © 1985, by FPSS, Ag. SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever. Sanyo MBC-550/555 and 775 are registered © trademarks of the Sanyo Business Systems Corp.

Subscriptions to SOFT SECTOR — The Monthly Magazine for Sanyo Personal Computer Users are \$28 per year in the United States. Canadian rates are U.S. \$35. Surface mail to other countries is U.S. \$64, air mail U.S. \$85. All subscriptions begin with the next available issue.

Payment accepted by VISA, MasterCard, American Express, Cash, Check or Money Order in United States currency only.

### CONTENTS

FEATURES	
The Better BASIC Bureau / Philip MacKenzia & Joff Serencen	10
The Better BASIC Bureau/Philip MacKenzie & Jeff Sorensen Instituting two of Sanyo BASIC's missing keywords	
An Adventure back into time	28
Mastering MS-DOS/Danny Humphress	40
Climbing the hierarchal tree	
Determining Present Value/Robert E. McCoy  Learning to invest for future returns	44
■ BASIC Training/Fred Blechman	48
Have Your Monitor Compatibility And	
Vertical Interlace, Tool/Ron Tevonian	52
■ DataPlot/Michael Izzi	72
Graphically analyzing data	
DEDA DENARATES	
DEPARTMENTS	
Advertisers Index	78
Back Issue Order Form67,	
Business Sector/Charlotte & Brian Stone	69
Corrections	
Input/Output/Tim Purves	23
Letters To The Editor	
Racksellers	
Reviewing Reviews	76 .8
Soft Talk	66
Submitting Material	26
Subscription Information	68
The First Great Soft Sector One-Liner Contest	25
REVIEWS	
Minute Manual For The Dot Matrix Printer	57
Oki Font-Do	63
Prickly-Pear Datapack	60
Type Right	56
Word Perfect 4.0	64
to in the policy and the little of the late of the lat	

Cover illustration copyright® 1985 by Eric Wehder

The small disk symbols appearing beside features and regular columns indicate that the program listings with those articles are on this month's SOFT SECTOR ON DISK, ready to LOAD and RUN. For full details, see the SOFT SECTOR ON DISK ad on Page 65.

# Table of Market Share Model 1

The MBC 550 Series

Monitor Optional

The MBC 550 Series are high performance, MS-DOS, 16 bit personal computers with color graphics and up to 256K RAM expandability.

Available with either 160K or 360K drive(s).

All models come with MS-DOS, Basic, WordStar\*, CalcStar\*, EasyWriter I\*\*

Dual drive models come with additional IUS or MicroPro\* bundled software.


And, the powerful operating system allows you to run many of the IBM PC business software programs. All for a price that can't be beat.

If your needs are for word processing, accounting, spreadsheets, data base management, advanced integrated programs, or home and educational applications, experience the power of the Sanyo MBC 550



YOU'LL FIND OUR NAME EVERYWHERE

series now.



### THE PERFECT PITCH

### Editor:

Several of your readers have requested a way to set up their Gemini 10X printer for a desired pitch without having to use WordStar or BASIC. Here is a very short program, written using DEBUG.COM, that will control a printer from DOS.

From DOS, type DEBUG and ENTER. At the debug prompt '-' type N12CPI . COM and ENTER. Then type A100 and ENTER. When 100 appears, type the following (be sure to use the Hex codes for your printer if they differ from the sample). Do not type the numbers 100 through 113, they will appear automatically.

100 MOV CX, 8 103 MOV BX, 111 106 MOV DL, [BX] 108 MOV AH, 5 10A INT 21 10C INC BX 10D LOOP 106 10F INT 20 111 db 18 42 02 18 59 01 07 07 113 ENTER

After entering this, type RCX ENTER and 13 ENTER when the register ":' prompt appears. Double check your work and type W at the DEBUG prompt. You will be greeted with "Writing 13 bytes." When the DEBUG prompt appears, type Q and ENTER and you're back in DOS.

A 12CPI.COM file now exists. Type 12CPI and ENTER and your printer will be shifted into the 12-pitch mode and the internal bell will "chirp" twice to let you know everything is complete. Change the number behind CX at offset 100 (above) and change the codes in offset 111 for other printer codes.

Craig D. Veal APO SF

### A PAT ON THE BACK

Editor:

I should like to commend you for an excellent magazine. The following sections deserve special commendation.

Through "Business Sector" I have been able to employ many of the tips that the Stones have mentioned. Their writing is clear, concise, informative and useful. I await their reply on the problems with CalcStar.

In "Input/Output," Tim Purves has an interesting style and correct answers. Again, I have found many uses for the information he presents. His usage map in the May '85 issue enabled me to finally locate the video RAM.

Your policy on software review rebuttal is refreshing. Since I read both the review and the rebuttal, I have both sides of the debate. It is most interesting to see the same piece of software from two different angles.

The Sanyo is an excellent microcomputer. In many ways, it is superior to the main-frame I use at work. Your magazine makes it even more enjoyable. I look forward to the June issue.

S.G. Geisel Fairfax, VA

Editor:

In soft sector December '84, you ran a review of Michigan Software's Screen Print (Page 61). You said, "Buy it." I did, and it turned out to be good advice with only a couple of exceptions.

Although your review claimed that Screen Print works with Easy Writer, I quickly found that with Screen Print installed. Easy Writer bombs if a document longer than about a page is being edited. No problem, however. There should be no need to get a screen dump with Easy Writer.

A more distressing problem arose when I tried graphics screen dumps to my Radix 10 printer, a Star Micronics printer which is a step above their Gemini. The printout is rotated 90 degrees in this graphics mode, as advertised, but the horizontal dimension (horizontal when the paper is rotated to appear right side up) is compressed causing a distorted representation of shapes, especially circles. Even more disturbing were the chopped off text characters (only a problem when printing sideways in the graphics mode).

There is an easy fix to this distortion problem. I complained to Michigan Software, and their technical staff came right back with instructions that were clear and complete even though I had never used DEBUG before.

The problem was with the incremental line feed sent to the Radix. Adjusting it (finetuning) amounted to typing DEBUG SD-GEMIN. COM (both files must be on the same disk), then E 06EE to get at the contents of memory location 06EE, and changing the Hex value of the contents to slightly higher values. Type W to write the change on disk, and Q to quit. In my case, the value in OSEE needed to be changed from 0C to 10. After the Screen Print file has been debugged, reboot the system and re-install the program. Much prettier.

The most important lesson from all this, however, is that Michigan Software knows how to respond to customer inquiries a rare trait in the business world.

> Norman A. Ross Monroe, ME

### **NEW FORMATIONS**

Editor:

We think SOFT SECTOR is "just the ticket" to get our Sanyo's flying high. We want to

September 1985

thank you personally for the valuable service you provide to all the user groups spread about the country. Please mention OK-SANYO (Ohio/Kentucky) in your letters section in case someone from our area is not aware of us. Anyone interested in OK-SANYO should contact me at 2395 South Main St., 41076; (606) 441-4359.

Keep up the good work!

Eric T. Costello President OK-SANYO Highland Hgts., KY


Editor:

We would like to be included in your list of Sanyo user groups. As far as we know, we are the only group in Utah with an affiliation with SNUG.

SOFT SECTOR has been an extremely cohesive force with the Sanyo users. We are committed to support your magazine in whatever way that we can. We appreciate your efforts.

Our club information is: Sanyo Users of Provo Utah Region (S.U.P.U.R), P.O. Box 556, Provo, Utah 84603, (801) 224-7550.

Thank you for your cooperation.



Editor:

I want to thank you for placing my program Scripture Memory in the "Soft Talk" section of your magazine.

However, there are two discrepancies in what you printed that I would like to bring to your attention:

1) The program costs \$25. In order to get the Topical Memory System on disk, it costs an additional \$5. "Soft Talk" indicates both are for \$25.

2) The data is not just available in the New King James Version (NKJV), but also in four others; the King James Version (KJV), the New American Standard (NASB), the Revised Standard Version (RSV) and the New International Version (NIV), thus giving me a much wider market.

Thank you very much for your friendly help.

Bill Branham Reinbeck, IA

Editor:

I have enjoyed reading SOFT SECTOR since its inception. Your publication certainly has helped many of us Sanyo owners

In the Article "Putting The Hidden Files Where You Can Find Them," (May '85, Page 47), there is a misleading statement that I believe should be pointed out to your readers. The author stated that once a hidden file is made visible, it can be loaded

into DEBUG. In fact, DEBUG can load any file in the directory, whether it is hidden or visible, so long as you know the filename.

Fat C. Lam Washington, DC

### **PATCHING A PATCH**

Editor:

I have enjoyed running Flight Simulator on my Sanyo ever since I read your article in the May '85 issue of SOFT SECTOR.

However, there were a few things that I had to discover for myself. Perhaps you would like to pass these bits of advice along to your readers in some future issue.

The FLIGHT.COM patch program obtainable on the May issue of SOFT SECTOR ON DISK is inferior to the one you presented in the magazine in both May and July. The disk version provides the flyer with no way to display a "Radar" view nor any way to "Center" the ailerons. The lack of Radar is a serious handicap! The disk version simply omits 14 vital bytes of the machine language program! These correspond to 28 Hex characters starting with 3C3375 at the

Continued on page 76



### PRICKLY-PEAR SOFTWARE

QUALITY SOFTWARE FOR THE SANYO 550 SERIES

\* \* \* TWO NEW PROGRAMS \* \* \*

- **WILDCARD** This amazing collection of utilities is a must for everyones software toolbox. **WILDCARD** was designed to take advantage of MS-DOS operating systems and is so flexable we are still finding new ways to use it. These tools also act as filters and output from one program can become input to another WILDCARD program. The results can be sent to a file, the screen or your printer. These tools work with all text files, PASCAL or C programs, even Word Star files and Basic programs saved in ASCII. WILDCARD contains 10 utility files. PAGE through your files one page or one line at a time. The PRINT option will add margins, a header, line numbers, change tab time. The PRINT option will add margins, a header, line numbers, change tab spaces for your files, and begin or end on any page. It even allows you to use your computer as a correcting typewriter. Delete any number of files with one simple command. You can even peek at the first few line of a file to be sure you are deleting the correct one. COMBINE two or more files into one. MERGE sorted files. Print an alphabetical CROSS REFERENCE listing of words, giving the line number(s) where each word is found. Get a WORD COUNT of your text files which gives the number of lines, words and characters. Help your printer produce great hardcopies of your files by using the DARKEN tool to overstrike files sent to the printer. WILDCARD even has a file inclusion facility and an on-line CALCULATOR. It requires DOS 2.0 or larger, uses only 64K, comes with extensive documentation, and is packaged in an attractive vinyl library case. \$39.95 in an attractive vinyl library case. \$39.95
- PC STAT This is a statistical package designed to compute the most commonly used parametric statistics. The package includes two types of independent Groups T-test, T-test (with population mean), Repeated Measures T-Test, Analysis of Variance (ANOVA), Pearson Product Moment Correlation, and Simple Linear Regression. All of these statistics automatically display information regrading each data set including the mean, standard error of the mean, standard deviation and number of cases in the sample. Send your results to the printer for a permanent record. The program also allows the user to enter, edit, add and delete data, as well as save data for future use. You will find the PC STAT is user friendly and comes complete with documentation explaining each type of statistical analysis in the package. No previous knowledge of statistics is required. PC STAT requires 128K and is packaged in a viryl library case. \$49.95 vinyl library case. \$49.95

FORBIDDEN TEMPLE - If you love adventure, fantasy, magic spells and dungeons with monsters, this is the game for you. The full color graphics features a realistic 3-D window screen display. It has a 3 player option and a save the game option. This two disk adventure requires 256K. \$39.95

PRICKLY-PEAR DATAPACK — This relational database program has 20 commands available for defining new databases, retrieving, sorting, record updating, joining and projecting, etc. **DATAPACK** comes in a quality binder with 40 pages of documentation. Write for more information. \$150.00

FOR ORDERS CALL 1-800-223-5369 EXT. 256

Your Personal check is welcome - no delay. Include \$1.50 shipping for each program ordered. (Shipping free on \$50.00 or larger orders). AZ residents add 5% sales tax. Orders shipped within two days.

Dealer and author inquiries are always welcome. Canadian dealers should contact Kelly Software Distributors, Ltd., P.O. Box 11932, Edmonton, Alberta T5J-3L1 (403) 421-8003

Send for Free Catalog

Send Order To: PRICKLY-PEAR SOFTWARE



2640 N. Conestoga Ave. Tucson, Arizona 85749 (602) 749-2864



### CAC LANGUAGE TUTORS

### **FOR THE SANYO 55X**

Exciting educational games to learn foreign vocabulary. Ideal for children and adults. Learn while playing.

SPANISH FRENCH GERMAN ITALIAN PORTUGUESE

### ALSO:

ENGLISH I for Spanish speaking ENGLISH I for French speaking ENGLISH I for Italian speaking ENGLISH I for German speaking ENGLISH I for Portuguese speaking

FRENCH I for Spanish speaking FRENCH I for Italian speaking FRENCH I for Portuguese speaking

FRENCH I for Portuguese speaking FRENCH I for German speaking

ITALIAN I for Spanish speaking ITALIAN I for Portuguese speaking ITALIAN I for German speaking ITALIAN I for French speaking

SPANISH I for French speaking SPANISH I for Italian speaking SPANISH I for German speaking SPANISH I for Portuguese speaking

GERMAN I for Spanish speaking GERMAN I for Italian speaking GERMAN I for French speaking GERMAN I for Portuguese speaking

PORTUGUESE I for Spanish speaking PORTUGUESE I for French speaking PORTUGUESE I for Italian speaking PORTUGUESE I for German speaking

DEALER INQUIRIES INVITED •

# CAC BULK

LIFETIME WARRANTY!

\$135 ea

\$155ea 51/4" DSDD Qty. 10

DS QUAD (bx of 10) \$25

Best SANYO AUTHORIZED DEALER in Ne® York Metropolitan area. CALL US for latest prices in computers, printers, supplies and software.

COMPUTER ALPHA CORPORATION P.O. Box 182, Brooklyn, NY 11217 24 HR BBS: (718) 596-5802

**VOICE**: (718) 855-9029 Mon.-Fri, 10 am-5 pm; Sat., 9-noon.

TO ORDER: send M.O. or cashier check. Personal/company checks—allow 3 weeks for clearance. Add \$3.50 For shipping. CODS: add \$2. NYS residents add 8½% sales tax.

### **PROGRAMMERS**

We are now reviewing programs written for the 55X and Generic MS-DOS, Call or write for information

# SOFT SOAPBOX

n this, the second month of our second year, we begin by saying goodbye to the person who has lent his creativity and innovative ideas to this publication and has helped establish it as *the* magazine for Sanyo personal computer users.

Kevin Nickols, former managing editor of SOFT SECTOR, has moved on to take charge of a new FPSS, Ag. publication, VCR, The Home Video Monthly. This magazine is geared toward home viewers who use their video recorder as an entertainment appliance instead of an electronic gadget. The focus will be on programming — the software side of the industry. Readers can turn to VCR for information on what's new on tape and disc, what's becoming available and what's worth watching on the networks and cable. Although Kevin will be busy, he will offer his technical and editorial expertise from time to time by serving as a consulting editor to SOFT SECTOR.

It is time now to introduce myself, Belinda Kirby, as SOFT SECTOR's new managing editor. You may have noticed that I have been serving as the associate editor over the past months. This has provided me with the experience to assume this position. I am well aware, as I'm sure you are, that I have "big shoes to fill." However, with your continued support and interest in SOFT SECTOR — and hard work on my part — I will continue to bring you the quality publication that you've come to expect each month.

If you'll remember, in the August "Soft Soapbox," there was mention of a question and answer column which will be written by those in charge at Sanyo Business Systems Corp. For those who have sent in questions which you would have liked to have answered by Sanyo, you can rest assured that they have been forwarded to Sanyo in New Jersey and you can look for the answer to your question in a future issue of SOFT SECTOR.

Another point I would like to address is that we have received several letters from readers requesting support for the Sanyo CP/M eight-bit machines. I would like to emphasize, however, that we are designed specifically for the Sanyo MS-DOS, 16-bit computers and have no plans to start coverage of the eight-bit machines. Thoroughness is our main objective and we can only do that by concentrating on a specific portion of the Sanyo market.

A sincere thank you is due to those of you who share your helpful hints with us and to those of you who discover ways to enhance the programs found in SOFT SECTOR. Please continue to help us grow and learn as we hope we help you.

The goals of SOFT SECTOR in its second year are the same as in its first; to provide you, the user, with top-quality software, unparalleled services and benefits, honest and thorough product reviews and support for those who made the wise decision to purchase a Sanyo computer.

In closing, I would like to take this time to remind you that the first year of SOFT SECTOR has passed and it's time for you charter subscribers to renew your subscriptions so you won't miss out on any of the information found in the pages of SOFT SECTOR.

- Belinda Kirby

# Can You Name a Dual-Drive Color PC That Runs Lotus 1, 2, 3 and Costs Under \$1500?



### Hints

- It comes with a 14" RGB monitor much like the 14" monitor that comes with the \$2495 Leading Edge ® PC.
- It has dual 800K disk drives much like the \$2495 Tandy 2000, but it also has the ability to read and write to popular 160K, 320K IBM-PC formats
- It's an 8088, MS-DOS system with 256K of RAM but it comes with a better free software bundle than the 8-bit Kaypro including MS-DOS 2.11, HAGEN-DOS, DOS-TUTOR, Word-Star 3.3, EasyWriter, Spell, Mail Track, PC File III, FILEBASE, CalcStar, games, graphics, utilities, and two BASIC languages.
- Althought it's not PC-DOS compatible it will run hundreds of the same programs as the IBM including dBASE II, Multiplan, the PFS series. Lotus 1, 2, 3 and even Flight Simulator.
- During the dog days of summer computer sales, we ve lowered the prices of both our color and monochrome systems. You can receive a free booklet on these systems by calling our machine at 1-800-FOR-A-FOX, and leaving your name and address at the beep

Your time is up the answer is:

Color Fox .. \$1497

Fox Jr. . . \$899 Silver Fox . . \$1297

### Easy **Packs**



Upgrade your Sanyo 550/555 with EasyWriter II, EasyMailer II, EasyPlanner (spreadsheet), and EasyFiler (database). We bought these Easy-Packs in a special purchase and can pass them along to you at a fraction of their retail value. Price includes full Sanyo documentation in three binders. All four programs only \$98

# Sanyo 555-2's

We've consistantly offered the Sanyo 550 Series at the lowest prices in the United States. But we've also consistantly offered more than the lowest prices. Unlike others selling Sanyo's in Soft Sector magazine we're an authorized service center, we offer exceptional discounts on the "extras", and we stock reference manuals for our customers, And now we've lowered prices once again! If you're thinking Sanyo, you owe it to yourself to call Scottsdale Systems for the best price and much more.

### PRINTERS



Star SG-10	\$234
Star SR-15	\$599
EpsonFX-80+	3492\$141 off
LX-80	3292\$60 off
Okidata 182	3292 \$74 off
Okidata 192	125 of
Olympia NP	\$295
Panasonic 1091	\$269
Citizen MSP-10	\$295
Toshiba 1340	\$579
Toshiba 351	\$1198

### LETTER QUALITY

Juki 6100	\$399
Juki 6300	\$719
Silver Reed 500	\$299
Silver Reed 550	\$409
Silver Reed 770	\$724
Diablo	Call
NEC	Call
Daisywriter 2000	\$824
300,	

HOUSTON INSTRUM	ENTS
DMP-29	\$1795
DMP-40	\$745
DMP-41	\$2340
other models	Call

# Scottsdale Systems Ltd.

(602) 941-5856 Mastercard



We participate in arbitration for business and customers through the Better Business Bureau of Maricopa County.

### **SINCE 1980**

TELEMARKETING ONLY: If you plan to stop by please phone ahead. Prices listed are for cash. P.O.'s from Fortune 1200 componies and universities with good credit add 2% / Mastercard and Visa add 3% / Arizona residents add 6% sales tax / Shipping extra / All Items are new with manufactures warranty / Returned merchandise subject to 20% restocking fee / Personal or company checks take up to 3 weeks to clear / No COD's or APO's Prices and specifications subject to change / Product subject to availability. Software not warrantied for suitability / Trademarks; Silver Fox. and HAGEN-DOS. Scottsdale Systems. Ltd.: Wordsbar and Calcistar. Micropro Int'!; MS-DOS and Multiplan. Microsoft Corporation. FILEBASE EWDP Software Inc.; dBASE III, Ashton-Tate; IBM-PC and IBM-PC DOS. Internation Business Machines; LEADING EDGE. Leading Edge Products. Inc.

### TERMINALS

VT10

### 1200 BPS Modems

e 1	\$298 \$449		Volksmodem 12	\$20
50	3449	Manager 1982	Hayes 300/1200	

### OLYMPIA



### IS IT SICK TO LOVE A PRINTER?

If you love your Okidata 92 or Epson FX80 don't read any further because the new Olympia NP is rated as faster, is noticeably quieter and has a near letter quality mode that is much superior to anything in its price

Plus, unlike the Okidata or the Eason Plus, unlike the Okidata or the Epson the Olympia comes with adjustable tractor teed (as well as friction feed) as standard equpment. The tractor feed is the "punch-type" and the NP has a tear bar so that it works great with continuous forms.

The NP uses standard Epson type ribbons, comes with the quality that has made Olympia world leader in typewriters and is barked by nationally envires.

made Olympia world leader in typewriters and is backed by nationwide service.

To quote PC magazine, "The (NP) printeris a sure thing if it folls into your price range and even if it doesn't it may be worth considering..."

If you're considering the purchase of an Okidata, an Epson, or even a Toshiba, give us a call and let us send you an actual print sample from the Olumpia NP and additional information. information.

Because if you were to buy an Epson FX-80 or an Okidata 92 with tractors and a cable for the lowest advertised prices, you vould pay about \$50 more for an inferior printer. Scottsdale Systems sells the Olympia NP for a mere:

\$295

What can you do about command words that are reserved in BASIC but don't do anything? (Who you gonna call?) . . .

# The BASIC

# Bureau

# By Philip MacKenzie and Jeff Sorensen

Pello? Better BASIC Bureau? I'd like to report some missing keywords . . . "

This is the kind of problem for which the Better BASIC Bureau was formed. Everyone wants accurate information, especially those who own out-of-themainstream computers like the Sanyo MBC-550/555.

All Sanyo owners know that the BASIC inside their computer has incredible power, but they need to know exactly what kind of power, and how to use it. This is why it is sometimes aggravating to study the Sanyo BASIC Reference Manual and the Sanyo Operator's Guide. These manuals are not bad, but there are omissions and inaccuracies which are frustrating. When we were comparing the reserved word lists in both of these manuals, we noticed peculiar differences. The following keywords appear in the BASIC manual, but not in the user's guide:

ATTR\$ DSKF EDIT HCOPY

However, both DATE\$ and SCREEN appear in the user's guide but not in the BASIC Manual. The BASIC manual

(Philip MacKenzie and Jeff Sorensen are widely recognized in the Sanyo world for their machine language games. Philip is currently studying mathematics at the University of Michigan and Jeff is studying computer and systems engineering at Rensselaer Polytechnic Institute.)

lists "REN" as a reserved word; it is not. Rather, this is a typo for the BASIC REM command. Concentrating on the more "extensive" list in the BASIC manual, all we need to do is add the forgotten DATE\$ and SCREEN commands to the list — could it be that easy?

The answer is "no," for there are several other reserved words that have been omitted from both of these lists! Consider the following list of undocumented keywords:

CREATE CONSOLE SETKEY STICK STRIG SOUND PLAY

The following keywords are listed in both manuals, but not explained:

INIT CSRLIN COM SUB

The first thing you should do is round up all the undocumented reserved words and write them into your manuals. The question that comes to mind is what, if anything, do these commands do? Are they just a mysterious nuisance, or do they actually serve a purpose?

Many of these commands sound very tempting, for example; SOUND or SCREEN: To satisfy our curiosity, we made a list of what each of these commands do, starting with the only documented one:

DATES — Explained in the Sanyo
BASIC Reference Manual
Page 4-15 and used to
access and change the
system's date.



# Software for the Best of Three Worlds



### IS-DOS COMPATIBLE BUSINESS SOFTWARE

DES INVENTORY
esigned for ease of use while still providing many features. Automatic reorder
st, turnover, last date sold. Holds 1250-2800 accounts. Cash register function
fints receipts, sales totals, salesperson's commission and 9 departments.
alculates LIFO, FIFO or Weighted Cost methods of inventory control. Computes
ost of Goods Sold.

\$99.95

DES ACCOUNTS RECEIVABLE
omplete billing system. Prints statements of account on computer or preprinted
orms, ages accounts, finance rate chart, minimum payment chart. Holds up to 500
occounts. Complete audit trail is provided for safety. Integrates with the Order
ntry and General Ledger programs to provide maximum efficiency and auto
alance transfer.

#99.95

**DES ORDER ENTRY**Invoicing with computer or preprinted forms. Integrates with the Inventory and eccivable programs to provide a complete sales system. Sales Journal records ally sales. Cost of Goods Sold and the Gross Profit Margin. Automatic Back Order 499.95

DES GENERAL LEDGER

ncome Statement and balance Sheet. Holds 500 accounts. Accommodates one
r several divisions or companies. Audit trail. Trial balance integrates with
ccounts Receivable, Accounts Payable and Order entry programs. Chart of
ccounts. Easy to use and set-up.

#99.95

DES ACCOUNTS PAYABLE
racks one-time and recurring payables. Holds up to 500 accounts. Integrates with
eneral Ledger. Prints checks; you set the format. An optional voucher sytem is

omputes payroll for up to 100 employees. Printer required. Prints checks and imployee pay silps. Computes local, state and federal taxes for any pay period. placed to the property of the pro

IONEY ANALYSIS
we amortization calculations. Mortgage analysis. Interest on savings, installent payments. Great for real estate inventors or anyone who needs to calculate as one

OSTMASTER II

omplete mailing list. Easy to use. Up to 1600 names may be stored per data disk.
orts by name or zip code. Formats labels for any size. Great for computer rolex
rds. These and other features make this a great mailing program.

449.95

PPOINTMENT BOOK
an appointments from now until 1999 with this program. Excellent graphic alendar for each month. Print out a list of appointments for each day. Data disk included. Great for work or home use.

TNANCE MANAGER

Vorks like an acocunts payable program, but for the home. Keeps track of items ou want to include for your taxes. Program also comes with a graphic calculator nd budget helper functions.

### EDUCATIONAL SOFTWARE

Touch skills

A complete typing tutor for the beginning to intermediate typist. Typing drills, a graphic keyboard and game are included.

UN WITH LEARNING

t least, a learning program designed especially for children 4 to 8 years of age. /atch your children spend hours learning about shapes and solving problems. un graphics, easy to use design.

BODY SYSTEMS
Skeletal, respiratory, digestive and circulatory systems are covered. A quiz and review are included. Excellent graphics. \$39.95

ATES & CAPITALS

n each of the fifty United States by their shape. Learning the capitals also. A
rogram for learning about the U.S.

629.95

**ASH CARDS** 

Flash Card will sharpen your math skills in addition, subtraction, multiplication and division. Solve problems right on the screen. \$29.95

SPELLING BEE

n) to spell with your own list of words or use the computer's list of over 500 ds of varying length. Make spelling fun to learn. 439.95

MATH CASTLE
rotect your castle from the attacks of the allen flying saucer using arithmetic.
unswer the math problems to shoot down the enemy.

#29.95

INCHWORM

A learning game for children, a strategy game for adults. Guide your long-growing inchworm through different learning situations.

### **GAME SOFTWARE**

TRIVIA MANIA

The hottest new trend in games has gone computer! Several different trivia disks are available. Fun for the whole family. \$39.95

FLYBOY
With only 9 minutes of fuel left, you must land your aircraft safely. Graphic #39.95

BLACK JACK
Plays just like the real thing. Graphic playing cards make this a very colorful game.
There is never a boring minute with Black Jack.

•29.95

YTE BUSTERS are the "Byte Buster." Your mission is to clear all of the "Bytes" from the maze ore the "Nybblers" put the bite on youl

BACKGAMMON

n strategy game with several skill levels. Play the computer or another person. ch the computer play itself to learn.

SNARE THE SQUARE
If you like Chinese Checkers or Othello, you will love Snare the Square - A game of skill and strategy. Play computer or a human.

ALL: (206) 874-4044 OR (206) 952-4114





1220 S. 356TH ST., SUITE 208W P.O. BOX 3679 FEDERAL WAY, WA 98063

WE ACCEPT MASTERCARD. VISA. AND AMERICAN EXPRESS (INCLUDE CARD = AND EXPIRATION DATE). CHECK, COD. OR MONEY ORDER ALL ORDERS ARE SHIPPED UPS. FREE OF CHARGE PLEASE ALLOW 4 DAYS TO RECEIVE YOUR ORDER WASHINGTON STATE RESIDENTS. PLEASE ADD 7 8% SALES TAX DEALER INQUIRIES INVITED PROGRAM SUBMISSIONS WELCOME

The rest of the commands are not documented. First, the disappointments:

ATTR\$, COM, CONSOLE, CREATE. CSRLIN, DSKF, EDIT routine that HCOPY, SETKEY, STRIG, SUB

— All jump to a very powerful displays error messages; specifically, a "Syntax Error."

SOUND, PLAY. SCREEN

- Will be passed over, along with all their parameters. Obviously a bid from Sanyo to be IBM compatible.

Need an example? Try this program:

10 SCREEN=50 20 PRINT SCREEN

A syntax error is guaranteed in Line 20.

For the more enticing commands, type:

INIT

- involved with manipulating the RS-232 port. Could be handy. We don't own an RS-232 card and thus are not sure what this does, but here are the values and formats it
- INIT %1,X,Y

The %1 is required. (why?) X can be an integer from 64 to 255.

Y can range from zero to

STICK - reads the joystick.

### Example:

10 PRINT STICK(1), STICK(2) 20 GOTO 10

A very nice feature — too bad nobody ever was told about it!

But what can be done with the commands that "don't work"? Can BASIC be modified to make them function in a useful manner? This would not be much of an article if the answer were "no." One of the most missed features of Sanyo BASIC we hear about is its lack of SDUND and music instructions. Therefore, to demonstrate how BASIC can be enhanced, we have chosen to make the SOUND and PLAY commands function as their name suggests.

### **About The Program**

Listing 1 is the BASIC program which POKEs in the machine language SOUND and PLAY routines. There is not much to see in that program since it just POKEs in values, so Listing 3 is provided, which is the documented assembly language listing which corresponds to the values which are POKEd in. Part of this program was put into an unused area in Sanyo BASIC. This area was the location of the unused and unusable function keys 11 through 20. The rest was put into the machine language field in high memory. Function keys 11 through 20 will no longer appear with

ne of the most missed features of Sanyo BASIC we hear about is its lack of SOUND and music instructions."

the KEY LIST and will not be changeable using the KEY command.

Listing 1 should be typed in and SAVEd immediately. Be sure to check the data twice before the program is run. If there is even one error in the data, the computer might lock up or destroy a program in memory. After the program is run, BASIC will return with "Ready." Now the sound routines are in. The commands have these formats:

X is the duration SOUND X,Y<,Z> (0 through 255) Y is the frequency (0 through 255) Z is an optional value for timbre (0 through 9)

PLAY A\$ or PLAY "A#8B8C8T305ABCDR8"

The PLAY string is a series of letters followed by optional numbers. Spaces are not permitted. The acceptable letters are:

A-G → A note (see note and the rest of the specifications below) → A rest → Timbre (TO loud full tone — T9 soft reedy tone) → Staccato (SO least staccato - S9 most staccato) → Speed (Q0 quickest — Q9 slowest) → Octave (O0 lowest octave — O9 higest octave)

> T, S, Q and O will all default to 5 if their number is omitted. This is the initial value of each.

Notes can be sharp or flat. To indicate this, a sharp symbol (+ or #), or a flat symbol (-), should be inserted directly after the note and before the number.

Notes and rests use a different code for the numbers following them. Omission of the number results in a whole note (or whole rest). The digits 0 through 9 correspond to the following types of notes:

- 0 Quarter note 5 Dotted quartriplet ter note
- 1 Dotted half 6 — Sixteenth note note
- 2 Half note  $7 - \frac{1}{24}$ th note
- 3 Eighth note 8 — Eighth note triplet
- 4 Quarter note 9 Dotted eighth note

### **Applications**

A vast new world becomes apparent as the Sanyo blows its horn. BASIC programs can have hassle-free sound effects as well as stunning music.

Sound effects are easy to accomplish. Probably the best way to make them is to use short durations with the SOUND command, or use Q0 with the PLAY command.

The other application is music. To demonstrate certain techniques of music making, we have included Listing 2 which plays three classic songs using various methods of string handling.

Here are some notes for all of the computer composers:

PLAY "QOST" resets all special features to their original value.

PLAY "D3T2CB" gives you a familiar CS:998H tone.

For All The Sanyo Hackers

It is very easy to change Sanyo BASIC if you know the right memory locations and formulas. We will give out the main ones which will let you do almost anything you want to the commands and command list. Here are the two main locations:

CS: AØF9H

52Ø READ B\$,C\$

54Ø FOR  $I=\emptyset$  TO LEN(C\$)/2-1

This is the BASIC command list. It contains all the BASIC keywords and their special codes. The code for a keyword is listed directly after that keyword. (For BASIC 1.21, the location is slightly higher in new versions.)

This is the vector table for contains two-byte addresses to locations in BASIC.

The only thing left to know is the formula for converting the special BASIC codes to the location in the vector table. This will only apply to commands which have one-byte codes. Keywords which have FFH as the first code are functions and not handled by this formula. Keywords which have FEH as the first code are not tokenized and thus are not reserved words. Here is the formula:

LOCATION = 998H + (Code - 83H) \* 2

You'll probably want to examine how the BASIC commands. It ' the BASIC routines work before you start writing your own. The best way to do this is with DEBUG. Certain subroutines, such as the ones documented in our assembly language code, can be very useful and sometimes essential.

> You might notice that the commands SOUND and PLAY work very much like the LOCATE and FILES commands already in BASIC. In fact, the subroutines for our new commands were taken directly from the LOCATE and FILES routines. This is the easiest way to make new commands.

> Be careful! Fooling around with a complex program like Sanyo BASIC can be very dangerous. Take all necessary precautions, such as saving programs frequently, and opening the disk drive door when the drive is not in use.

### Listing 1: INSTALL.BAS Program copyright 1985 by Philip MacKenzie and Jeffrey Sorensen 5 REM 1Ø CLS : LOCATE 1Ø,1,Ø 20 PRINT TAB(28) "Sound/Play Command Module" 3Ø PRINT 4Ø PRINT TAB(28) "Version 2.3 by JS/PM" 5Ø LOCATE 15,36,0:PRINT "Loading."; 6Ø CLEAR 32:DEFINT I 70 DEF FNGAD(X)=PEEK(X)+256\*PEEK(X+1) 75 REM poke in a machine language routine to get 76 REM the code segment of Sanyo Basic and call it. 8Ø GOSUB 5ØØ:DEF USR(I)=Ø:CS=USR(I) 9Ø DEF SEG=CS 94 REM \* 95 REM find locations of special routines needed to get 96 REM the numbers and strings out of the SOUND and PLAY statements 100 FILPOS=FNGAD (&H9C8):LOCPOS=FNGAD (&H9EC) 11Ø GETNUM1=FNGAD (LOCPOS+1)+LOCPOS+3 12Ø GETNUM2=FNGAD (LOCPOS+18)+LOCPOS+2Ø 13Ø GETSTR=FNGAD (FILPOS+19) +FILPOS+21 $14\emptyset$ ADR( $\emptyset$ ) = SEG(4): ADR(1) = GETNUM1: ADR(2) = GETNUM2: ADR(3) = GETSTR 145 REM poke in the main SOUND/PLAY routine 15Ø GOSUB 5ØØ 16Ø LOCATE 15,36,Ø:PRINT SPC(8) 17Ø END 496 REM \* 497 REM subroutine which pokes data into memory 498 REM A=segment, B\$=location, C\$=data to be poked 499 REM ADDR=current location, VA=current data to be poked 500 READ A: IF A=-1 THEN RETURN 510 IF A=0 THEN DEF SEG=CS ELSE DEF SEG=SEG(A)

53Ø I=INSTR(C\$," "):IF I THEN C\$=LEFT\$(C\$,I-1)+MID\$(C\$,I+1):GOTO 53Ø

```
55Ø ADDR=VAL("&H"+B$)+I
56Ø A=ASC (MID$ (C$, I*2+1))
57Ø IF A<>42 AND A<>64 THEN VA=VAL("&H"+MID$(C$,I*2+1,2)):GOTO 61Ø
58Ø V1=VAL(MID$(C$, I*2+2,1)) : VA=ADR(INT(V1/2)) : V1=V1 AND 1
59Ø IF A=64 THEN VA=VA-(ADDR+2-V1)
600 IF V1 THEN VA=INT(VA/256) ELSE VA=VA-INT(VA/256) *256
61Ø POKE ADDR, VA : NEXT I : GOTO 5ØØ
997 REM *
998 REM this is the data to be poked
999 REM be careful when typing this in!
1000 DATA 4,000, 8BF4 368B 4402 8907 CB
1010 DATA -1
1020 DATA Ø, A60, BB00 E900
1Ø3Ø DATA Ø,ØBB, E8@2 @372 26
1040 DATA 0,0C0, 8AC8 E804 0572 1F8A E8E8 1D08 740C E804
1Ø5Ø DATA Ø,ØDØ, @572 135Ø E827 Ø858 EBØ2 32CØ 9A39 ØØ*Ø
1Ø6Ø DATA Ø,ØEØ, *1ØA CØ75 Ø1C3 E9F7 Ø3E8 FDØ7 74F8 E8@6
1070 DATA 0,0F0, 0756 571E 8B0E 7801 C536 7A01 9A81 00*0
1080 DATA 0,100, *11F 5F5E EBDB
1Ø9Ø DATA 4,ØØØ, FF2B BF7F 154Ø 6Ø1Ø ØB2Ø 3Ø37 989C 87FF
1100 DATA 4,010, FF11 E42F CBC8 BFDB AAAC 8F00 80A1 F144
111Ø DATA 4,020, D7C8 BF04 B544 A19C 87D0 7811 E42F CB04
112Ø DATA 4,030, B5DB AA37 9805 0703 058A F932 DB8A C8FE
113Ø DATA 4,040, C18A C532 E405 Ø300 B508 E801 00CB 568B
114Ø DATA 4,050, DØD3 E84Ø 2BDØ 96BØ 15FA 8AE5 E63A 32C4
115Ø DATA 4,060, 8BCE E2FE 8BCE E2FE 8BCE D1E9 D1E9 412B
116Ø DATA 4,07Ø, D987 F273 E7FB BØ15 E63A 5E32 CØC3 BØØ5
1170 DATA 4,080, CBBF 3500 8A1C 80EB 417C F332 FF8B C3D1
```

# Great Software For Your Sanyo At Low, Low Prices

RAM Disk. MOR: An extremely flexible and versatile RAM disk, unlike any others you may have seen. May be removed by a single command, or reconfigured to a different disk size without having to reboot and recopy files. If the computer quits in the middle of a session, MOR lets you recover the RAM disk and your files may still be there. Also tells DOS to forever reload COMMAND.COM from drive A, so you need not worry about using the RAM as default. Automated installation on all versions of DOS 1.25 and 2.11. Runs on 128K systems, too.

Only \$24.95

Spooler. SPUL: A multi-function spooling utility that provides 1 to 64K printer buffer. Unlike other spoolers, SPUL lets you pause and resume printing, or cancel everything in the buffer, all from the keyboard. DOS Control-P echoes are buffered. As if that's not enough, we have added a SCREEN DUMP capability that dumps any number of lines on the screen to the buffer. Now, tell us which program can dump the entire screen and return control to you in just one or two seconds! Requires any version of DOS 1.25/2.11 and any RAM size.

Only \$24.95

Bibliography. An electronic marvel for modern scholars! Definition files and command files all properly set up for your DataStar and MailMerge to produce MLA style bibliography. Can be converted to any other styles. Saves you hours of frustration in creating your own. Ready for data entry. Can sort by any field. Number of bibliographic items limited only by your disk capacity. Many tricks included; serves as a tutorial in itself. Used by the author in his Ph.D. dissertation.

Only \$15.95

Mailing List. Definition files and command files all properly set up for your DataStar and MailMerge to produce a variety of mailing lists to suit different needs. Number of records limited only by your disk capacity. Can sort by any field. Includes many tricks and tips and a command file to print envelopes. Can print 1 or 3-across labels. Originally developed for a magazine subscription agency to keep track of more than 100,000 subscribers. Why waste time creating your own when you can use our fully tested and debugged program?

Only \$12.95

### Chaucer Software

P.O. Box 2308 Princeton, NJ 08540 Telephone (609) 734-9016 Proportional Spacing. A program that automatically installs your WordStar to print in proportional spacing. This means such letters as "i" and "l" will occupy much less space than letters like "m" and "w," and the space in between words will be evenly spread out, resulting in a dramatically improved printout that looks almost typeset. You still get all the WordStar printing features, including right justification, boldface, underscore, superscript, etc. You get best results when you use a PS printwheel, but fine even if you use the ordinary non-PS 10 or 12-pitch printwheels. No crowded characters, even on one-word short lines. Comes with a disk and a manual plus a variety of printing tricks. Requires Juki, Brother, Silver-Reed, or any other letter-quality printers. Developed by the author to print his Ph.D. dissertation. Extra Bonus for Juki 6100 printer: Our Proportional Spacing program will also automatically install your WordStar to print French cedilla (ç) and German umlaut (ü), two foreign characters not on your keyboard. Now your Juki can print all the diacritical marks needed for French and German. Information on how to print the other four special characters ( $\P = \S \$ ) is also included in our Manual. Fully tested on Juki 6100.

### **Juki 6100 Printer Accessories**

Roman PS	ABCDEFGH1 ~ ¢¬§Ł"¢	Only \$22.95 each
Standard PS	ABCDEFGHI[Ω]Δ °abc	def 11 2 0118 5 3 x 1"
Prestige Elite 12		bcdef ( )~c-\$£
Joan Italic 10/12	ABCDEFGH[Q]A °abo	cde 717, chět. A
Mini Majestic 12/15	ABCDEFGHIUVWXYZ11	142 411 6 6 3 4 1 11 4 6 6

Check, Visa, MasterCard accepted All U.S. orders shipped FREE, via First Class Priority Mail, in 24 hours. Foreign customers, please add U.S. \$10.00 per order (any item) for Air Mail. NJ residents only, please add 6% sales tax.

```
118Ø DATA 4,09Ø, E32E 8B97 19ØØ 46FE C974 2F8A 2C3C Ø677
1190 DATA 4,0A0, 1E80 FD23 7411 80FD 2B74 0C80 FD2D 750F
1200 DATA 4,0B0, 2E8B 970B 00EB 052E 8B97 2700 46EB D880
121Ø DATA 4,0CØ, ED2F 7EBA 80FD 0A76 054E FEC1 32ED 3C06
1220 DATA 4,0D0, 7704 B308 EB07 8AD8 80EB 1175 3C51 2E8A
123Ø DATA 4,ØEØ, 4DØ1 D3EA 2E8A ØD86 EB32 E42E 8A87 ØØØØ
1240 DATA 4,0F0, F6E1 D1E0 D1E0 D1E0 D1E0 2E8A 4D02 8BD8
125Ø DATA 4,1ØØ, 8BC2 E849 FF32 C92E 8A6D Ø3E2 FE59 46FE
126Ø DATA 4,11Ø, C974 Ø3E9 6BFF 32CØ CBØA ED75 Ø2B5 Ø53C
127Ø DATA 4,12Ø, 1375 ØD8Ø EDØ2 7FØ2 B5Ø1 2E88 6DØ2 32ED
128Ø DATA 4,13Ø, 3C12 75Ø6 2E88 6DØ3 32ED 3C1Ø 75Ø5 2E88
129Ø DATA 4,14Ø, 2D32 ED3C ØE75 Ø98Ø C5Ø2 2E88 6DØ1 32ED
1300 DATA 4,150, ØAED 74BA E927 FF
131Ø DATA 1,18F, ØA
132Ø DATA -1
Listing 2: MUSIC.BAS
1Ø CLS
2Ø LOCATE 1Ø, 21, Ø
3Ø PRINT "Songs using the PLAY routine by JS/PM"
4Ø LOCATE 11,28,Ø
5Ø PRINT "Please make a selection:"
6Ø LOCATE 13,3Ø,Ø
7Ø PRINT "1 - The Entertainer"
8Ø LOCATE 14,31,Ø
90 PRINT "2 - Maple Leaf Rag"
100 LOCATE 15,27,0
110 PRINT "3 - Flight of the Bumblebee"
12Ø A$=INKEY$:IF A$="" THEN 12Ø
13Ø ON VAL(A$) GOTO 1ØØØ,2ØØØ,3ØØØ
16Ø GOTO 12Ø
999 REM The Entertainer
1ØØØ A$="T903D6D#6E604C803E604C803E604C5"
1Ø1Ø B$="T804C6T7D6T6D#6T5E6C6D6E803B604D8C5"
1020 C$="T803A6T7G6T6F#6T5A604C6E8D6C603A604D5"
1Ø3Ø D$="T5O4C6D6E6C6D6E8C6D6C6E6C6D6E8C6D6C6E6C6D6E8O3B6O4D8C5"
1040 PLAY "S908"+A$+B$+A$+C$
1Ø5Ø PLAY A$+B$+D$+"03T6C8"
1Ø6Ø GOTO 12Ø
1999 REM Maple Leaf Rag
2000 DEFSTR D:DEF FND(X)=MID$(STR$(X),2,1)
2010 \text{ DEF FNDA}(X) = \text{"T"+FND}(8-X) + \text{"O"+FND}(X) + \text{"A-60"+FND}(X+1) + \text{"A-60"+FND}(X+2) + \text{"C-6A-6}
2020 AS=FNDA(1)+FNDA(2)+FNDA(3)+FNDA(4)
2030 E$="A-8A-8A-8A-6A-8"
2Ø4Ø F$="E-6F6C6E-6F6R6O5A-8B-6O6C-6O5A-6B-6O6C6R6"
2Ø5Ø G$="05A-606C605A-6S9B-8A-8"
2060 PLAY "S5Q8"+A$+E$+F$+G$
2Ø7Ø GOTO 12Ø
2999 REM Flight of the Bumblebee
3\emptyset\emptyset\emptyset DEF FNO$(X)="O"+MID$(STR$(X),2,1)
3Ø1Ø PLAY "S203T6"
3Ø2Ø X=5:PLAY FNO$(X)
3Ø3Ø A$="E8E-8D8D-8C8F8E8E-8E8E-8D8D-8C8D-8D8E-8"
3Ø4Ø B$="A8A-8G8G-8F8B-8A8A-8A8A-8G8G-8F8G-8G8A-8"
3Ø5Ø C$="E8E-8":D$="F8E8"
3Ø6Ø E$=C$+C$+C$+"D8E-8E8"+D$+D$+D$+"E-8"
3Ø7Ø F$="E8E-8E8F8G-8G8A-8G8G-8F8"
3Ø8Ø G$="A8A-8":H$="B-8A8"
```

15

576 S. TELEGRAPH, PONTIAC, MI 48053 ORDERS AND INFORMATION (313) 334-5700 PRICES DO NOT INCLUDE SHIPPING AND HANDLING



### SUPER DIRECTORY by Mark Feldman

Your disks are being overrun! Obscure files, chaotic paths, and disordered programs hide deep in mega-level subdirectories! It's Super Directory to the rescue; this sophisticated data-base will catalog your entire disk library!

- Catalogs 1.25 & 2.11 disks and hard-drives!
- Neat display shows full pathnames and lets you add disk number, category, and even remarks!
- Prints a variety of reports: from simple screen dumps to handy disk-sleeve sized print-outs.
- Sort, Find, and full-screen editing gives Super Directory the power to master the monsters of disorder, while mild-mannered menu-control keeps it friendly.

Super Directory, your ally against disk disorder!

128K Sanyo 550/555 or IBM compatible, 

### DS-DOS PLUS 2.11 by Tim Purves

Don't settle for a DOS that's just "OK," boot-up with the best! Combined support of 80-track drives, 10 sector formats, extended memory, and IBM graphics is found only in DS-DOS PLUS 2.11.

- Controls any combination of drives: 40-track, s/d sided, 8, 9 & 10 sectors, AND 80-track, s/d sided, in 10 sectors.
- Handles up to 768K of memory extensions!
- Supports the SANYO VIDEO RAM BOARD. A simple DOS command toggles between Sanyo and IBM modes instantly! No re-booting!
- DS-DOS has the features that set the standards: DOS help file Large cursor **Faster utilities** Remembers Date Directory sort Text dump Fast-printer patch Menu-driven utilities

128K Sanyo 550/555, MS-DOS 2.11 . . . . \$49.95

### CORNERMAN

by J. Weaver Jr.

If a sloppy desk has you on the ropes, CORNERMAN is your ringside solution. It waits in memory while you use word processors, utilities, and even games! Then with a single keystroke, CORNERMAN brings you these great features:

- NOTEPAD lets you write notes for handy future reference and reminders.
- ASCII TABLE shows Sanyo symbols with their decimal & hex values. Great for programmers!
- PERPETUAL CALENDAR helps with planning to the year 2099.
- DIALER contains your personal phone book and can even dial for you!
- 8 DIGIT CALCULATOR: binary, octal, decimal, and hex; summation memory; math & logic functions; base conversions!
- Resumes previous program on command.

### **EasyWindow**

by Paul McLeod

MichTron proudly announces the EasyWindow screen development system! EasyWindow lets C programmers design and implement user- interactive windows. End the hastle of creating friendly screens and input, and get back to designing your application!

- No more printf/scanf: EasyWindow makes INPUT/OUTPUT simple!
- Add text graphics and color to screen displays.
- Handles up to 64 windows at one time, with up to 255 I/O fields per window!
- Display windows virtually anywhere on the screen--even stacked or overlayed!
- Removes de-activated windows and updates underlying views automatically!
- Send windows to devices such as a printer.
- Use field types for data entry: text, decimal, etc.
- Special "groups" of related fields can even scroll independent of their window!
- Includes screen editor and library of C routines.

256K Sanyo 550/555 or IBM compatible, MS-DOS 2.11 and Lattice "C" 2.14 compiler. . . . \$199.95

### EasyRecord

by Paul McLeod

This binary-indexed record management system lets C programmers record and access file data quickly and orderly. EasyRecord manages up to 16 files at one time, maintains 8 key fields with 8 sub-fields each, accesses records with a variety of logic functions, and supports all C data types. Contains window-driven file setup program and complete library of C routines. Perfect for use with EasyWindow, or any data handling application.

128K Sanyo 550/555 or IBM compatible, MS-DOS 2.11 and Lattice "C" 2.14 compiler. . . . \$199.95

### **PICASSO**

by Bill Dunlevy

ONLY PICASSO IS 100% MACHINE LANGUAGE! It's the fastest, easiest, most powerful graphics program around! Pictures from PICASSO have even made the cover of Soft Sector-Twice! For marketing, design, or simple creative pleasure, PICASSO will knock your smocks off!

- Machine-language speed and power!
- PICTURE MENUS mean nothing to memorize!
- **Rubber Band Graphics**
- Two FULL-SIZED screens to draw on
- Pick from 64 colors, or make your own
- Choose brushes & densities for special effects
- SMARTFILL uses MULTICOLOR PARAMETERS!
- Draw ANY polygon: from triangles to ovals, arcs, and circles!
- Use stamps in your BASIC or ML programs!
- Use stamps in C & Pascal with Graphpac

256K Sanyo 550/555, Joystick recomm . \$99.95

```
311Ø K$="E8E-8E8G-8G8G-8G8A8B8B-8B8"+FNO$(X+1)+"E-8E8E-8E8G-8G8G-8"
312Ø L$="E8E-8E8G-8G8E8G-8G8A8G8A8B8B#8A8B8B-8B8"+FNO$(X+2)
313Ø M$="C8D-8D8E-8"+FNO$(X+1)+"B8"+FNO$(X+2)+"D-8E-8E8D8C8"+FNO$(X+1)
314Ø N$="B8"+FNO$(X+2)+"D8C8"+FNO$(X+1)+"B8A8B8A8G8G-8A8G8G-8E8E-8E8"
315Ø P$="B8B#8A8B8A8G8G-8A8G8G-8E8E-8E8G-8G8G-8G8A8B8B-8B8"+FNO$(X+2)
316Ø O$="D-8E8"+FNO$(X+1)+"B8"+FNO$(X+2)+"D-8E-8"
317Ø FOR L=1 TO 2
318Ø PLAY A$+A$+A$+"E8AR8"
319Ø PLAY B$+B$+B$+"A8"+FNO$(X+1)+"D"+FNO$(X)
3200 PLAY ES+ES
321Ø PLAY "E8F8"+F$+F$
322Ø PLAY I$+I$
323Ø PLAY "A8B-8"+J$+J$+"B8"
324Ø PLAY "T9": NEXT L
325Ø PLAY "T8"
326Ø FOR L=1 TO 2
3270 PLAY K$+L$+M$:PLAY N$+P$+Q$
328Ø NEXT L
329Ø PLAY "E"
33ØØ GOTO 12Ø
 Listing 3: SOUND/PLAY Source Code
                                     PAGE 50,132
                                     TITLE * SOUND/PLAY SOURCE CODE *
                                Machine language routines for extensions to Sanyo Basic's
                                SOUND and PLAY commands
                                --- Copyright Phil MacKenzie and Jeff Sorensen
                                The first part of this program (up to the ORG \emptyset) is to be poked
                                into Sanyo Basic segment. The second part (after the ORG \emptyset)
                                is to be poked into the machine language area designated by seg(4)
 ØØØØ
                                     SEGMENT PARA STACK 'STACK'
                              STACK
 ØØØØ
                              STACK
 øøøø
                              SOUNDS SEGMENT PARA PUBLIC 'CODE'
                                     ASSUME CS:SOUNDS, DS:SOUNDS
 Ø17A
                                      ORG
                                             17AH
 Ø17A ØØ ØØ ØØ ØØ
                              H17A
                                     DD
                                                             ;LDS instruction needs this
                              ; The CALLs to 63B8H, 63ADH, and 9415H only work in Basic 1.21
                              ; The Basic program which pokes this routine in will automatically
                              ; correct these locations so the program will work under any version
 ØØBB
 ØØBB E8 63B8 R
                                      ORG
                                             ØBBH
                              SOUND: CALL
 ØØBE 72 26
                                             H63B8
                                                             ;63B8H is the Basic routine to
                                      JC
 øøcø
      8A C8
                                             ERRT
                                                             ; get the first number in the
                                      MOV
 ØØC2
      E8 63AD R
                                             CL, AL
                                                             ; SOUND command (save in CL)
                                      CALL
 ØØC5
      72 1F
                                             H63AD
                                                             ;63ADH is the Basic routine to
 ØØC7
      8A E8
                                      JC
                                             ERRT
                                                             ; get numbers after commas
                                      MOV
                                             CH, AL
 0009
      E8 Ø8E9 R
                                                             ; save in CH
                                      CALL
 ØØCC
      74 ØC
                                             H8E9
                                                             ;8E9H is the Basic routine which
 ØØCE
      E8 63AD R
                                      .77.
                                             SOUND2
                                                             ; checks for more data
 ØØD1
                                      CALL
       72 13
                                             H63AD
                                                             ; if more data, get next number
                                      JC
 ØØD3
      50
                                             ERRT
                                                             ; Carry flag means error!
 ØØD4
                                      PUSH
      E8 Ø8FE R
                                             AX
 ØØD7
                                      CALL
       58
                                             H8FE
                                                             ;8FEH is the Basic routine which
 ØØD8
      EB Ø2
                                      POP
                                             AX
                                                             ; causes an error if extra data
 ØØDA 32 CØ
                                      JMP
                                             SHORT SOUND3
                              SOUND2: XOR
                                             AL, AL
                                                             ;default AL
```

3Ø9Ø I\$=G\$+G\$+G\$+"G8A-8A8"+H\$+H\$+H\$+"A-8"

31ØØ J\$="A8A-8A8B-8"+FNO\$(X+1)+"C-8C8D-8C8C-8"+FNO\$(X)+"B-8"

ØØDC 9A ØØ39 R	;when ca SOUND3:		OUNDU, CL=length FAR PTR SOUNDU	, CH=tone, AL=timbre (or loudness)							
ØØEL ØA CØ	GOBACK:	OR	AL,AL	;After returning, if AL<>Ø							
ØØE3 75 Ø1		JNE	ERRT	;then error!							
ØØE5 C3		RET		otherwise return							
ØØE6 E9 Ø4EØ R	ERRT:	JMP	н4ЕØ	;4EØH is the error routine AL=err code							
ØØE9 E8 Ø8E9 R	PLAY:	CALL	H8E9	; check for more data							
ØØEC 74 FB		JZ	ERRT	;if none then error							
ØØEE E8 9415 R		CALL	H9415	;9415H is the Basic routine which							
ØØF1 56				;gets a string							
ØØF2 57		PUSH	SI	;Save important registers							
ØØF3 1E		PUSH	DI								
ØØF4 2E: 8B ØE Ø178		PUSH	DS CS - [170]								
ØØF9 C5 36 Ø17A R		LDS	CX,CS:[178H] SI,H17A	;CX is the string length							
ØØFD 9A ØØ81 R		CALL	FAR PTR PLAYA	;DS:SI is the string location							
Ø1Ø2 1F		POP	DS	;Get back important registers							
Ø1Ø3 5F Ø1Ø4 5E		POP	DI	7000 Edok Important legisters							
Ø1Ø5 EB DA		POP	SI								
		JMP	SHORT GOBACK	;check for errors							
рррр	;This se	ection t	o be poked in hi	igh memory							
		ORG	Ø								
ØØØØ FF 2B BF 7F 15 4Ø	;note le										
6Ø 1Ø ØB 2Ø 3Ø		DB	255,43,191,127	,21,64,96,16,11,32,48							
ØØØB 9837 879C PPPP P411	;note f:	requenci	ies								
CB2F BFC8 AADB	FLAT	DW		535,58385,52Ø15,49Ø96,43739							
ØØ19 8FAC 8ØØØ F1A1 D744 BFC8 B5Ø4 A144	NOTE	DW	3678Ø,32768,618	61857,551Ø8,49Ø96,4634Ø,41284							
ØØ27 879C 78DØ E411 CB2F B5Ø4 AADB 9837	AUGMENT	DW		385,52015,46340,43739,38967							
ØØ35 Ø5	;variab	les for	speed, octave	timbre, and staccato							
	CDDDD			cimple, and staccato							
ØØ36 Ø7			5								
ØØ36 Ø7 ØØ37 Ø3	OCTAVE	DB	7. 2. 4. 中有学								
	OCTAVE TIMBRE	DB DB	7 3								
ØØ37 Ø3 ØØ38 Ø5	OCTAVE	DB	7. 2. 4. 中有学								
ØØ37 Ø3 ØØ38 Ø5 ØØ39	OCTAVE TIMBRE	DB DB	7 3								
ØØ37 Ø3 ØØ38 Ø5 ØØ39 ØØ3B 32 DB	OCTAVE TIMBRE STACC	DB DB DB PROC XOR	7 3 5								
ØØ37 Ø3 ØØ38 Ø5 ØØ39 ØØ3B 32 DB ØØ3D 8A C8 ØØ3F FE C1	OCTAVE TIMBRE STACC	DB DB DB PROC XOR MOV	7 3 5 FAR BL,BL CL,AL								
ØØ37 Ø3 ØØ38 Ø5 ØØ39 ØØ3B 32 DB ØØ3D 8A C8 ØØ3F FE C1 ØØ41 8A C5	OCTAVE TIMBRE STACC	DB DB DB PROC XOR MOV INC	7 3 5 FAR BL,BL CL,AL CL								
ØØ37 Ø3 ØØ38 Ø5 ØØ39 ØØ3B 32 DB ØØ3D 8A C8 ØØ3F FE C1	OCTAVE TIMBRE STACC	DB DB DB PROC XOR MOV INC MOV	7 3 5 FAR BL,BL CL,AL CL AL,CH	;move timbre+1 into CL							
ØØ37 Ø3 ØØ38 Ø5 ØØ39 ØØ3B 32 DB ØØ3D 8A C8 ØØ3F FE C1 ØØ41 8A C5 ØØ43 32 E4	OCTAVE TIMBRE STACC	DB DB DB PROC XOR MOV INC	7 3 5 FAR BL,BL CL,AL CL								
ØØ37 Ø3 ØØ38 Ø5 ØØ39 ØØ3B 32 DB ØØ3D 8A C8 ØØ3F FE C1 ØØ41 8A C5 ØØ43 32 E4 ØØ45 Ø5 ØØØ3	OCTAVE TIMBRE STACC	DB DB DB PROC XOR MOV INC MOV	FAR BL,BL CL,AL CL AL,CH AH,AH	;move timbre+1 into CL							
ØØ37 Ø3 ØØ38 Ø5 ØØ39 ØØ3B 32 DB ØØ3D 8A C8 ØØ3F FE C1 ØØ41 8A C5 ØØ43 32 E4 ØØ45 Ø5 ØØØ3 ØØ48 B5 Ø8	OCTAVE TIMBRE STACC	DB DB DB PROC XOR MOV INC MOV XOR ADD MOV	FAR BL,BL CL,AL CL AL,CH AH,AH AX,3								
ØØ37 Ø3 ØØ38 Ø5 ØØ39 ØØ3B 32 DB ØØ3D 8A C8 ØØ3F FE C1 ØØ41 8A C5 ØØ43 32 E4 ØØ45 Ø5 ØØØ3 ØØ48 B5 Ø8 ØØ4A E8 ØØ4E R ØØ4D CB	OCTAVE TIMBRE STACC	DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL	FAR BL,BL CL,AL CL AL,CH AH,AH	;move timbre+1 into CL ;move tone+3 into AX							
ØØ37 Ø3 ØØ38 Ø5 ØØ39 ØØ3B 32 DB ØØ3D 8A C8 ØØ3F FE C1 ØØ41 8A C5 ØØ43 32 E4 ØØ45 Ø5 ØØØ3 ØØ48 B5 Ø8 ØØ4A E8 ØØ4E R	OCTAVE TIMBRE STACC SOUNDU	DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET	FAR BL,BL CL,AL CL AL,CH AH,AH AX,3 CH,ØØØØ1ØØØB	;move timbre+1 into CL							
ØØ37 Ø3 ØØ38 Ø5 ØØ39 ØØ3B 32 DB ØØ3D 8A C8 ØØ3F FE C1 ØØ41 8A C5 ØØ43 32 E4 ØØ45 Ø5 ØØØ3 ØØ48 B5 Ø8 ØØ4A E8 ØØ4E R ØØ4D CB	OCTAVE TIMBRE STACC	DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL	FAR BL,BL CL,AL CL AL,CH AH,AH AX,3 CH,ØØØØ1ØØØB	;move timbre+1 into CL ;move tone+3 into AX ;ZOUND1 is the sound general:							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A CB         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ45       Ø5 ØØØ3         ØØ48       85 Ø8         ØØ4A       E8 ØØ4E R         ØØ4D       CB         ØØ4E       56	OCTAVE TIMBRE STACC SOUNDU	DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØlØØØB ZOUND1	;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine							
ØØ37     Ø3       ØØ38     Ø5       ØØ39     ØØ3B     32 DB       ØØ3D     8A C8     ØØ3F     FE C1       ØØ41     8A C5     ØØ41     8A C5       ØØ43     32 E4       ØØ45     Ø5 ØØØ3     ØØ48 B5 Ø8       ØØ4A     E8 ØØ4E R       ØØ4D     CB       ØØ4E     56       ØØ4F     8B DØ	OCTAVE TIMBRE STACC SOUNDU	DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØ1ØØØB ZOUND1	;move timbre+1 into CL ;move tone+3 into AX ;ZOUND1 is the sound general:							
ØØ37     Ø3       ØØ38     Ø5       ØØ39     ØØ3B     32 DB       ØØ3D     8A C8     ØØ3F     FE C1       ØØ41     8A C5     ØØ41     8A C5       ØØ43     32 E4       ØØ45     Ø5 ØØØ3     ØØ48 B5 Ø8       ØØ4B     B5 Ø8     ØØ4A E8     ØØ4A E8       ØØ4D     CB     ØØ4E       ØØ4E     56     ØØ4F     8B DØ	OCTAVE TIMBRE STACC SOUNDU	DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØlØØØB ZOUND1	;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A CB         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ45       Ø5 ØØØ3         ØØ4B       B5 ØB         ØØ4A       E8 ØØ4E R         ØØ4D       CB         ØØ4E       ØØ4E         ØØ4E       ØØ51         ØØ51       D3 E8         ØØ53       4Ø         ØØ54       2B DØ	OCTAVE TIMBRE STACC SOUNDU	DB DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP PUSH MOV SHR INC	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØ1ØØØB ZOUND1  SI DX,AX	;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A C8         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ45       Ø5 ØØØ3         ØØ4B       B5 ØB         ØØ4A       E8 ØØ4E         ØØ4D       CB         ØØ4E       ØØ4E         ØØ4E       ØØ50         ØØ4F       8B DØ         ØØ51       D3 E8         ØØ53       4Ø         ØØ54       2B DØ         ØØ56       96	OCTAVE TIMBRE STACC SOUNDU	DB DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP PUSH MOV SHR INC SUB	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØ1ØØØB ZOUND1  SI DX,AX AX,CL AX DX,AX	;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine  ;save SI							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A C8         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ45       Ø5 ØØØ3         ØØ4B       B5 ØB         ØØ4A       E8 ØØ4E         ØØ4E       ØØ4E         ØØ4E       ØØ4E         ØØ4F       8B DØ         ØØ51       D3 E8         ØØ53       4Ø         ØØ54       2B DØ         ØØ56       96         ØØ57       BØ	OCTAVE TIMBRE STACC SOUNDU	DB DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP PUSH MOV SHR INC SUB XCHG	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØlØØØB ZOUND1  SI DX,AX AX,CL AX DX,AX SI,AX	;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A C8         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ48       Ø5 ØØØ3         ØØ48       B5 Ø8         ØØ4A       E8 ØØ4E R         ØØ4E       ØØ4E         ØØ4E       ØØ4E         ØØ4E       ØØ50         ØØ51       D3 E8         ØØ53       4Ø         ØØ54       2B DØ         ØØ56       96         ØØ57       BØ         ØØ59       FA	OCTAVE TIMBRE STACC SOUNDU	DB DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP PUSH MOV SHR INC SUB	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØ1ØØØB ZOUND1  SI DX,AX AX,CL AX DX,AX	;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine  ;save SI  ;adjusted for timbre: DX+AX=tone							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A CB         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ48       B5 Ø8         ØØ48       B5 Ø8         ØØ4A       E8 ØØ4E R         ØØ4D       CB         ØØ4E       BDØ         ØØ4E       BDØ         ØØ51       D3 E8         ØØ53       4Ø         ØØ56       96         ØØ57       BØ         ØØ59       FA         ØØ59       FA         ØØ50       RA	OCTAVE TIMBRE STACC SOUNDU SOUNDU ZOUND1:	DB DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP PUSH MOV SHR INC SUB XCHG MOV	FAR BL, BL CL, AL CL AL, CH AH, AH  AX, 3 CH, ØØØØ1ØØØB ZOUND1  SI DX, AX AX, CL AX DX, AX SI, AX AL, 15H	;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine  ;save SI  ;adjusted for timbre: DX+AX=tone							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A CB         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ48       B5 Ø8         ØØ4A       E8 ØØ4E R         ØØ4D       CB         ØØ4E       F         ØØ4E       F         ØØ4E       F         ØØ4E       F         ØØ4E       F         ØØ5A       F         ØØ5A       F         ØØ5A       F         ØØ5C       F         ØØ5C       F         ØØ5C       F         ØØ5E       F         ØØ5E       F         ØØ5E       F         ØØ5E       F         ØØ5E       F	OCTAVE TIMBRE STACC SOUNDU	DB DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP PUSH MOV SHR INC SUB XCHG MOV CLI MOV OUT	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØlØØØB ZOUND1  SI DX,AX AX,CL AX DX,AX SI,AX	<pre>;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine  ;save SI  ;adjusted for timbre: DX+AX=tone ;clear interrupts for smooth sound</pre>							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A CB         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ45       Ø5 ØØØ3         ØØ48       B5 Ø8         ØØ4A       E8 ØØ4E R         ØØ4D       CB         ØØ4E       BDØ         ØØ4E       BDØ         ØØ51       D3 E8         ØØ53       4Ø         ØØ54       2B DØ         ØØ57       BØ       15         ØØ59       FA         ØØ50       BØ       CE	OCTAVE TIMBRE STACC SOUNDU SOUNDU ZOUND1:	DB DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP PUSH MOV SHR INC SUB XCHG MOV CLI MOV OUT XOR	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØ1ØØØB ZOUND1  SI DX,AX AX,CL AX DX,AX SI,AX AL,15H AH,CH	<pre>;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine  ;save SI  ;adjusted for timbre: DX+AX=tone ;clear interrupts for smooth sound</pre>							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A CB         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ43       ØØ48         ØØ48       B5 Ø8         ØØ4A       E8 ØØ4E R         ØØ4D       CB         ØØ4E       56         ØØ4E       8B DØ         ØØ51       D3 E8         ØØ53       4Ø         ØØ54       2B DØ         ØØ57       BØ       15         ØØ59       FA         ØØ50       8A E5         ØØ50       8B CE         ØØ62       E2 FE	OCTAVE TIMBRE STACC SOUNDU SOUNDU ZOUND1:	DB DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP PUSH MOV SHR INC SUB XCHG MOV CLI MOV OUT XOR MOV	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØ1ØØØB ZOUND1  SI DX,AX AX,CL AX DX,AX SI,AX AL,15H  AH,CH 3AH,AL AL,AH CX,SI	<pre>;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine  ;save SI  ;adjusted for timbre: DX+AX=tone  ;clear interrupts for smooth sound ;toggle TxD bit to generate sound</pre>							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A CB         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ43       ØØ48         ØØ48       B5 Ø8         ØØ4A       E8 ØØ4E R         ØØ4D       CB         ØØ4E       S6         ØØ4E       S6         ØØ4E       BDØ         ØØ51       D3 E8         ØØ53       4Ø         ØØ56       96         ØØ57       BØ       15         ØØ59       FA         ØØ50       BØ       CE         ØØ50       BB       CE         ØØ60       BB       CE         ØØ62       E2       FE         ØØ64       BB       CE	OCTAVE TIMBRE STACC SOUNDU SOUNDU ZOUND1:	DB DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP PUSH MOV SHR INC SUB XCHG MOV CLI MOV CLI MOV LOOP	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØ1ØØØB ZOUND1  SI DX,AX AX,CL AX DX,AX SI,AX AL,15H  AH,CH 3AH,AL AL,AH CX,SI ZOUNW	<pre>;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine  ;save SI  ;adjusted for timbre: DX+AX=tone ;clear interrupts for smooth sound</pre>							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A CB         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ45       Ø5 ØØØ3         ØØ4B       B5 ØB         ØØ4A       E8 ØØ4E         ØØ4E       B         ØØ4E       B         ØØ4E       B         ØØ4E       B         ØØ4E       B         ØØ51       D3         ØØ53       4Ø         ØØ54       2B         ØØ55       34         ØØ56       96         ØØ57       BØ         ØØ58       8A         ØØ59       BC         ØØ60       BB         CE       ØØ64         BB       CE         ØØ66       E2         ØØ66       E2	OCTAVE TIMBRE STACC SOUNDU SOUNDU ZOUND1: ZOUNL:	DB DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP PUSH MOV SHR INC SUB XCHG MOV CLI MOV OUT XOR MOV LOOP MOV	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØ1ØØØB ZOUND1  SI DX,AX AX,CL AX DX,AX AX,CL AX DX,AX AL,15H  AH,CH 3AH,AL AL,AH CX,SI ZOUNW CX,SI	<pre>;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine  ;save SI  ;adjusted for timbre: DX+AX=tone  ;clear interrupts for smooth sound ;toggle TxD bit to generate sound</pre>							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A C8         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ45       Ø5 ØØØ3         ØØ4A       E8 ØØ4E         ØØ4A       E8 ØØ4E         ØØ4E       ØØ4E         ØØ4E       ØØ4E         ØØ4E       ØØ4E         ØØ4E       ØØ4E         ØØ51       D3 E8         ØØ53       4Ø         ØØ54       2B DØ         ØØ55       96         ØØ57       BØ       15         ØØ59       FA         ØØ50       8A E5         ØØ52       32 C4         ØØ60       8B CE         ØØ62       E2 FE         ØØ64       8B CE         ØØ66       E2 FE         ØØ68       8B CE	OCTAVE TIMBRE STACC SOUNDU SOUNDU ZOUND1:	DB DB DB DB PROC XOR MOV INC MOV XOR ADD MOV CALL RET ENDP PUSH MOV SHR INC SUB XCHG MOV CLI MOV OUT XOR MOV LOOP MOV	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØlØØØB ZOUND1  SI DX,AX AX,CL AX DX,AX SI,AX AL,15H  AH,CH 3AH,AL AL,AH CX,SI ZOUNW1 CX,SI ZOUNW1	<pre>;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine  ;save SI  ;adjusted for timbre: DX+AX=tone  ;clear interrupts for smooth sound ;toggle TxD bit to generate sound</pre>							
ØØ37       Ø3         ØØ38       Ø5         ØØ39       ØØ3B       32 DB         ØØ3D       8A C8         ØØ3F       FE C1         ØØ41       8A C5         ØØ43       32 E4         ØØ48       Ø5 ØØØ3         ØØ48       B5 Ø8         ØØ4A       E8 ØØ4E         ØØ4E       BØ4E         ØØ4E       BØ         ØØ4E       BØ         ØØ4E       BDØ         ØØ51       D3 E8         ØØ53       4Ø         ØØ54       2B DØ         ØØ55       96         ØØ57       BØ       15         ØØ59       FA         ØØ59       FA         ØØ50       BB CE         ØØ60       BB CE         ØØ62       E2 FE         ØØ66       E2 FE         ØØ68       BB CE	OCTAVE TIMBRE STACC SOUNDU SOUNDU ZOUND1: ZOUNL:	DB DB DB DB PROC XOR MOV INC MOV XOR  ADD MOV CALL RET ENDP PUSH MOV SHR INC SUB XCHG MOV CLI MOV OUT XOR MOV LOOP MOV LOOP	FAR BL,BL CL,AL CL AL,CH AH,AH  AX,3 CH,ØØØØ1ØØØB ZOUND1  SI DX,AX AX,CL AX DX,AX AX,CL AX DX,AX AL,15H  AH,CH 3AH,AL AL,AH CX,SI ZOUNW CX,SI	<pre>;move timbre+1 into CL  ;move tone+3 into AX ;ZOUND1 is the sound generating ;routine  ;save SI  ;adjusted for timbre: DX+AX=tone  ;clear interrupts for smooth sound ;toggle TxD bit to generate sound</pre>							

# NOW SANYO POWER

# AT . . . COMPUTER CREATIONS

Let Us Customize A Sanyo Computer System to Fit Your Needs!



# **\$SANYO**

### **HARDWARE**

OF STRIDE THE STREET	
555-2 w/software	
775 Portable Color	Call
360K DS/DD Drive w/software	For
360K DS/DD Drive	Updated
RS 232C	Prices
128K Memory	
Video Expansion Board	
880 MBC	
180 K Drive SS/DD	49

### **EPSON PRINTERS**

LX-80 (80 column)	Call For
LX-80 Tractor Feed	Updated
Epson FX-80+ (80 column)	Prices
OTAR MICRONICS PRINTERS	

### STAR MICRONICS PRINTERS

SG-10 (80 column)	
SG-15 (136 column)	
SD-10 (80 column)	Call
SR-10 (80 column)	For
Powertype Daisywheel	rices
Powertype Tractor Feed	

### PANASONIC PRINTERS

KX - 1090	Call
KX-1091	For
KX - 1092	Prices
LQ-3151	
Parallel Printer Cable	19
PRINTER RIBBONS	
Gemini Printers (Black)	3

### Gemini Printers (Blue/Red/ Purple/Brn./Green)

Purple/Brn./Green)								976	
Epson Printers				0				1	
Panasonic Printers, Black									
Panasonic Printers, Color.							. ,		1

### FLOPPY DISKS AS LOW AS 85¢ EACH

DISKETTES (2 box minimum) 10 per box

	Generic (SKC)	Wabash	Maxell	Generic (Bulk)
# Boxes	DS/DD	DS/DD	DS/DD	DS/DD
2	11.99	19.99	27.00	9.99
3 - 6	10.99	19.49	26.00	8.99
7 - 10	9.99	18.99	25.00	8.49

### MONITORS

Sanyo 12" Green	
Sanyo 12" Amber	Call
Sanyo CRT 30 Green	For
Sanyo CRT 36 Green	Prices
Sanyo CRT 70 Color	
Sanyo CRT 50 Color	

### MODEMS

Volksmodem (300 BAUD)	69.95
Signalman Mark X (300 BAUD)	129.95
Signalman Mark XII	
(300/1200 BAUD)	259.95
Volksmodem Cable	12.00

### SOFTWARE

THE REAL PROPERTY AND ADDRESS OF THE PARTY O	6													
INFOCOM														
Zork I			3									i.		21
Zork II												į.		3:
Zork III										. X	 			3:
Deadline						6								3
Starcross														3
Suspended											 			3
Witness														2
Planetfall														2
Enchanter													,	2
Infidel												Š.		3
Sorcerer														3
Invisiclues								•						
MICHTRON														
Mi-Term														
Picasso														8
Freeze Frame														3

	694 STUDEO-
OTHERS	
	With Table 1
OES Accounts Receivable	79
OES Accounts Payable	79
OES ACCOUNTS Payable	13
U.S. DIGITAL	
Copylink	Call
Merchandiser	Call
CoeMulator	Call

### ACCESSORIES/BOOKS

### ACCESSORIES

ACCESSORIES	
Flip n' File 10	. 4
Flip n' File 15	
Original Flip n' File 50	. 14
Flip n' File Cart Case	. 12
Library Cases (10 colors)	. 4
Disk Bank/5 (holds 50)	. 12
Disk Bank (Holds 10)	. 5
Power Strip (6 outlet)	. 16
Lineguard Spike Suppressor	
Disk Drive Cleaning Kit	. 13
MicroMate Paper	
(20#, 540 sheets)	. 10
Printer Stand (wire)	. 19
Sanyo System Cover	. 20
Printer Covers	Call
MANUALS/BOOKS	
GW Basic Reference	. 39
MS DOS 2.1	. 44
WordStar Reference	. 39
ReportStar Reference	. 39
DataStar Reference	. 29
MailMerge Reference	. 29
SpellStar Reference	. 29

Sanyo MBC User's Handbook ......

# To order call **TOLL FREE**-800-824-7506

**ORDER LINE ONLY** 

COMPUTER CREATIONS, Inc.

P.O. BOX 493 - DAYTON, OHIO 45459 For information call (513) 435-6868 (Or to order in Ohio) VISA



Order Lines Open 9:00 a.m. to 9:00 p.m. Mon.-Fri.; 10 a.m. to 4:00 p.m. Sat. (Eastern Standard Time). Minimum \$10 per order. C.O.D. (add \$3.00). Call toll free number to verify prices and availability of product. Hardware requires additional freight charges. Software and accessories add \$3.00 shipping and handling in Continental United States. Actual freight will be charged outside U.S. to include Canada, Alaska, Hawaii, Puerto Rico and APO. Ohio residents add 6% sales tax. For immediate delivery send cashier's check, money order or direct bank transfers. Personal and company checks allow 3 weeks to clear. School purchase orders welcome. Due to our low prices, all sales are final. NO CREDITS. All defective returns must have a return authorization number. Please call (513) 435-6868 to obtain an RA# or your return will not be accepted for replacement or repair.

```
CX.1
ØØ6C
     D1 E9
                                           SHR
                                                    CX
ØØ6E
     41
                                           INC
                                                                      ;subtract length/4
                                                    BX,CX
ØØ6F
      2B D9
                                           SUB
ØØ71
     87 F2
                                           XCHG
                                                    SI,DX
                                                                      ;until end of note
                                                    ZOUNL
ØØ73
      73 E7
                                           JNC
                                                                      ; then turn on interrupts
                                  ZOUNDA: STI
ØØ75
     FB
                                                                      ; reset the TxD bit
      BØ 15
                                                    AL,15H
                                           MOV
ØØ76
                                                    3AH, AL
     E6 3A
                                           OUT
ØØ78
                                                                      ; get back SI
                                                    SI
ØØ7A
      5E
                                           POP
                                                                      ; tell main program: no errors
                                                    AL, AL
ØØ7B
     32 CØ
                                           XOR
                                                                      ;return
ØØ7D
     C3
                                           RET
                                           PROC
ØØ7E
                                  PLAYER
                                                    FAR
                                                                      ;5 is an Illegal Function Call
ØØ7E
     BØ Ø5
                                  ERROR:
                                           MOV
                                                    AL,5
ØØ8Ø
                                           RET
      CB
                                  ;start of PLAY routine
ØØ81
      BF ØØ35 R
                                                    DI, OFFSET SPEED
                                  PLAYA:
                                                                      ; get character in string
ØØ84
      8A 1C
                                                    BL,[SI]
      8Ø EB 41
                                                    BL, 'A'
                                                                      ;so A=Ø,B=1,C=2,...
ØØ86
                                                                      ; if less than A, error
ØØ89
      7C F3
                                                    ERROR
                                           JL
ØØ8B
      32 FF
                                                    BH, BH
                                           XOR
                                                                      ; move BL into AL
ØØ8D
      8B C3
                                           MOV
                                                    AX, BX
                                                                      ; to get note frequency word
ØØ8F
      D1 E3
                                           SHL
                                                    BX,1
                                                                     ; put frequency in DX
ØØ91
      2E: 8B 97 ØØ19 R
                                           MOV
                                                    DX, CS: NOTE [BX]
                                                                      ; next character
ØØ96
       46
                                           INC
                                                    SI
      FE C9
                                                                      ; dec length counter
ØØ97
                                  PLAYB:
                                           DEC
                                                    CL
                                                                     ; if equal, do last job
       74 2F
0099
                                           JE
                                                    ONUM1
                                                                     ; otherwise check for sharp or flat
ØØ9B
       8A 2C
                                           MOV
                                                    CH, [SI]
ØØ9D
       3C Ø6
                                           CMP
                                                    AL, 'G'-'A'
                                                                     ; if not a note, go on
ØØ9F
       77 1E
                                           JA
                                                    ONUM
ØØA1
       8Ø FD 23
                                           CMP
                                                    CH, '#'
                                                                     ; sharp
       74 11
                                                    SHARP
ØØA4
                                           JE
       8Ø FD 2B
                                                    CH, '+'
ØØA6
                                           CMP
ØØA9
       74 ØC
                                           JE
                                                    SHARP
ØØAB
      8Ø FD 2D
                                           CMP
                                                    CH, '-'
                                                                     ;flat
 ØØAE
      75 ØF
                                           JNE
      2E: 8B 97 ØØØB R
                                           MOV
                                                    DX, CS: FLAT[BX]
                                                                     ; put flat frequency in DX
 ØØBØ
 ØØB5
      EB Ø5
                                           JMP
                                                    SHORT PLAYC
                                  SHARP:
                                           MOV
                                                    DX, CS: AUGMENT[BX]
                                                                            ; put sharp frequency in DX
 ØØB7
      2E: 8B 97 ØØ27 R
                                                    SI
                                  PLAYC:
                                           INC
                                                                     ; goto next char in string
 ØØBC
      46
                                           JMP
                                                    SHORT PLAYB
 ØØBD
      EB D8
                                                   CH, 'Ø'-1
 ØØBF
       8Ø ED 2F
                                  ONUM:
                                           SUB
                                                                     ; if number is <0 then error
                                                   ERROR
 ØØC2
       7E BA
                                           JLE
                                                                     ;if CH>1Ø then its irrelevent
                                                   CH.10
                                           CMP
 ØØC4
       8Ø FD ØA
       76 Ø5
 ØØC7
                                           JBE
                                                   PLAYD
 ØØC9
                                                                     ; want to check this character again
       4E
                                           DEC
                                                   SI
 ØØCA
       FE C1
                                  ONUM1:
                                           INC
                                                   CL
                                                                     ; correct length
                                                   CH, CH
 ØØCC
       32 ED
                                           XOR
                                                                     ; set CH back to Ø
                                                   AL, 'G'-'A'
 ØØCE
       3C Ø6
                                  PLAYD:
                                           CMP
                                                                     ; again, check if note
 ØØDØ
       77 Ø4
                                           JA
                                                   PLAYE
                                                                     ; if not, check for other control value
 ØØD2
       B3 Ø8
                                           MOV
                                                   BL, ØØØØ1ØØØB
                                                                     ; otherwise play the note
 ØØD4
       EB Ø7
                                           JMP
                                                   SHORT FIGNOTE
       8A D8
 ØØD6
                                  PLAYE:
                                           MOV
                                                   BL, AL
                                                   BL, 'R'-'A'
 ØØD8
       8Ø EB 11
                                           SUB
                                                                     ; check if rest
 ØØDB
       75 3C
                                           JNE
                                                                     ; if so do sound, but don't toggle TxD
                                                   PLAYF
 /ØDD
                                   FIGNOTE:
                                                                     ;set up registers to call ZOUND1
                                           PUSH
 ØØDD
       51
                                                                     ; save CX (length of string)
       2E: 8A 4D Ø1
                                           MOV
                                                   CL, CS: [DI+1]
 ØØDE
                                                                     ;OCTAVE
 ØØE2
       D3 EA
                                           SHR
                                                   DX.CL
                                                                     ;frequency divided by 2 for every octave
       2E: 8A ØD
 ØØE4
                                           MOV
                                                   CL, CS: [DI]
                                                                     ; SPEED
        86 EB
                                           XCHG
                                                   CH, BL
 ØØE7
       32 E4
                                           XOR
                                                   AH, AH
 ØØE9
       2E: 8A 87 ØØØØ R
                                           VOM
                                                   AL, CS: TIME [BX]
                                                                    ;get note length
 ØØEB
 ØØFØ
       F6 E1
                                           MUL
                                                   CL
                                                                     ;AX=speed * note length
 ØØF2
       D1 EØ
                                           SHL
                                                   AX,1
                                                                     ;time must be longer (*16)
 ØØF4
        D1 EØ
                                           SHL
                                                   AX,1
                                                   AX,1
  ØØF6
       D1 EØ
                                           SHL
```

ØØF8 D1 EØ		SHL	AX,1	
ØØFA 2E: 8A 4D Ø2		MOV	CL,CS:[DI+2]	;TIMBRE
ØØFE 8B D8		MOV	BX,AX	。
Ø1ØØ 8B C2		MOV	AX,DX	;AX=frequency,BX=length,CL=timbre
Ø1Ø2 E8 ØØ4E R		CALL	ZOUND1	
Ø1Ø5 32 C9		XOR	CL,CL	
Ø1Ø7 2E: 8A 6D Ø3		MOV	CH, CS: [DI+3]	;STACCATO
Ø1ØB E2 FE	STAY:	LOOP	STAY	;separate notes with loop
Ø1ØD 59		POP	CX	;get CX (length of string) back
Ø1ØE 46	PLAYL:	INC	SI	;next note
Ø1ØF FE C9		DEC	CL	;decrease length
Ø111 74 Ø3		JE	PLAYR	;if end, return
Ø113 E9 ØØ81 R		JMP	PLAYA	;otherwise, get more
Ø116 32 CØ	PLAYR:	XOR	AL,AL	;no errors!
Ø118 CB		RET		
Ø119 ØA ED	PLAYF:	OR	CH, CH	; check for special codes
Ø11B 75 Ø2		JNE	PLAYG	;if CH=Ø, default =5
Ø11D B5 Ø5		MOV	CH,5	
Ø11F 3C 13	PLAYG:	CMP	AL, 'T'-'A'	; check for timbre change
Ø121 75 ØD		JNE	PLAYH	
Ø123 8Ø ED Ø2		SUB	CH, 2	
Ø126 7F Ø2		JG	PLAYG1	
Ø128 B5 Ø1		VOM	CH,1	
Ø12A 2E: 88 6D Ø2	PLAYG1:		CS:[DI+2],CH	TIMBRE
Ø12E 32 ED		XOR	CH, CH	2013年1月20日期的政治宣传的国际政治宣传。1911年
Ø13Ø 3C 12	PLAYH:	CMP	AL,'S'-'A'	; check for staccato change
Ø132 75 Ø6 Ø134 2E: 88 6D Ø3		JNE	PLAYI	CM2 CC2 MO
Ø138 32 ED		MOV	CS:[DI+3],CH	;STACCATO
Ø13A 3C 1Ø	PLAYI:	CMP	CH,CH AL,'Q'-'A'	;check for speed (quickness) change
Ø13C 75 Ø5		JNE	PLAYJ	, check for speed (quremiers) change
Ø13E 2E: 88 2D		MOV	CS:[DI],CH	;SPEED
Ø141 32 ED		XOR	CH, CH	
Ø143 3C ØE	PLAYJ:	CMP	AL, '0'-'A'	; check for octave change
Ø145 75 Ø9		JNE	PLAYK	A K-PARTIES OF STREET,
Ø147 8Ø C5 Ø2		ADD	CH, 2	
Ø14A 2E: 88 6D Ø1		VOM	CS:[DI+1],CH	COCTAVE
Ø14E 32 ED		XOR	CH, CH	
Ø15Ø ØA ED	PLAYK:	OR	CH, CH	;if CH<>Ø then letter was wrong
Ø152 74 BA		JE	PLAYL	thus orrer
Ø154 E9 ØØ7E R		JMP	ERROR	;thus, error
Ø157	PLAYER	ENDP		
	;These	are dumm	y memory locatio	ons which will be routines in Sanyo Basic
63B8		ORG 63B	8H	
63B8 C3	н63В8:	RET		
63AD		ORG 63A	DH	
63AD C3	H63AD:	RET		
MAPA		ORG 8E9	H	
Ø8E9 Ø8E9 C3	H8E9:	RET		
Ø8FE		ORG 8FE	H	
	The second second second	The state of the s	MARINE TO THE REAL PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS OF THE	

### **PRINTERS**

**CENTRONICS 150** STAR SG10 120 CPS PARALLEL 150 CPS PARALLEL (WHILE THEY LAST) \$259 + SHIP \$259 + SHIP PRINTER CABLE \$22.00 PUBLIC DOMAIN DISK INFORMATION DISK \$10.00 \$10.00 DIVERSIFIED COMPUTERS **DIVERSIFIED COMPUTERS** 

623 RED LANE RD. SUITE 104 **BIRMINGHAM, AL 35215** Phone (205) 836-5049

P.O. BOX 1083 SPRINGFIELD, TN OR

37172-1083 Phone (615) 384-9238

### **RUN LOTUS 1-2-3" ON SANYO 550/555** FOR ONLY \$40.

SOFTWARE ANSWER #2B is a program that allows LOTUS 1-2-3 version 1A to run with all features on a SANYO 550/555 with 256K memory.
• HIGH RESOLUTION GRAPHICS

- SOUND WORKS (to indicate errors)
- EASY SWITCH TO AND FROM OTHER PCs
- ONLY USES 5K MEMORY
- RUNS 1-2-3 FROM HARD DISK
- NO VIDEO BOARD REQUIRED

SOFTWARE ANSWERS, INC. 2888 BLUFF ST. #460 BOULDER, CO 80301 (303) 441-9290 Lotus Development Corp.

```
9415
      C3
                                           RET
                                  H9415:
Ø4EØ
                                           ORG 4EØH
Ø4EØ
                                           RET
      C3
                                  H4EØ:
Ø4E1
                                  SOUNDS
                                           ENDS
                                           END
Segments and groups:
                  Name
                                            Size
                                                     align
                                                              combine class
SOUNDS . .
                                            9416
                                                     PARA
                                                              PUBLIC
                                                                       'CODE'
STACK. .
                                                                       'STACK'
                                            ØØØØ
                                                     PARA
                                                              STACK
Symbols:
                  Name
                                                     Value
                                                              Attr
                                            Type
AUGMENT. .
                                            L WORD
                                                     ØØ27
                                                              SOUNDS
ERROR. . .
                                                              SOUNDS
                                                     ØØ7E
                                            L NEAR
ERRT .
                                            L NEAR
                                                     ØØE6
                                                              SOUNDS
FIGNOTE.
                                                     ØØDD
                                                              SOUNDS
                                            L NEAR
FLAT .
                                            L WORD
                                                     ØØØB
                                                              SOUNDS
GOBACK .
                                            L NEAR
                                                     ØØE1
                                                              SOUNDS
H17A . .
                                            L DWORD Ø17A
                                                              SOUNDS
H4EØ .
                                            L NEAR
                                                     Ø4EØ
                                                              SOUNDS
H63AD.
                                            L NEAR
                                                     63AD
                                                              SOUNDS
H63B8. .
                                            L NEAR
                                                     63B8
                                                              SOUNDS
H8E9 .
                                            L NEAR
                                                     Ø8E9
                                                              SOUNDS
H8FE .
                                            L NEAR
                                                     Ø8FE
                                                              SOUNDS
H9415.
                                                     9415
                                             L NEAR
                                                              SOUNDS
NOTE .
                                             L WORD
                                                     ØØ19
                                                              SOUNDS
OCTAVE
                                             L BYTE
                                                     ØØ36
                                                              SOUNDS
ONUM . .
                                             L NEAR
                                                     ØØBF
                                                              SOUNDS
ONUM1.
                                            L NEAR
                                                     ØØCA
                                                              SOUNDS
 PLAY .
                                             L NEAR
                                                     ØØE9
                                                              SOUNDS
 PLAYA.
                                             L NEAR
                                                      ØØ81
                                                              SOUNDS
 PLAYB.
                                             L NEAR
                                                      ØØ97
                                                              SOUNDS
 PLAYC. .
                                             L NEAR
                                                      ØØBC
                                                              SOUNDS
 PLAYD.
                                             L NEAR
                                                      ØØCE
                                                              SOUNDS
                                             L NEAR
                                                      ØØD6
                                                              SOUNDS
 PLAYE.
                                             F PROC
                                                      ØØ7E
                                                              SOUNDS
                                                                      Length = ØØD9
 PLAYER .
                                             L NEAR
                                                      Ø119
                                                              SOUNDS
 PLAYF.
                                                     Ø11F
                                                              SOUNDS
                                             L NEAR
 PLAYG.
 PLAYG1
                                             L NEAR
                                                      Ø12A
                                                              SOUNDS
 PLAYH. .
                                             L NEAR
                                                      Ø13Ø
                                                              SOUNDS
                                             L NEAR
                                                      Ø13A
                                                              SOUNDS
 PLAYI. .
                                             L NEAR
                                                      Ø143
                                                              SOUNDS
 PLAYJ. .
                                                      Ø15Ø
 PLAYK. .
                                             L NEAR
                                                              SOUNDS
                                             L NEAR
                                                      Ø1ØE
                                                              SOUNDS
 PLAYT ..
                                             L NEAR
                                                      Ø116
                                                              SOUNDS
 PLAYR.
                                             L NEAR
                                                      ØØB7
                                                              SOUNDS
 SHARP.
                                                      ØØBB
 SOUND.
                                             L NEAR
                                                               SOUNDS
 SOUND2
                                             L NEAR
                                                      ØØDA
                                                               SOUNDS
 SOUND3
                                             L NEAR
                                                      ØØDC
                                                               SOUNDS
  SOUNDU .
                                                               SOUNDS
                                             F PROC
                                                      ØØ39
                                                                       Length = ØØ15
 SPEED.
                                             L BYTE
                                                      ØØ35
                                                               SOUNDS
 STACC. .
                                             L BYTE
                                                      ØØ38
                                                               SOUNDS
                                                               SOUNDS
                                             T. NEAR
                                                      Ø1ØB
 STAY .
 TIMBRE .
                                                               SOUNDS
                                             L BYTE
                                                      ØØ37
                                             L BYTE
                                                      øøøø
                                                               SOUNDS
 TIME .
                                             L NEAR
                                                      ØØ4E
                                                               SOUNDS
  ZOUND1
  ZOUNDA
                                             L NEAR
                                                      ØØ75
                                                               SOUNDS
                                             L NEAR
                                                      ØØ5C
                                                               SOUNDS
                                             L NEAR
                                                      ØØ62
  ZOUNW. .
                                                               SOUNDS
                                             L NEAR
                                                      ØØ66
                                                               SOUNDS
  ZOUNW1 . . . .
 Warning Severe
 Errors Errors
```

RET

ORG 9415H

H8FE:

ØSFE

9415

C3

Ø

Ø

# INPUT/OUTPUT

# TIM PURVES Soft Sector Contributing Editor

Q. After reading through the documentation for Sanyo BASIC, it appears that the maximum number of bytes in a random access record is 256. However, it seems that programmers are able to work around this limitation. Is there a way to get more bytes in BASIC, or can I chain two or more records together?

Joseph Brandon Zionsville, IN

A. Under MS-DOS, the theoretical limit is a record size of 64K, so the only real limit is imposed by the software (BASIC in this case). In IBM or GW-BASIC there is a command switch that allows you to specify the maximum sector size BASIC will support. The format of the switch is as follows:

BASIC[A] [filename] [/S:sector size in bytes]

Under Sanyo BASIC, the programmer must write his program to treat two or more records as one logical record. Normally, this is done by using two or more GET/PUT statements. The programmer would read the first record in, perform the required operations on that record, update if necessary and read in the next record, continuing until they are done. For example, if the records were blocked two records to one logical record, a simple multiply could calculate which record to read.

first\_half\_record=((record-1)\*2)+1
second\_half\_record=((record-1)\*2)+2

get 1,first\_half\_record
'work on data in first half
put 1,first\_half\_record
get 1,second\_half\_record
'work on data in second half
put 1,second\_half\_record

(Tim Purves is an expert on the Sanyo 550/555 series computers and is an experienced programmer in assembly code, PASCAL, C and BASIC. He is available to answer any technical questions that the readers of SOFT SECTOR might have. All questions should be addressed to SOFT SECTOR, P.O. Box 385, Prospect, Ky. 40059.)

That's the gist of it. If there were three records to each logical record, the multiplier would be three instead of two, and we would have to perform three GET/PUT operations.

Q. Is it necessary to have double-sided drives to install a "Video RAM Board?" I have an MBC-555 with two single-sided drives. I would like the advantages of GW-BASIC and increased IBM compatibility without the added expense of changing to double-sided drives.

Jeff Peffer Lewisberry, PA

A. The version of MS-DOS 2.11 that comes with the Video RAM Board is on a single-sided disk. It is possible to use and run the video board without double-sided disk drives. Although for compatibility and data exchange, double-sided drives are a must. Also, double-sided drives are becoming very inexpensive (a quick look in a current magazine shows double-sided drives selling for \$79). Just think: The first drive I bought cost \$499 and that was a single-sided 40 track!

Q. I've purchased the Video RAM Board utilities disk because it has some utilities on it that I feel are valuable. After much deliberation, I tried the GW-BASIC on my nonvideo board Sanyo. Much to my surprise, it worked! One problem however: I can't stop a program once it starts to run. The BREAK or CONTROL-BREAK keys do nothing.

Hector Raggi Coral Gables, FL

A. I used the BASIC from my Compaq months before anyone had even heard of a "Video RAM Board." GW-BASIC will work fine on the non-video board machine (except for graphics). The reason you cannot break out of the program is because the original Sanyo doesn't support the "cntrl\_break\_vector." GW-BASIC uses this to detect the pressing of the CONTROL and BREAK keys. (To users of DS-DOS Plus 2.11 — this feature is supported in the 1.02 Version.)

Thank you for all the important information that you have provided in your column. I have a list of questions and I would be grateful if you could please answer them.

On pages 5-14 and 5-15 of the Sanyo Operators guide, what do the numbers 27128 and 2764 refer to? What is the difference between "font" and "image?" What is "IPL?"

N. Padmanabhan London, England

A. The numbers 27128 and 2764 refer to the EPROM in your machine. The 27 is a prefix for a long line of INTEL type ROMs. 2716-27256, the second number tells how many bits are in the ROM. For example, a 2764 has 64K of bits arranged eight bits wide, giving 8K of usable program code space. All of the Sanyos in the United States and the United Kingdom have the 2764 EPROM, while the machines in Japan have 27128 to support the much larger Japanese character set.

The EPROM in the Sanyo contains the images for characters, the keyboard scan codes and the the IPL program. IPL stands for "Initial Program Loader," more

commonly known as the "Bootstrap" Loader.

It is the IPL loader's job to prepare the system to load DOS from the floppy. Most commonly, the IPL sets up a few ports and reads one sector from the floppy and passes control to it. The program read in from the floppy is usually smarter and more complex and will load the rest of the operating system into memory. The area defined as "image" is actually a "mirror image" of the ROM duplicated in the address map.

### **SANYO FOR LESS**

CONTROL OF THE PROPERTY OF THE
*Convert IBM BASICA to Sanyo BASIC \$29.95
*Illerratest IDMICA TO Sallyo BASIC \$29.95
*Unprotect IBM/Sanyo BASIC \$24.95
Supplement For Basic — 70 Pages \$5.00
*Key Plus Program \$14.95
Tool Box — Includes all the above 4 products \$53.95
Sanvo Tutorial Posipporto Expert
Sanyo Tutorial — Beginner to Expert \$37.95
Sanyo Video Board CALL
The Ultimate —7 in 1 integrated software.
Limited Quantities \$69.95
The Merchandiser™— Point Of Sale For Sanyo \$425.00
Irish Diskettes DSDD — 10 per box \$14.00/Box
Scotch/3M Disketter DODD
Scotch/3M Diskettes — DSDD \$1.70 each
SSDD \$1.10 each
Run Lotus 1-2-3 Without The Video Board \$39.95
Dustcovers To Fit Your Sanyo - Many Styles CALL
128K Memory Upgrade
COPYLINKTM — Limited Time Only\$72.95
CPOMILIATORIM Limited Time Only \$72.95
CPeMULATOR™ — Limited Time Only \$72.95
Sanyo RS232 CALL
CALL FOR MANY MORE SPECIALS
ONLE I ON MARTI MORE SPECIALS

\*\*If you see an identical item advertised in this issue of Soft Sector for less, CALL US and we'll MATCH OR BEAT the price!

★ Add \$2.00 for postage and handling. ★ ★ COD orders extra ★ ★ Dealers inquiries invited ★

★ Check, Visa, Mastercard and Money Order ★

### BLOCK MARKETING, INC.

MARKETING, II

6009 Wayzata Blvd., suite 102B

Minneapolis, MN 55416

(612) 540

(Block Marketing is a recognized Sanyo Dealer.)
\*MN residents must add 6% Sales Tax.

I have MS-DOS 1.25 and would like a CLS command that I can use in a batch file. Could you provide me with one?

> Dr. Samuel McGinnis Manteca, CA

A. This little program is created with DEBUG.

A:debug	ENTER
-e100 b8 02 00 cd 10 cd 20	ENTER
-rcx	ENTER
CX 0000	ENTER
:7	ENTER
-nclear.com	ENTER
-w	ENTER
Writing 0007 bytes	ENTER
-q	ENTER
-q A:	ENTER

We now have a file named CLEAR. COM on Drive A that can be used in a batch file to clear the screen.

O. On the Volume program, whenever I use this to change an existing volume label it trashes the disk's FAT table.

A. Over 50 people have written about this one! Delete the Volume program from the disk. The version that Sanyo is giving out was written by Mark Zeiger of Sanyo Business Systems Corp. The problem is not with Mark's program, but is in fact, a bug in MS-DOS 2.11. Sanyo's program looks for an existing volume label on the disk, deletes it and then writes a new one.

The problem is, when MS-DOS deletes a volume label, it wipes out the FAT entries on the first files on the disk. The correct way is to search for an existing volume label and rename it if the disk already has one.

### Sanyo's Program

if disk\_has\_a\_label then delete label. endif Write new label. exit to DOS.

### Correct Way

if no\_label\_on\_disk then write new label. else rename current label. endif exit to DOS.

Next month in this column, I will publish a Volume program that works. See you then!



# -The-First-Great-SOft Sector One-Liner Contest

Great SOFT SECTOR One-Liner Contest. The authors of these winning entries will receive a copy of the September edition of SOFT SECTOR ON DISK.

To briefly restate the rules of the contest, begin the program with the number one and end it in a single line. Anything else goes. Entries will be accepted in either Sanyo BASIC or GW-BASIC. Include a printed listing, a title for the program, and a short explanation of what it does. Send it to The First Great SOFT SECTOR One-Liner Contest, P.O. Box 385, Prospect, KY 40059.



### DIAGONAL

This is a short program to figure the diagonal of a rectangle (or the hypotenuse of a right angle), given the two short sides. I use the program (or a variation) every day in my work as a concrete construction worker for squaring foundations.

It is simplicity in itself to use. You follow the prompts and enter the length of the two sides in feet, inches and sixteenths, separated by a comma. You must convert fractions to sixteenths, so 3/8 becomes 6/16, 1/2 is 8/16, 1/4 is 4/16, etc. If the sides are in even feet, you must enter the commas anyway.

The diagonal (or hypotenuse) is given in feet, inches and sixteenths. There will be a short delay and then it all starts over again.

1 CLS:INPUT"HOW WIDE FT., IN., 16THS"; A, B,C:INPUT"HOW LONG FT., IN., 16THS"; D,E, F:I=SQR((A+B/12+C/192)^2+(D+E/12+F/192)^2):J=INT(I):K=I-J:L=INT(K\*12):M=(K\*12)-L:N=INT(M\*16+.5):PRINT:PRINT"THE DIAGONAL IS"; J; L; N; CHR\$(8); "/16":FOR X=1 TO 5000 :NEXT:GOTO 1

Chuck Smith Jr. Arlington, WA



### **PEACOCK**

This program, which I call *Peacock* because of the designs' resemblance to a peacock's feathers, takes advantage of the Sanyo's spectacular graphics capabilities and its ability to generate random numbers. The program creates an eye-pleasing pattern on the screen using the LINE, CIRCLE and PAINT statements. The pattern is actually the graph of a polar equation with random numbers plugged into the variables.

Monochrome users should reduce the number of colors in the first two RND statements for best results. Each pattern

will continue on the screen until the user presses a key, at which point a new pattern will begin.

1 LOCATE 1,1,Ø:Q=INT(RND\*7)+1:W=INT(RND\*7)+1:IF Q=W THEN 1 ELSE COLOR Q:B=RND\*7Ø:C=RND\*7Ø:CLS:FOR J=Ø TO 99 STEP .2:IF I NKEY\$>"" THEN 1 ELSE R=3\*SIN((B/C)\*J):X=32Ø+COS(J)\*R\*4Ø:Y=1ØØ-SIN(J)\*R\*2Ø:LINE(32Ø,1ØØ)-(X,Y),W:CIRCLE(X,Y),Q+2:PAINT(X,Y):NEXT

Michael Doeff El Cerrito, CA



### SNAKE

Here is another entry to the contest. It is a game. When you run it, a snake will start moving from the left edge of the screen, getting longer and longer as time passes. The object of the game is to steer the snake so that it covers as much playing area as possible without hitting the boundaries and without intersecting itself. The keys 'h', 'j', 'k', and 'l' cause the snake to turn left, down, up and right respectively. Any other key stops the game and displays the current score.

The game ends when the snake runs into a boundary or itself. This will eventually happen, since the playing area is finite. The bottom boundary is at the 25th line of the screen in order to prevent the scrolling of the screen when the last character on a line is printed. The 25th line will cause the screen to scroll in this case. When you want to restart the game, always use RUN, because the game uses the fact that RUN sets uninitialized variables to zero.

1 DIM A(81,25):CLS:A=1:X=1:Y=12:WHILE S= Ø:C\$=INKEY\$:A=(C\$="h")-(C\$="l")-A\*(C\$="""):B=(C\$="k")-(C\$="j")-B\*(C\$="""):LOCATE Y,X,Ø:PRINT CHR\$(2);:A(X,Y)=1:K=K+1:X=X+A:Y=Y+B:S=(X=Ø)+(X=81)+(Y=Ø)+(Y=25)+(A(X,Y)=1):WEND:BEEP:LOCATE 23,1,1:PRINT "SCORE:";K;

Yekta Gursel Cambridge, MA



### KILOBUCK METRONOME

Here's a real shorty that will keep you musicians in time at any tempo. It takes advantage of the Sanyo's limited but loud sound capability to create a metronome tick at speeds from two beats per minute to a thousand. Pressing any key breaks you out of the loop in order to change the tempo.

1 CLS:INPUT "Beats per minute"; BPM%:WHIL E 1:OUT 56, Ø:FOR X%=Ø TO 57ØØØ!/BPM%:NEX T X%:IF INKEY\$>"" THEN BEEP:RUN ELSE WEN D

> Patrick McGrath Wheaton, MD

### \*\*\*\*

### COLORFUL COSMIC WORM

I noticed in another computer magazine's one-liner contest that a gentleman was so impressed with his PCjr that he issued a challenge to anyone with a computer in the jr's price range to duplicate his "Colorful Cosmic Worm" in one line. His program drew a single worm with no text (let alone different sized and colored text) and it consumed 209 bytes.

I can't resist a challenge. Even though my basic Sanyo cost less than his PCjr and I was using no optional extras (he needed a more powerful "cartridge BASIC" option), I duplicated the "Colorful Cosmic Worm" in 105 bytes.

Knowing that my Sanyo was capable of much more than that, I added a second baby worm and then different sized and colored text going across and down the screen. At this point I discovered that not only was this far beyond the capabilities of the *jr*, but it couldn't be done by the IBM PC either — or by any of its clones that I tested.

Still figuring that my Sanyo could go beyond all that is possible on other computers, I devised a way to expand the 256 byte line to 317 bytes. It is very simple (for the Sanyo), but none of the other personal computers we tested have this power. In fact, they were quite frustrating to use as they had no helpful "beep" at the line end and they let me continue typing. It wasn't until I pressed RETURN that I realized all of my digital turmoil beyond 256 bytes had been truncated into some electronic oblivion.

To enter more than 256 bytes, all you have to do is enter a line that is close to the maximum, then fill the remaining spaces with question marks. When LISTed, the question mark becomes PRINT with a space, which forces the line beyond 256 bytes. Just edit this line, typing over the PRINT statements with your code. Remember that you can delete in this mode but you cannot insert. You must add another question mark to do that and it must not be within quotes.

Do not go beyond 317 bytes as the computer will strongly object. An easy way to obtain near maximum length is to enter three lines of code, then three bytes on the fourth line. Fill the rest of the line with question marks (you will be allowed 12) until the beep. Enter and edit the line. You will have 314 bytes to use. It becomes quite easy after you play with it a bit.

1 CLS:FOR X= $\emptyset$  TO 1:SYMBOL(15,1), "COSMIC WORMS",2,2,X+3,X:NEXT:SYMBOL(25 $\emptyset$ ,1), "By David J. Huggett",2,1,5:LOCATE 24,4 $\emptyset$ , $\emptyset$ :P RINT "The SANYO MBC-55 $\emptyset$ /555 Series computers":FOR L=1 TO 2:R=1.3:FOR Z=.4 TO 5.1 5 STEP . $\emptyset$ 1:R=R+.2:C=-C\*(C<6)+1:CIRCLE(Z\*9 $\emptyset$ ,SIN(Z\*5)\*(Z\*9)+1 $\emptyset$  $\emptyset$ ),R,,,,C:NEXT:VIEW(9,99)-(2 $\emptyset$  $\emptyset$ ,198):NEXT:WHILE E= $\emptyset$ :WEND

David Huggett Scarborough, Ontario

### క్ర

# SUBMITTING MATERIAL

Contributions to SOFT SECTOR are welcome from everyone. We like to run a variety of programs which will be useful/helpful/fun for other Sanyo owners.

- FORMAT: Unless the program accompanying your submission is less than 10 lines, we must have the program itself on disk. We will print out the listing to our specifications. We simply cannot take the time to key in (and debug our typing errors) material which is longer than that. Editorial copy can also be included on disk, using any of the word processors currently available for the Sanyo 550, 555 or 775. However, please also include a double-spaced hard copy of your editorial material and hard copy of your program listing. Please do not send text in all capitals. Use upper- and lowercase. While it is a big help to us in typesetting for you to send your article saved on disk using the ASCII option, it is not mandatory. But we must have, at the very least, a double-spaced hard copy of the article.
- WHAT TO WRITE: Anything with a practical application. If it interests you, it will probably interest a lot of others. However, we vastly prefer articles with accompanying programs which can be entered and run. The more unique the idea, the more appeal. We can prepare finished tables, diagrams and schematics from your rough draft if you provide legible copy and full directions. We have a continuing need for short articles with short listings.

We do pay for submissions, based on a number of criteria. Those wishing remuneration should so state when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send an SASE to: Submissions Editor, SOFT SECTOR, P.O. Box 385, Prospect, KY 40059. We will send you some more comprehensive guidelines.

Please do not submit programs or articles currently submitted to another publication.

## **SANYO DEALERS**—

TO HELP IMPROVE YOUR COMPETITIVE EDGE — THESE FOUR BIG 's

MPROVED DEALER PRICING/MARGINS — MMEDIATE SHIPMENT
MPROVED DEALER SUPPORT/CUSTOMER SERVICE — MPROVED PROFITS



MBC-775
Hard Disks 10-20MB
Internal Shock Mounted
Low Power — Light Weight
External And Tape Backup
Available

MBC-550/555

### **Memory Expansion**

Provides Up To 720K Usable Ram Self-Contained For Quick/Easy Customer Installation. Power Supply And Ram Disk Software Included. MBC-880
Hard Disks 10-120MB
NO 32MB Limitation
30-85 MS Access Times
One Year Warranty
Tape Backup Available



Hard Disk — Tape Backup

Complete External System

File By File Or Streaming Backup

Combo Units Available

10-40MB Formatted

Dealer Support And Customer Service Direct From TW Technologies

Dealer Inventory And Associated Costs Reduced

**Dealer Service Costs And Service Problems Reduced** 

Also Available At **VERY** Competitive Prices: HARD DISKS And TAPE BACKUP For IBM And Most Other PC/AT Compatibles Plus Hard Disks For Sanyo MBC-1000 Thru MBC-4000

# LEARN MORE!!!! FOR PRICES/TERMS CONTACT


The SANYO Specialists

TECHNOLOGIES, INC.

21636 North 14th Avenue, Suite A2 Phoenix, AZ 85027, (602) 581-0669

IBM-PC & -AT are trademarks of IBM Corp.

SANYO is a trademark of Sanyo Corporation. DATAFILE is a trademark of TW Technologies, Incorporated.



taking advantage of the powerful Sanyo BASIC commands. For example, the SYMBOL command can present many different options to the writer. I use it to write the title itself, emphasizing Cave Bear. Then it is used as a heading for the Scenario screen and of course, is the key ingredient in the rotating numbers of the "Distortion Gauge." Following this display, it's time to get back to the real work of writing the story.

When you write an Adventure, you must first decide on the events to take place and then, using them, draw a map of the rooms (locations) in the Adventure. You then place objects — some needed, some not — in the various rooms. Now, you are armed for creating the program itself.

The program must be able to control all of the above. Thus we must now READ in all the DATA necessary to run the story. Lines 230 through 490 are used to list the DATA needed. This DATA is READ by the routines found from lines 530 through 680.

Line 550 reads in 17 locations (or rooms) as P\$. This is what you will "see" when you "Look" or arrive at a particular place in the Adventure.

The next routine gets the description of each object to be found, a short version of the same, and an initial location for each of the objects. For example, the DATA for this routine is contained in lines 330 through 390, thus the first object description is "Remains Of The Timecraft Crash" and will be found at Location 1 ("A shaded hill-side..."). The short object description simply makes it easier to manipulate objects; for example: Instead of having to get a "Braided Rope Of Interwoven Rope," you can just "Get Rope."

Possible directions of travel are the next subject of a subroutine, found at lines 630 and 640. Numbers representing all possible exits from each of the 17 locations are READ in here.

The list of possible verbs is next (Line 680), along with a control number C(C), to be able to jump to the proper routine within the program once a verb is determined.

Finally, actual play begins at Line 720. The first lines check on remaining "Strength Level," check for various special conditions, tell us where the adventurer is, and ask for the next action. The ON A GOSUB in Line 1060 sends the program to the appropriate routine, based on the verb used.

The bulk of the program is made up of these individual routines. It is easy enough to follow through the logic. As an example, say the command is "Drop Rope," in which the verb "Drop" (4) sends the program to the fourth subroutine shown in the ON A GOSUB in other words, to Line 1200. Here a loop checks to see if the location of the rope is on the adventurer (1000). If it is, then Line 1220 is executed, the item is dropped and the rope's location is changed to the current room. Otherwise, Line 1240 simply says "I Don't Have The Rope" and returns to Line 950 "What Now?"

A couple of tips: For directions of travel you can say "Go Nor, Go Sou, Go Eas or Go Wes." To see what you are carrying, type "Inv" instead of "Inventory," etc. Most objects can be abbreviated by the first three letters of the word "Sab = Sabretooth." Watch your strength level — even adventurers must eat and drink.

# COME MEET THE SANYO CANADIAN PERSONAL COMPUTER DEALERS

DEALER Computer	The second secon			- CA 11 C 21			Georgetown	(416)846-4988
Department	CITY	PHONE	4	SEN MISS		Micro Mart Computers	Georgetown	(416)293-9444
of London Drugs Ltd. CWC	Edmonton	(403)483-8444	Indian	163		Ltd. Nelson Business	Scarborough	(416)293-9444
CompuWare Corp.	Edmonton	(403)432-0083	Secretaria cricar	1000		Machines Ltd.	Burlington	(416)335-3300
Computation The Games	Edmonton	(403)434-0846	Jo		The state of the s		Waterloo St. Catherines	(519)653-6404 (416)688-2311
Gang Family Computers Information	Edmonton	(403)435-4636		al principal	2. >	Neutron Computers Inc.	Guelph	(519)822-7691
Connection Lew	Edmonton	(403)432-7159	NEWFOUND DEALER	CITY :	PHONE	Parts Galore Computer		
Computers Ltd. The	Grand Prairie	(403)538-3966	Technical Sales Ltd.	St. John's	(709)579-0044	Centre RSG Runtime	Toronto	(416)598-9874
Computershop of Calgary	Calgary	(403)230-1446	NOVA SCOT			Systems Group	Whitby	(416)725-0583
The Computer	Calgary	(403)243-4356	DEALER Basic	CITY	PHONE	Scitron Corp.	Mississauga	(416)624-2190
Connection	Calgary	(403)243-2490	Computer Sales	Halifax	(902)454-8344		Mississauga Toronto	(416)820-5810 (416)968-3011
BRITISH COL	CITY	PHONE	Harbour City				Brampton Scarborough	(416)791-7266 (416)288-1244
Computer Department	Citt	FIIOIL	Stat. Ltd. ONTARIO	Dartmouth	(902)466-2101	Spectra Colour Ltd.	Willowdale	(416)669-9942
of London Drugs Ltd.	Vancouver Vancouver	(604)872-5177 (604)669-7374	DEALER BAC	CITY	PHONE	Strictly Business Computers		
	N. Vancouver Surrey	(604)980-3661 (604)584-3281	Services Inc.	Vars	(613)835-3225	Inc. Town &	Port Hope	(416)885-4597
Computer	Richmond	(604)278-0788	Burlington Business			Country	London	(519)673-4930
King	Richmond Surrey Prince George	(604)276-8271 (604)585-2330 (604)564-3778	Computers C.P. & A. Chips	Burlington Toronto	(416)681-2664 (416)925-9950	Tron-Ex Canada Ltd.	Willowdale	(416)498-5494
Corporate Computers	Penticton	(604)493-7234	Computers & Electronics		(040)540, 4007	QUEBEC	CITY	PHONE
Clearbrook Software			Ltd. Compute-	Kingston	(613)542-4987	ATC Computer		
Group Coast	Abbotsford	(604)853-9118	A-Sign Computer	Scarborough	(416)752-4014 (416)825-0583	Products Becterm	Montreal Levis	(514)331-7953 (418)837-5894
Office Equipment Ltd.	Chilliwack	(604)792-9391	Awareness Computer Beginnings	Oakville	(410)023-0303	Compuware	Montreal Pierresonde Ste. Anne	(514)334-1088 (514)620-3627
Dominion Business			Inc. Computer	Windsor	(519)258-7966	John Chandioux	de Belle Vue	(514)331-6100
World Inc.	Kelowna Kamloops	(604)860-5007 (604)372-8444	Junction	Toronto Waterloo	(416)960-0300 (519)886-2933	Deltronic Solare Inc.	Valleyfield	(514)371-5720
Kootenay Office Outfitters			Computer Support Computer	Peterborough	(705)745-6227	Futur Byte	Montreal Montreal	(514)861-2831 (514)327-3121
Ltd.	Castlegar Cranbrook	(604)365-7454 (604)426-2241	Workshop Ltd. Computerized	Toronto	(416)366-6192		Longueuil Trois Rivieres	(514)677-5264 (819)373-7372
London Drugs		(004)074 7400	Business Systems	Willowdale	(416)225-1434	Irisco	Sherbrooke Ste. Foy	(819)564-1202 (418)681-0061
Ltd. Mitech	Richmond	(604)274-7122	ConPute Data	Oshawa	(416)723-6500	Les Enterprises		
Business Machines	Nelson Cranbrook	(604)352-5386 (604)489-4541	Marketing E.T. Wilson	Kingston	(613)542-9450	P.A.de Grande Maison Inc.	Laval	(514)662-0341
Minitronics of Canada Ltd.	Vancouver	(604)872-3225	O.E. Ltd. Furguson,	Vanier	(613)746-3250	Les Monde P.C.	Montreal	(514)481-0689
Nanaimo Business			James & Associates	Brantford	(519)759-4400	MDS Microcible	Montreal Montreal	(514)337-1730 (514)335-0885
Machines Ltd. Odyssey	Nanaimo	(604)753-0985	Guardian Data			Micropole Microtechnie	Repentigny Sillery	(514)581-1902 (418)842-8395
Computer Services	Victoria	(604)598-4342	Product Inc. Hastings	Toronto	(416)665-4920	P.M.C. R.E. Dumoulin	St. Georges	(418)228-5504
Sanpiper			Data Systems	Belleville	(613)962-1551	Inc. Selectronic	Montreal Quebec City	(514)388-7942 (418)683-2525
Computer Systems Ltd.	Courtenay	(604)338-0121	Home Computer	· 医多类性 (4)		Trinfec	Anjou Granby	(514)352-6200 (514)372-0625
MANITOBA DEALER	CITY	PHONE	Centre IBC	Kitchener	(519)745-6789	Votech Electronique Inc.	Montreal	(514)738-8231
Micro- Mentor	Winnipeg	(204)837-5356	Computers	Toronto	(416)860-1601	SASKATCHE	WAN	
NEW BRUN	SWICK		Connection	Ottawa Milton	(613)234-1387 (416)878-8869	DEALER Interactive	CITY	PHONE
DEALER Atlantic On Line	CITY	PHONE	Legal-Ease Computer	London	(519)672-9950	Systems Inc. Memory Lane Computers &	Regina	(306)522-3828
Systems Group	Fredericton	(506)457-1027	Systems Inc.	Downsview	(416)222-0436	Software Inc. United	Saskatoon	(306)665-2707
Bayco Business	T. Sociation		Marketron Microland Business	Toronto	(416)366-3168	Office Machines Zycon	Prince Albert	(306)922-3333
Products Ltd.	Bathurst	(506)548-4558	Systems	Toronto Mississauga	(416)828-0866 (416)823-4477	Computing Ltd.	Regina	(306)949-7777

```
Listing 1: BEAR. BAS
  ****************
                                                   (Editor's Note: Users of the MBC-775 and
2 1 *
                                                   Video RAM Board should see the GW-BASIC
                                                   modifications in Listing 2 before typing in
  1 *
 3
           Land of the CAVE BEAR
                                                   the entire program; users of monochrome
  1 *
                                                   monitors, see Listing 3 for those
  1 *
 5
             (c) L. Hyre 1985
                                                   modifications.)
  1 *
 6
 7
8 .
100 DEFINT S
11Ø DIM P$(18), OB$(29), B$(29), B(29), C$(29), C(29), T(4,17), T$(4), LD(6)
13Ø '**** GO DRAW TITLE SCREEN *****
140 '
15Ø GOSUB 195Ø
16Ø '
 17Ø '**** SET INITIAL VALUES AND LIST DATA STATEMENTS *****
 18Ø '
19Ø CLS:ZW=1:S=1ØØ:WT=Ø:BK=Ø:NX=Ø:M=1:L=1:CI=1:LD=Ø
 21Ø '***** LOCATION DESCRIPTIONS *****
 220 '
 23Ø DATA A SHADED HILLSIDE PEPPERED WITH BUSHY COVER, AN OPEN MEADOWLAND WHERE ST
 RANGE HERBIVORES GRAZE PEACEFULLY. HERE ISTHE REST OF THE CRASH REMAINS - COVER
 ED BY ROCK AND DEBRIS! (IF ONLY YOU HAD SOME DYNAMITE OR SOMETHING!)
 240 DATA A STILL SMOKING VOLCANIC MOUNTAIN, A DIMLY LIT AND FOR-BODING WOODS. THE
 RE'S NO SIGN OF LIFE AROUND.
 25Ø DATA A FLINT OUTCROPPING ON A GRASSY KNOLL. THE FLINT SEEMS TO HAVE BEEN WO
 RKED!, A BUSY WATERHOLE
 26Ø DATA A SWAMPY HOLLOW WHERE A HERD OF MASTODON PLAYFULLY WALLOW IN THE MUCK, A
 NEANDERTHAL CAMPSITE. THERE ARE SIGNS OF VERY RECENT USE.
 27Ø DATA RIDGE OVERLOOKING A HUGE SABRE TOOTH LION FEEDING ON A FRESHLY KILLEDAN
 TELOPE. A SOFT BREEZE BLOWS FROM THE EAST., INSIDE A EERIE DARK CAVE ENTRANCE - A
 GROWL IS HEARD ... , A NEANDERTHAL CAVE - DAMP AND COOL.
 28Ø DATA A TINY SECRET CHAMBER LIT BY TORCH. IT IS PAINTED WITH STRANGE BEASTSBO
 TH REAL AND IMAGINED, A NARROW PATHWAY ALONG A DEEP CREVICE, A THICK AND TOTALLY U
 NPENETRABLE FOREST. YOU WOULDN'T WANT TO LINGER HERE.
 290 DATA AN EXPANSIVE MARSHY BOG, A MOSQUITO INFESTED SWAMPLAND, A LARGE PLAINS AR
 EA- FAR TOO LARGE TO SET OUT ON. A SULPHURIC CLOUD RISES FROM A FAR DISTANT VOL
 CANO.
 3ØØ '
 310 '**** OBJECT DESCRIPTIONS, OBJECTS, OBJECT LOCATION ****
 320 '
 33Ø DATA REMAINS OF THE TIMECRAFT CRASH, *, 1, EMPTY CANTEEN, CANTEEN, 1, THE CONTROL
 PANEL, *, 2, THE POWER CANISTER --- THE TIME DILATION LOCATER MISSING!, *, 2, FLASHLIG
 HT, FLASHLIGHT, 2
 34Ø DATA HARDENED LAVA FLOW, *, 3, CRUSTY SULPHUR DEPOSITS, SULPHUR, 3, BUSHES LADEN W
 ITH RED BERRIES, BERRIES, 4, MENACING LOOKING CLUB, CLUB, 4
 35Ø DATA POTASSIUM NITRATE DEPOSIT, POTASSIUM NITRATE, 4, FLAKED SPEARHEADS, SPEARHE
 ADS, 5, BRAIDED ROPE OF INTERWOVEN VINE, ROPE, 5, OLD HOLLOWED OUT LOG, LOG, 6, FRUIT TR
 EES GROWING ALONG THE BANK. BABOONS ARE FEEDING ON THE FRUIT, FRUIT, 6
 36Ø DATA UGLY WARTHOG ROOTING UP THE EARTH, *, 6, BRIGHTLY FEATHERED HOATZIN, *, 14, M
 ASTODON HERD, *, 7, FIRE HARDENED SPEAR SHAFT, SHAFT, 8, CHARCOAL EMBERS, CHARCOAL, 8
 37Ø DATA SABRE TOOTH LION, *, 9, TASTY LOOKING ANTELOPE STEAKS, STEAKS, 9
 38Ø DATA CRAMPED NARROW PASSAGEWAY, *, 11, YOUNG NEANDERTHAL WOMEN, *, 11, A GNARLED O
 LD MEDICINE MAN, *, 11, A RING OF CAVE BEAR SKULLS, SKULLS, 12, THE TIME DILATION LOCA
 TER, LOCATER, 12
 390 DATA A DRIED ANIMAL SKIN, SKIN, 15, SMALL ROUNDED STONES, STONES, 16, THOUSANDS O
```

```
F QUAGGA AND OTHER HERD ANIMALS, *, 17
 410 ***** EXITS FROM INDIVIDUAL LOCATIONS *****
 43Ø DATA Ø,4,2,Ø,Ø,5,Ø,1,Ø,-1,Ø,Ø,1,7,5,Ø,2,8,6,4,-1,Ø,14,5,4,16,8,Ø,5,15,9,7,Ø,
 -3,10,8,17,0,0,9,10,0,13,9,13,0,0,0,0,12,0,11,0,0,0,6,8,0,0,16,7,0,15,0,0,10,0,0
 45Ø '**** VERBS [ INCLUDING SINGLE WORD COMMANDS] *****
 47Ø DATA INVENTORY, 1, LOOK, 2, VIEW, 2, GET, 3, TAKE, 3, DROP, 4, GO, 5, KILL, 6, HIT, 6, ATTACK,
 48Ø DATA EAT, 7, DRINK, 8, SWIM, 9, MAKE, 1Ø, BUILD, 11, COOK, 12, LIGHT, 13, FLOAT, 14, ROW, 14,
 FILL, 15, HELP, 16, CRY, 17, YELL, 18
 490 DATA SAY, 19, LISTEN, 20, LIFT, 21, WEAR, 22
 500 '
510 '**** READ IN THE DATA ****
52Ø
53Ø '**** READ IN PLACES *****
540
55Ø FOR C=1 TO 17:READ P$(C):NEXT C
57Ø '**** READ IN DESCRIPTIVE OBJECTS, OBJECTS, LOCATION OF OBJECTS *****
58Ø '
59Ø FOR C=1 TO 29: READ OB$(C), B$(C), B(C): NEXT C
600
61Ø ***** READ POSSIBLE EXITS FROM EACH LOCATION *****
62Ø '
63Ø FOR C=1 TO 17: READ T(1,C),T(2,C),T(3,C),T(4,C): NEXT C
64Ø T$(1)="NORTH":T$(2)="SOUTH":T$(3)="EAST":T$(4)="WEST"
65Ø '
66Ø ***** READ IN VERBS *****
68Ø FOR C=1 TO 28:READ C$(C), C(C):NEXT C
69Ø '
700 "**** ACTUAL PLAY BEGINS HERE ****
72Ø CLS:RD=INT(RND(1)*9)+1:S=S-RD:IF S>1ØØ THEN S=1ØØ ELSE IF S=<Ø THEN 18ØØ ELS
710 '
73Ø LOCATE 1,1,Ø:SYMBOL(5,5), "Your Strength Level Is ",2,2,3:SL$=STR$(S)+"%":SYM
E 73Ø
BOL (35\%, 5), SL$, 2, 2, 3: LINE (\%, 2\%) - (639, 2\%), 3
74Ø IF CSRLIN>2Ø THEN GOSUB 191Ø
75Ø LOCATE 25,2Ø:COLOR 6,Ø:PRINT"The Land of the CAVE BEAR!.... by L. Hyre";:C
OLOR 2,0
76Ø LOCATE 4,1,1:PRINT"YOU ARE AT ";P$(L)
77Ø IF L=1Ø AND LEFT$ (OB$ (2\emptyset), 3) = "SAB"THEN B (2\emptyset) = 1\emptyset
78Ø IF L=2 AND B(1Ø)=1ØØØ THEN B(1Ø)=2:B$(1Ø)="*":OB$(1Ø)="POTASIUM NITRATE":LD=
LD-1
79Ø IF L=2 AND B(19)=1ØØØ THEN B(19)=2:B$(19)="*":LD=LD-1
800 IF L=2 AND B(7)=1000 THEN B(7)=2:B$(7)="*":LD=LD-1
81Ø IF L=2 AND B(1Ø)=2 AND B(19)=2 AND B(7)=2 THEN B(1Ø)=Ø:B(19)=Ø:OB$(7)="EXPLO
SIVE"
82Ø IF L=2 AND B(26)=1ØØØ THEN B(26)=2:LD=LD-1
83Ø IF L=2 AND B(7)=2 AND B(26)=2 AND OB$(7)="EXPLOSIVE"THEN 177Ø
840 IF CI=1 AND L=10 AND LEFT$(B$(20),2)="DE" THEN 1840
85Ø IF CI=2 THEN T(3,1\emptyset) = \emptyset
86Ø IF CSRLIN>2Ø THEN GOSUB 191Ø ELSE PRINT
87Ø PRINT"YOU SEE:"
88Ø FOR C=1 TO 29:IF B(C)=L THEN PRINT OB$(C);" "
890 NEXT C
```

```
900 IF L=10 AND B(20)=10 AND LEFT$(OB$(20),3)="SAB" THEN 1810
91Ø IF CSRLIN>2Ø THEN GOSUB 191Ø ELSE PRINT
920 PRINT"FROM HERE YOU CAN GO:"
93Ø FOR C=1 TO 4:IF T(C,L)<>Ø THEN PRINT T$(C);" ";
95Ø IF CSRLIN>2Ø THEN GOSUB 191Ø ELSE PRINT
97Ø FOR C=1 TO LEN(ACT$):IF MID$(ACT$,C,1)=" "THEN VRB$=LEFT$(ACT$,C-1):W$=MID$(
ACT$,C+1,LEN(ACT$)-C):GOTO 990 ELSE NEXT
98Ø VRB$=ACT$
1000 IF LEFT$ (C$(C),3)=LEFT$ (VRB$,3) THEN A=C(C):GOTO 1060
1020 PRINT:PRINT"UH?":GOTO 950
1040 ***** WHERE TO BRANCH AFTER DETERMINATION OF VERB *****
1Ø6Ø ON A GOTO 1Ø8Ø,112Ø,113Ø,12ØØ,127Ø,136Ø,143Ø,15ØØ,153Ø,155Ø,158Ø,159Ø,16ØØ,
1620,1660,1680,1690,1700,1710,1720,1730,1740
1070 IF L=2 AND B(26)=1000 THEN OB$(26)="REPAIRED LOCATER":B$(26)="*":B(26)=0
1080 IF CSRLIN>20 THEN GOSUB 1910
1090 PRINT"I AM CARRYING:"
1100 FOR C=1 TO 29:IF B(C)=1000 THEN PRINT B$(C)
1110 NEXT: GOTO 950
112Ø GOTO 72Ø
113Ø IF LD>4 THEN PRINT"I'M CARRYING TOO MUCH!"::GOTO 95Ø
1140 FOR C=1 TO 28:IF LEFT$ (W$,3)=LEFT$ (B$(C),3) AND B(C)=L AND B$(C)<>"*"THEN B
(C) = 1000: PRINT"I GOT THE "; B$(C); "!": LD=LD+1: GOTO 950
```

# AA COMPUTER EXCHANGE

"SOUTH'S LEADING SANYO DEALER"

REQUEST OUR FULL SANYO CATALOG TODAY

# CALL: 904-388-0018

Sanyo 550-2 w/Software CALL Sanyo 555-2 w/Software CALL System Cover Set	Hermit's Secret	Transfer \$45 Personal Money Manager 38 MICROSOFT MS-DOS Guide 18 MS-DOS Prog. Ref. 38 OLYMPIC Account Series (EA) 59 Postmaster II 38
Sanyo 550-2 w/Software CALL Sanyo 555-2 w/Software CALL System Cover Set	Phantom's Revenge         17           Word Wiggle         24           Munchkin         17           Eliza         17           Monster Rally         17           MICHTRON         27	Personal Money Manager . 38 MICROSOFT MS-DOS Guide . 18 MS-DOS Prog. Ref 38 OLYMPIC Account Series (EA) . 75 Postmaster II . 38
Sanyo 555-2 w/Software CALL System Cover Set	Word Wiggle         24           Munchkin         17           Eliza         17           Monster Rally         17           MICHTRON         17           Type Right         27	MICROSOFT   MS-DOS Guide
System Cover Set	Munchkin 17 Eliza 17 Monster Rally 17 MICHTRON 17 Type Right 27	MS-DOS Guide
System Cover Set	Munchkin 17 Eliza 17 Monster Rally 17 MICHTRON 17 Type Right 27	MS-DOS Prog. Ref 38 OLYMPIC Account Series (EA)
512K Plug-in Memory Exp 139	Monster Rally	OLYMPIC Account Series (EA)
512K Plug-in Memory Exp 139 512K Plug-in Plans 10	MICHTRON Type Right	Account Series (EA) 75 Postmaster II
512K Plug-in Plans 10	MICHTRON Type Right	Postmaster II
10 Med Hard Disk 1199	Type Right	Postmaster II
	Solarsim	
360K Teac Drive (55B) 129		Money Analysis 29
800K Teac Drive (55F) 139	Calendar 19	Finance Manager 29
64K Mem Exp (150 NS) 18	Mudpies 27	Appointment Book 29
128K Mem Exp (150 NS) 36	Connerman	Touch Skills
Sanvo Graphics Board 159	Picasso (256K)	States & Capitals 23
Joystick (Adi, Self-center) 10	DS DOS+ II 2 11 38	Body Systems 29
Sanyo RS-232 Card 20	DS DOS+ 1.25	Trivia Mania
RS-232 Card	MI-Term (128K)	Flyboy Flight Sim 29
300 Baud Volksmodem 58	M-Disk (256K) 27	Byte Buster 23
300/1200 Auto-	Freez Frame (128K) 30	Flash Card
Volksmodem 199	MI-Key (128K)	Blackjack
RGB Monitor 13" 269	Graffiti (256K)	Spelling Bee 30
Sanvo CRT 50 389	Cashman	Recruiter 60
Sanyo CRT 70 565	Demon Seed	A-OK
Green Monitor 12" 89	DC-10 Flight Simulator 30	Lotusan 550 47
Amber Monitor 12" 89	Rebounce 19	Star Polish 110
Panasonic 1091 NLQ 299	Solitaire	DOS-1 w/Print Screen 46
Panasonic 1090 229	Adventure Disk #2 30	DOS-2 w/Print Screen 56
	Adventure Disk #3 30	DOS-3 w/Print Screen 66
BORLAND INTERNATIONAL	Super Zap	DOS-4 w/Print Screen 66
Turbo Pascal 3.0 54	Business Agreements 38	COMPUTER TOOLBOX
Turbo Tutorial	Major Motion 24	Intellicom
T Pascal w/8087 or BCD 85	Quick & Simple 38	U.S. DIGITAL
T Pascal w/BCD & 8087 97	Soft Spool 27	CpEmulaton 73
Turbo Toolbox 43	Emperor 27	Prep 45
INFOCOM	Time Bandit (128K) 27	General Ledger 150
Zork Series (EA)34 M	Master Graph (128K) 68	2500AD
Hitchhiker's Guide 34 F	Rebounce 19	8086 Macro Assembler 89
Cutthroats 34 N	Mighty Mail	TLS
Infidel	King Arthur	Sanyo Bonus Pack 39
NORELL	Thunder Chief (128K) 27	Easy Planner/Filer 23
LISP/88 Intro 34 J	Joystick Ext. Cable 22	Sanyo 775
Computer Chef 34 T	Tic Tac Toe	MANUALS
Original Adv 17 P	Printer Helper 27	Basic Reference
	LACKCONVILL	EL 22205

### 2726 PARK ST., JACKSONVILLE, FL 32205

Orders with cashiers check, money order and VISA/MC shipped promptly • For personal/company checks allow 3 weeks for clearance • CODs add \$3.00 • 15% restocking charge • All software sales are final • For VISA/MC add 3% • Shipping charges extra, \$3.00 minimum • Prices may differ in AA stores • Florida reisdents add 5% tax • Prices subject to change without notice.

# Greywolf 800–2 Apgrade

"A truly excellent upgrade" -- Soft Sector Review, April, 1985

Get all the features of the best Sanyo 550 series upgrade available. Comes with MS-DOS 1.25 and 2.11 versions plus the 800-2 Adaptor Switch. The switch allows you to use all the features of the Sanyo Video RAM Board as well as booting copy protected 360K diskettes. Also includes utility software, personal datebook/calendar program, and 20 page user's manual with easy-to-follow instructions. Complete for \$99.95

# Build Your Gwn Kurd Brive

Build and internal or external hard drive for a fraction of the cost of a commercial unit. Use the Greywolf host adaptor board and software; then add a hard drive, power supply, controller and case to finish the project. Recommended for "hackers." Complete cost of board and software: \$99.95

# Complete Catalog Available

We carry a full line of Sanyo computer accessories as well as products for other types of computers. Ask about the GT-XT, an IBM PC/XT compatible computer with hard drive starting at \$1695.00. Write for details.

Terms:
Mastercard & Visa add 8%
Certified Check or money order
Shipping extra, CT residents add 7.8%
Hours: Mon-Thur 10:00 A.M.- 7:80 P.M., Fri - 8:00 P.M.



CALL (203) 429-9209

1150 NEXT C 116Ø IF LEFT\$ (W\$, 2) = "SA"AND L=9 THEN PRINT" I GOT IT BUT I THINK IT WAS A .. BIG GG!!.. MISTAKE!":PRINT"IT'S EATING ME ALIVE!":FOR DL=1 TO 15:OUT&H38,DL+1Ø:NEXT: FOR DL=1 TO 2000:NEXT:PRINT"I'M DEAD.....":END 117Ø IF LEFT\$ (W\$, 3) = "WAR"AND L=6 AND ZW=1 THEN PRINT" I GOT ONE AND IT'S ONE UGLY SUCKER! I LET IT GO."::ZW=ZW+1:GOTO 950 118Ø IF ZW=2 AND LEFT\$(W\$,3)="WAR"AND L=6 THEN PRINT"YOU LEARN SLOW-DON'T YOU? I 'M BEING GORED TO DEATH!":GOTO 950 1190 PRINT"I CAN'T TAKE THAT!!":GOTO 950 1200 FOR C=1 TO 28 1210 IF NX=1 AND L=9 AND LEFT\$ (W\$, 2) = "SP"THEN NX=2:GOTO 1250 122Ø IF LEFT\$ (W\$, 3) = LEFT\$ (B\$(C), 3) AND B(C) = 1000 THEN B(C) = L: PRINT" I DROPPED IT! ":LD=LD-1:GOTO 95Ø 123Ø NEXT 1240 PRINT"I DON'T HAVE THE "; W\$: GOTO 950 125Ø PRINT"YOUR SIGN OF PEACE IS RECOGNIZED":L=11::FOR D=1 TO 11ØØ:NEXT:NX=2:T(2 ,9)=11:GOTO 72Ø 126Ø GOTO 95Ø 127Ø FOR C=1 TO 4:IF LEFT\$(W\$,2)=LEFT\$(T\$(C),2) THEN DR=C:GOTO 129Ø 128Ø NEXT C:GOTO 135Ø 129Ø IF T(DR,L) >Ø THEN L=T(DR,L):GOTO 131Ø 1300 IF T(DR,L)=0 THEN PRINT"CAN'T GO THAT WAY!":GOTO 950 131Ø IF T(DR,L) =-1 THEN PRINT"A SLUGGISH RIVER BLOCKS THAT WAY":GOTO 95Ø 1320 IF T(DR, L) = -3 AND LEFT\$ (OB\$(20), 3) = "SAB" THEN 1810 133Ø IF T(DR,L)=-2 THEN PRINT"A NEANDERTHAL CHIEF BRANDISHING A SPEAR BLOCKS YOU PATH!":NX=1:GOTO 950 134Ø GOTO 72Ø 135Ø PRINT"USE A DIRECTION!":GOTO 95Ø 136Ø IF L<>9 THEN 137Ø ELSE IF L=9 AND LEFT\$(W\$,2)="SA"AND B(18)<>100Ø OR B\$(18) <>"SPEAR"THEN PRINT"I WISH I HAD A SPEAR BUT I'LL GIVE IT A TRY":FOR DL=1 TO 300 :NEXT:PRINT"I'M GOING TO BE A SNACK FOR THIS GUY! ":PRINT"I'M DEAD .. ":END 137Ø IF LEFT\$ (W\$, 2) = "BA"AND L=6 THEN PRINT"THEY 'RE TOO CUTE FOR THAT!": GOTO 95Ø 138Ø IF LEFT\$ (W\$, 2) = "SA"AND L=9 AND B\$ (18) = "SPEAR"AND B (18) = 1000 THEN PRINT"OK... .. HERE GOES!":PRINT"I GOT'EM....! GOT'EM...!":FOR SW=1 TO 3ØØ:NEXT:OB\$(2Ø)="DEAD SABRETOOTH":B\$(2Ø)="DEAD SABRETOOTH":T(2,9)=-2:ELSE 14ØØ 139Ø IF LEFT\$(B\$(2Ø),3)="DEA"THEN P\$(9)="A RIDGE OVERLOOKING A BLOODY FIELD.":GO 1400 IF LEFTS (W\$, 2) = "MA"AND L=7 THEN PRINT"NO WAY-FELLA! I MIGHT BE AN ADVENTURE R BUT I'M NOT NUTS.":BEEP:GOTO 950 141Ø IF L=9 AND LEFT\$ (W\$, 2) = "CH" OR LEFT\$ (W\$, 3) = "NEA"THEN PRINT YOUR SPEAR PIERC ES HIS CHEST! HE DIES-": FOR DL=1 TO 400: NEXT: PRINT" AND SO DO YOU. THIS MAN WAS Y OUR DIRECT ANCESTER!":BEEP:END 142Ø PRINT"DON'T BE RIDICULOUS!":GOTO 95Ø 143Ø IF LEFT\$ (OB\$ (2Ø), 3) <> "DEA" THEN 144Ø ELSE IF M=1 AND LEFT\$ (W\$,3) = "STE" OR LE FT\$ (W\$,3)="ANT"AND L=9 AND LEFT\$ (OB\$ (20),3)="DEA"THEN PRINT"DELICIOUS! I REALLY NEED THAT PROTEIN.":S=100:OB\$(21)="ANTELOPE BONES":B\$(21)="\*":M=2:GOTO 950 1440 IF M=1 AND LEFT\$ (W\$, 3) = "STE" AND L=9 AND LEFT\$ (OB\$ (20), 2) = "SA" THEN PRINT"T RY TO TAKE A SABRETOOTH'S DIN-DIN? NO WAY..PAL!":FOR DL=1 TO 800:NEXT:GOTO 950 145Ø IF L=4 AND LEFT\$ (W\$,2)="BE"THEN PRINT"NOT BAD....."::FOR DL=1 TO 6ØØ:NEXT :PRINT"KIND OF MAKES YOU WONDER WHY NO ANIMALS ARE EATING THEM!":FOR SW=1 TO 900 :NEXT:PRINT"I'M POISONED!!!!":FOR DL=1 TO 300:NEXT:END 146Ø IF LEFT\$ (W\$, 2) = "FR" AND B (14) = 1000 THEN PRINT BABOONS KNOW WHAT PLANTS TO EA T. THESE ARE GREAT! ":S=S+1Ø:OB\$(14) = "STRIPPED FRUIT TREES ALONG THE BANK. BABOONS SIT LAZILY SUNNING THEMSELVES": B\$ (14) = "SEEDS & PITS": B(14) = 6:LD=LD-1:GOTO 950 147Ø IF L=6 AND LEFT\$ (W\$, 2) = "FR"AND B(14) = 6 THEN PRINT" I CAN'T NOW! ": GOTO 95Ø 1480 IF L=9 AND M=2 AND LEFT\$ (W\$, 3) = "STE"THEN PRINT"NOTHING LEFT THERE BUT VULTU RES PICKING THE SKELETON!":S=S-5:T(2,9)=-2:GOTO 95Ø

1500 IF B(2)=1000 AND WT=1 AND LEFT\$ (W\$,2)="WA"OR LEFT\$ (W\$,2)="CA"THEN S=S+20:PR

1490 PRINT"I'M NOT EATING THAT!":GOTO 950

```
INT"AHH! REFRESHING!":WT=Ø:OB$(2)="DRAINED CANTEEN":LD=LD-1:O(2)=L:GOTO 95Ø
151Ø IF LEFT$(W$,2)="WA"AND WT=1 AND B(2)<>1ØØØ THEN PRINT"I DON'T HAVE A CANTEE
N!":GOTO 95Ø
1520 PRINT"THAT'S OUT OF THE QUESTION!":GOTO 950
153Ø IF L=6 OR L=3 THEN CLS:PRINT"OK.I'M A GOOD SWIMMER, BUT I'M NOT SURE SWIMM
ING IN AN UNKNOWN RIVER IS SMART."::FOR D=1 TO 1600:NEXT:PRINT"SOMETIMES THERE A
RE CROCS IN THERIV..BLUB..BLUB..BLUB..!": END
154Ø PRINT"I CAN'T SWIM THAT!":GOTO 95Ø
155Ø IF B(11)=1ØØØ AND B(18)=1ØØØ AND LEFT$(W$,3)="SPE"THEN PRINT"I'VE GOT A GOO
D WEAPON NOW!":B(11)=\emptyset:B$(18)="SPEAR":B(18)=1\emptyset00:FOR DL=1 TO 600:NEXT::B$(11)="*
":LD=LD-1:GOTO 72Ø
156Ø PRINT"I CAN'T MAKE A "; W$
157Ø GOTO 95Ø
158Ø PRINT"IF I TRIED TO BUILD THAT I WOULD PROBABLY ATTRACT THE WRONG KIND OF A
TTENTION!":GOTO 95Ø
159Ø PRINT"THIS IS A MACHO ADVENTURE----":FOR DL=1 TO 5ØØ:NEXT:PRINT"
                                                                           EAT
IT 'RAW'":GOTO 950
1600 IF B(5)=1000 AND LEFT$(B$(18),2)="SP"AND B(18)=1000 AND LEFT$(W$,2)="FL"AND
L=1Ø THEN PRINT"A CAVE BEAR IS BLINDED BY THE LIGHT....JUST LONG ENOUGH FOR Y
OU TO RUSH IN AND STAB IT. YOU TAKE THE HEAD AS A TROPHY": BK=1:S=S+15:GOTO 9
161Ø PRINT"I CAN'T LIGHT A "; W$: GOTO 95Ø
162Ø IF L=3 THEN 163Ø ELSE IF L=6 AND W$="LOG"OR W$="BOAT"THEN PRINT"YOU FLOAT A
CROSS THE RIVER. THE CROCODILES ARE UPSET THAT YOU DIDN'T SWIM!":L=3:B(13)=3:GOT
163Ø IF L<>3 THEN 164Ø ELSE IF L=3 AND W$="LOG"OR W$="BOAT"THEN PRINT"YOU FLOAT
ACROSS THE RIVER.":L=6:B(13)=6:GOTO 165Ø
164Ø PRINT"YOU CAN'T FLOAT A "; W$: GOTO 95Ø
165Ø FOR DL=1 TO 1ØØØ:NEXT:GOTO 72Ø
166Ø IF L=6 AND B(2)=1ØØØ AND LEFT$(W$,2)="CA"THEN WT=1:B(2)=6:OB$(2)="FULL CANT
EEN":B$(2)="CANTEEN":PRINT"I FILLED IT...."::GOTO 95Ø
167Ø PRINT"THAT'S SILLY!":GOTO 95Ø
168Ø PRINT"HELP - YOU SAY!....IT WASN'T MY IDEA TO COME HERE IN THE FIRST PLACE
169Ø PRINT"SISSY!":GOTO 95Ø
1700 PRINT"HELLOOOOOOOO.....!":BEEP:GOTO 950
171Ø PRINT"I SAID '"; W$; "'": PRINT"BUT NOTHING HAPPENED! ": GOTO 95Ø
1720 PRINT"I HEAR THE BIRDS SINGING IN THE TREES. BIG DEAL!":GOTO 950
173Ø PRINT"SORRY, I'VE JUST HAD A HERNIA OPERATION!":GOTO 95Ø
174Ø IF LEFT$(W$,2)="SK"AND B(27)=1ØØØ THEN PRINT"I SURE LOOK SILLY IN THIS LITT
LE SQUIRREL SKIN":LD=LD-1:FOR DL=1 TO 6ØØ:NEXT:B(27)=Ø:GOTO 95Ø
175Ø IF LEFT$ (W$, 2) = "SK"AND B(27) <> 1ØØØ THEN PRINT" I DON'T HAVE THE SKIN": GOTO 9
176Ø PRINT"WEAR WHAT????...NO WAY!":GOTO 95Ø
1770 FOR DL=1 TO 1200:NEXT:CLS:PRINT:PRINT"YOU QUICKLY MAKE A GUNPOWDER MIXWITH
THE CHEMICALS YOU HAVE GATHERED. YOU USE IT TO BLAST AWAY THE ROCK DEBRIS. AFT
178Ø PRINT"THE TEAM OF RESEARCHERS IN THE 21ST CENTURY THEN LOCATE AND RESCUE YO
           YOU HAVE SURVIVED 'THE LAND OF THE CAVE BEAR'"
179Ø PRINT"THE END";: END
1800 PRINT"YOUR STRENGTH DROPPED TO NOTHING AND YOU HAVE DIED!":PRINT"SUCH IS TH
181Ø PRINT:PRINT"YIPE!! A SABRETOOTH LION....":FOR DL=1 TO 15ØØ:NEXT:PRINT"NEVER
 GO UPWIND OF A LIVE SABRETOOTH LION!":PRINT:FOR DL=1 TO 1500:NEXT:PRINT"HE OBVI
OUSLY FOLLOWED YOU FROM THE SITE OF HIS KILL."
```

ØØØ:NEXT:PRINT"NOW YOU ARE HIS MAIN COURSE....":PRINT"THE END!"

1840 INPUT"WANNA GO FARTHER IN"; ANS

```
185Ø IF LEFT$ (AN$,1)="Y"THEN 186Ø ELSE 187Ø
186Ø IF B(5)=1ØØØ THEN CI=2:GOTO 95Ø ELSE IF B(5)<>1ØØØ THEN PRINT"I CAN'T SEE I
N THE DARK! ": FOR DL=1 TO 1000: PRINT"A CAVE BEAR HAS ME IN IT'S ARMS! IT'S ALL OVE
R....PLEASE....BE MORE CAREFUL WITH YOUR NEXT HAPLESS ADVENTURER!": END
187Ø PRINT"WHEW!!! I WAS AFRAID YOU MIGHT TRY IT!":CI=2:L=1Ø:FOR DL=1 TO 1ØØØ:N
EXT::GOTO 720
188Ø '
189Ø '**** WIPE SCREEN CLEAN [LEAVE STRENGTH LEVEL] *****
191Ø FOR WIPE=4 TO 24:LOCATE WIPE,1:PRINT STRING$(8Ø," ");:NEXT:LOCATE 25,1:PRIN
T STRING$(79," ");:COLOR 6, Ø:LOCATE 25, 2Ø:PRINT"The Land of the CAVE BEAR!.....
by L. Hyre";:COLOR 2, Ø:LOCATE 4,1:RETURN
192Ø '
1930 '**** INITIAL TITLE SCREEN ****
1940 '
195Ø LOCATE 1,1,Ø:COLOR 6,Ø:CLS:LINE(Ø,Ø)-(639,199),7,B:LINE(1Ø,5)-(629,194),7,B
 :PAINT(3,3),4,7:SYMBOL(80,20), "The LAND of the",4,1,4
 196Ø SYMBOL(22Ø,4Ø), "CAVE",6,8,4:SYMBOL(22Ø,1ØØ), "BEAR",6,8,4
 197Ø TT$="An Adventure in Time!....(c) L.Hyre":OVER=22
 198Ø FOR TT=1 TO LEN(TT$):LOCATE 22,OVER:PRINT MID$(TT$,TT,1):OUT &H38,75:OVER =
 OVER+1:FOR DELAY=1 TO 50:NEXT:NEXT TT
 199Ø FOR DELAY=1 TO 35ØØ:NEXT:COLOR Ø,2:CLS
 2010 '**** THE SCENARIO SCREEN *****
 2020 '
 2Ø3Ø LINE(1Ø,2)-(24Ø,25),Ø,B:SYMBOL(2Ø,5),"The Scenario-",2,2,Ø
 2040 LOCATE 5,1:PRINT"Year 2000..."
 2050 LOCATE 7,1:PRINT"I awake....Where am I?...Now, it begins to come back. I wa
 s out backpacking in the New Mexico desert when I chanced upon a strange machin
 e. I approached it cautiously. On the side, an inscription read...."
  2060 LINE (180,74) - (450,98),0,B:LOCATE 11,25:PRINT"NASA Time Shuttle EXPERIMENTAL
  2070 LOCATE 12,37:PRINT"DANGER"
  2080 LOCATE 14,1:PRINT"Suddenly, it began to make strange noises!"
  2090 LOCATE 15,1:PRINT"HUM...HUMM....HUMMM.....HUMMMMM.....
  2100 LOCATE 16,1:PRINT"I tried to get away. Too late! Things are spinning and fa
  ding to black!
  211Ø LOCATE 17,1:COLOR 6,Ø:PRINT STRING$(8Ø," "); BUT...Why do I have a vision
  of 'Strange Hairy Men' carrying away something ? ";:COLOR Ø,2
  212Ø LINE(Ø,148)-(639,148),Ø
  213Ø LOCATE 2Ø,2Ø:PRINT"[MEANWHILE....BACK AT NASA HEADQUARTERS!]
  2140 LOCATE 21,1:PRINT"The TIME/CONTROL team tries desperately for a TIME-DILATI
  ON Fix on the hapless and unsuspecting traveler. It is his only hope!"
  215Ø LOCATE 24,1:PRINT"PRESS ANY KEY to plunge into time!"
  216Ø '
  217Ø '**** SHOW THE REAL TIME GAUGE ****
  219Ø AK$=INKEY$:IF AK$=""THEN 219Ø ELSE COLOR 2,Ø:CLS
  2200 LINE(200,10)-(400,140),2,B:LOCATE 21,26:PRINT"Real Time Distortion Gauge"
   221Ø PT=Ø
  222Ø FOR DG=2ØØØ TO (-48ØØØ!) STEP -25ØØ
   223Ø DG$=" "+STR$ (DG)
  224Ø SYMBOL (3ØØ,75),DG$,1,1,3,PT:OUT &H38,75
   225Ø FOR DL=1 TO 15Ø:NEXT:SYMBOL(3ØØ,75),DG$,1,1,Ø,PT
   226Ø PT=PT+1:IF PT=4 THEN PT=PT-4
   228Ø SYMBOL (27Ø,6Ø), "YEAR",2,1,3:SYMBOL (245,8Ø), "5ØØØØ BC",2,1,4
   229Ø FOR DL=1 TO 3ØØØ:NEXT:RETURN
```

```
Listing 2: GWMOD.BAS
 11 '**
 12
    1 *
 13 '*
        SANYO 775 / 88Ø USERS VRS. *
 14 '*
    1 *
 15
        Replace Line 73Ø and Lines *
 16 '*
        1910-(end program) with
 17 '*
        the following lines.
 18
 19 '
 73Ø CLS:WIDTH 8Ø:COLOR 2,Ø:LOCATE 1,1,Ø:PRINT"STRENGTH LEVEL IS NOW ";S;:LOCATE
 2,1:PRINT STRING$ (80," ");
 732 '
 195Ø KEY OFF: WIDTH 4Ø: SCREEN Ø, Ø: COLOR 4, Ø: CLS
 1960 LOCATE 4,12:PRINT"The Land of the":LOCATE 6,12:PRINT"C A V E-B E A R";:
 197Ø OVER=1
 1980 TT$="An Adventure in Time!...(c) L. Hyre"
 1990 FOR TT=1 TO LEN(TT$):LOCATE 22,OVER:PRINT MID$(TT$,TT,1):OUT &H38,75:OVER =
 OVER+1: FOR DELAY=1 TO 50: NEXT: NEXT TT
 2000 FOR DELAY=1 TO 3500: NEXT: COLOR 0,2:CLS
 2Ø1Ø '
 2020 ***** THE SCENARIO SCREEN *****
 2Ø3Ø '
2040 WIDTH 80:LOCATE 1,1:PRINT"The SCENARIO"
2Ø5Ø WIDTH 8Ø
2060 LOCATE 3,1:PRINT"Year 2000..."
2070 LOCATE 7,1:PRINT"I awake....Where am I?...Now, it begins to come back. I wa
s out backpacking in the New Mexico desert when I chanced upon a strange machin
                     cautiously. On the side, an inscription read...."
e. I approached it
2080 LOCATE 11,25:PRINT"NASA Time Shuttle EXPERIMENTAL":LOCATE 12,37:PRINT"DANGE
2090 LOCATE 14,1:PRINT"Suddenly, it began to make strange noises!"
2100 LOCATE 15,1:PRINT"HUM...HUMM....HUMMM.....HUMMMMM....."
2110 LOCATE 16,1:PRINT"I tried to get away. Too late! Things are spinning and fa
ding to black!
2120 LOCATE 17,1:COLOR 6,0:PRINT STRING$(80," "); BUT...Why do I have a vision
of 'Strange Hairy Men' carrying away something ? ";:COLOR Ø,2
213Ø LOCATE 19,1:PRINT STRING$(8Ø," ");
2140 LOCATE 20,20:PRINT"[MEANWHILE...BACK AT NASA HEADQUARTERS!]
215Ø LOCATE 21,1:PRINT"The TIME/CONTROL team tries desperately for a TIME-DILATI
ON Fix on the hapless and unsuspecting traveler. It is his only hope!"
216Ø LOCATE 24,1:PRINT"PRESS ANY KEY to plunge into time!";
217Ø
218Ø ***** SHOW THE REAL TIME GAUGE *****
2200 AK$=INKEY$:IF AK$=""THEN 2200 ELSE COLOR 2,0:CLS
```

# "THE RGB CONNEXION"

Select normal or RAM board video to monitor. Push button select with LED indicators. All cabling to computer included. 8 pin din and 9 pin "d" jacks provided for monitor cable. SYNC POLARITY TO MONITOR IS DIP-SWITCH SELECTABLE. For monitors with 2-prongs power plug, write first. Works with all Sanyo and IBM compatible RGB monitors.

Send check or money order for \$79.95 plus \$2.50 postage and handling (Louisiana residents add 5%) to:

**Bayou Technologies** Route 8 Box 725 Lake Charles, LA 70605 318-474-5301

# FORTH 83

The latest FORTH Standard is now available for your SANYO 550/555.

FORTH is the most compact machine independent language for microprocessors today. Extreme efficiency, compactness, fast execution speed, transportability to new hardware and ease of implementation make FORTH a natural choice for general microprocessor programming.

Send Check or Money Order to:

**Data Management Systems** P.O. Box 4147 Menlo Park, CA 94026-4147 (415) 365-4617

```
221Ø WIDTH 4Ø:COLOR 6,Ø:LOCATE 6,7:PRINT"Real Time Distortion Guage";
222Ø FOR DG=2ØØØ TO (-48ØØØ!) STEP-25ØØ
223Ø LOCATE 4,17:PRINT DG;
224Ø FOR DL=1 TO 2ØØ:NEXT
225Ø NEXT DG
226Ø LOCATE 4,12:COLOR 4:PRINT"5ØØØØ yrs. BC";
227Ø FOR DL=1 TO 3ØØØ:NEXT:RETURN
Listing 3: MONOMOD. BAS
11 ******************
12 '*
           MONOCHROME USERS
13 ***************
14 'TYPE IN THE LINES FOLLOWING THESE REM REMARKS
15 'SAVE FILE AS "BEARMONO.BAS", A
16 'LOAD BEAR....MERGE"BEARMONO.BAS"
17 'SAVE AS "BEAR"...for best monochrome results
18 '
73Ø LOCATE 1,1,Ø:SYMBOL(5,5),"Your Strength Level Is ",2,2,2:SL$=STR$(S)+"%":SYM
BOL (35\emptyset, 5), SL$, 2, 2, 2: LINE (\emptyset, 2\emptyset) - (639, 2\emptyset), 2
75Ø LOCATE 25,2Ø:COLOR 2,Ø:PRINT"The Land of the CAVE BEAR!.... by L. Hyre";
191Ø FOR WIPE=4 TO 24:LOCATE WIPE,1:PRINT STRING$(8Ø," ");:NEXT:LOCATE 25,1:PRIN
T STRING$ (79," ");:COLOR 2,Ø:LOCATE 25,2Ø:PRINT"The Land of the CAVE BEAR!....
by L. Hyre";:LOCATE 4,1:RETURN
195Ø LOCATE 1,1,Ø:COLOR 2,Ø:CLS:LINE(Ø,Ø)-(639,199),2,B:LINE(1Ø,5)-(629,194),2,B
:PAINT(3,3),2,2:SYMBOL(80,20), "The LAND of the",4,1,2
196Ø SYMBOL(22Ø,4Ø), "CAVE",6,8,2:SYMBOL(22Ø,1ØØ), "BEAR",6,8,2
211Ø LOCATE 17,1:COLOR 2,Ø:PRINT STRING$(8Ø," ");" BUT...Why do I have a vision
of 'Strange Hairy Men' carrying away something ? ";:COLOR \emptyset,2
224Ø SYMBOL(3ØØ,75),DG$,1,1,2,PT:OUT &H38,75
228Ø SYMBOL(27Ø,6Ø), "YEAR",2,1,2:SYMBOL(245,8Ø), "5ØØØØ BC",2,1,2
```

# Having Trouble Keeping Track?



# Track Time & Expenses



a question.

ACCESS FIVE

• Menu of all Sanyo

# **Automate** your Billing

And at BGW Systems, we

don't close the door when we

close the sale. Our phone lines

Additional software

available from BGW:

Manage mailing lists and much more.

\$19.95

are always open when you have

If you have a number of clients and you'd like to keep better track of your billing time as well as billable and non-billable expenses, then TRACK® is for you

Developed originally to aid ad agencies with multiple billings, TRACK is perfect for any service business that wants to accurately track billable costs by client and save time on billing

# Multiple Functions in a Single Package

This new package performs many of the same functions as higher-priced business software but is designed to run with 128K of memory and 2 disk drives.

At the end of the month, there is no extra work to run your

At \$59.95, TRACK is a costeffective solution to recordkeeping and billing, so critical in business.

· TRACK® and GL require the InfoSta package The Menu and GGU run on the Sanyo only ACCESS FIVE® runs on the Sanyo, IBM-PC and compatibles

BGW SYSTEMS, INC.

This month: Select any software package, and get the Menu at half price. Buy two packages, and receive the Menu free!

 General Ledger \$79.95 Generate financial reports using InfoStar

 General Graphics \$39.95 Utility (GGU)

Business graphics package

To order any of these programs send check or money order to BGW Systems, Inc. Include \$3.00 shipping charge and specify hardware system when you order

5**59**95

Why join the

# Sanyo National Users' Group?

\*Public Domain and Freeware Software\* Over 75 volumes for the Sanyo 55x series (these programs WORK!) and over 300 for the IBM PC.

\*A top-notch monthly newsletter\* Tips for getting the most out of your Sanyo. News about hardware, peripherals and software.

# \*Technical advice\*

SNUG's members include nationally known experts who are happy to share their knowledge.

\*A nationwide network of local users' groups\*

# \*A Special Offer to New Members:\*

Join SNUG now (\$20 for initial year), mention this ad, and we'll send a volume of public domain software for just \$1 morel

SNUG is the best-established non-profit Sanyo users' group, with nearly 600 members throughout the world. To join, write or call:

Ken Fowles, Membership S.E. 628 Taylor Pullman, WA 99163

Michael Russell, Pres. P.O. Box 3445, Moscow, ID 83843.

(509) 332-6918

(509) 878-1714

# A-OK Computers

# The A-OK Board™—The Ultimate Upgrade™ "960K + 8 MHz"

The A-OK Board lets you double your processor speed and nearly quadruple your RAM. The A-OK Board plugs inside your Sanyo with no soldering. The A-OK Board works fine with or without the Video Board and is fully compatible with all software which runs on your Sanyo. The A-OK Board's 8088-2 chip does all your processing, even Ramdisk, twice as fast. Plug one bank of 256K chips into The A-OK Board to double your RAM to 512K or two banks for 768K or a third bank for 960K of contiguous RAM. See our TurboDrive550 ad about 800K ramdisks. Options include a real-time clock/calendar. The A-OK Board has been completely redesigned so that you can replace the 8MHz 8088-2 with the new 10 MHz or 12 MHz 8088's when they become available. Sorry about past delays, but we didn't want to sell you something that we would soon make obsolete. The A-OK Board is The Ultimate Upgrade.

A-OK Board with no memory			 	 	\$150
8088-2 chip for high speed on	A-OK	Board	 	 	\$ 25
A-OK Board with "the works"			 	 	\$395

# TurboLinker™ "The Linker for Turbo Pascal"

TurboLinker accelerates the compilation of your Turbo Pascal 2.0 and 3.0 programs. TurboLinker provides a program that turns your debugged and compiled Turbo Pascal procedures into compact, linkable external procedures. Because they are already compiled, these procedures link instantly into the code you are debugging. TurboLinker's linkable procedures use much less memory than the Turbo Pascal source code they come from. Thus you can bring them in off disk faster and store more of them on RAM disk. TurboLinker is easy to use, self-documenting, and works from the Turbo Pascal Program Development Environment. An extra bonus—now you can sell procedures written in Turbo Pascal as linkable procedures without having to disclose your source code. A-OK is looking for high-quality Turbo Pascal libraries to market. Why waste time recompiling code that you know works? TurboLinker is the ideal upgrade for Turbo Pascal.

TurboLinker for T	urbo Pascal 2	.0 and 3.0 .		 57		N.S.	\$49
TurboLinker for T	urbo Pascal 2	.0, 3.0, BCD,	and 8087			180.5	\$75

# SANYGRAF "Professional Business Graphics"

A-OK searched the world to bring you the best business graphics for your Sanyo. We are delighted by what we found—SANYGRAF. SANYGRAF's well thought-out menus and superb documentation, make this extremely versatile software very easy to master. SANYGRAF is very fast and even faster with an 8087. SANYGRAF supports popular plotters. SANYGRAF is so good that Sanyo Australia supplies it with every color graphics system it sells.

2.11, 256K, one DSDD or DSQD drive required.

# Janus/Ada "The Ada for Micros"

Now you can use the language of the future on your Sanyo, IBM, Zenith, etc. For just \$99, you get the **Janus/Ada** Compiler, Linker, Libraries, Example Programs, User Manual, and User Group Membership! Great for learning Ada and for serious programming.

A-OK is pleased to announce its selection as the only distributor of **Janus/Ada** on the exclusive Federal Government's GSA Schedule. Our contract number is GS00K85AGS6083.

# TurboDrive550™ "A Quality Ram Disk for Sanyo"

**TurboDrive550** turns your unused RAM into a disk drive. **TurboDrive550** is very fast.

- Speeds up all disk intensive software.
- Makes WordStar and FORMSORT run more quickly.
- · Accesses disk 75,000 times faster than hard disk.
- Makes 800K ramdisks on the A-OK Board.
  - Using the new A-OK DOS-3 with your single or double-sided drives.
- . Using the new A-OK DOS-4 with your quad drives.

TurboDrive550 is a low-cost alternative to a second disk drive. Compare TurboDrive550's features to the competition.

TurboDrive550 works even if you only have 128K.

- TurboDrive550 protects you from allocating more space than is available.
- A-OK provides a COM file in MS-DOS 1.25 which lets you gracefully free TurboDrive550's space.
- TurboDrive550 lets you use its menu or parameters.

TurboDrive 550 is The Phantom Buster.

TurboDrive550 comes FREE with every new A-OK DOS 1-4 \* and is available as a \$7 upgrade to current A-OK DOS owners.

# Contact! "Mailing Lists and More"

Contact! makes it incredibly easy for you to create and maintain business and personal mailing lists. Contact! prints mailing labels in the order you want and creates files ready for MailMerge. Contact! even prints out your address book complete with phone numbers. Requires 2.11 or Video Board.

Contact! \$35

### N-Code™

### "If You are Serious about Data Security"

Microsoft FORTRAN 77 (limited supply) . . . . \$219

### "AMBIZ-PAK"™

Fifteen programs for Amway Product Distributors . . . . . . . . . . . . \$100

### **UPGRADE TO 800K PER DRIVE**

Increase your disk capacity to 800K per drive using A-OK's **DSQD Kit** which includes: 2 first quality new TEAC 55F double-sided quad-density (DSQD) drives which replace the TEACs in your Sanyo, **A-OK DOS-4**, complete easy instructions, and all parts needed.

# DSDD Kit™

Upgrade to 400K per drive—same as DSQD Kit but with 2 TEAC 54B drives and A-OK DOS-2.

DSDD Kit \$295

## VidSwitch550™

Just push a button on the left front side of your Sanyo and you've switched from the Sanyo graphics port to the Video Board port. Another push of the button on this small box switches it back. The monochrome version requires only the mono cable you already have. The color version requires no extra cables Everything just plugs in

cables. Everything just plugs in.

VidSwitch550—Monochrome \$29

VidSwitch550—Color (no sync inversion) \$69

# XCord550™

"Extension Cord for your Sanyo PC Keyboard"

## THE A-OK TEAM

Join the team that created the A-OK DOS Family—the choice of OEMs, PrintScreen550, TurboDrive550, The A-OK Board and other top-quality software and hardware. We sell only the best. Fewer titles, better promotion. Give us a call. Join the A-OK Team.

SEE OUR OTHER FULL-PAGE AD FOR ORDERING INSTRUCTIONS.

DEALER, DISTRIBUTOR, AND OEM INQUIRIES INVITED

A-OK Computers 816 Easley St., Suite 615 • Silver Spring, MD 20910 301-585-5105, 301-585-5106

© Copyright 1984 Apollo Optics & Kinematics, Inc.

# MASTERING MS-DOS

MS-DOS's guardian of order holds sway over the entropic jungle of information in the land of the hard disk

# The Hierarchal Tree

By Danny Humphress Soft Sector Technical Editor

If you have been a loyal reader of this column, you may recall a brief discussion of MS-DOS's hierarchal directories in the very first installment of "Mastering MS-DOS." The directory system of MS-DOS is often one of the most difficult to comprehend aspects of the operating system. It need not be. Hierarchal directories add great organizational power to MS-DOS which is especially useful if your system includes a hard disk drive. Once you master the concepts, utilizing the multiple levels of directories is a simple matter.

# The File Of Files

MS-DOS is essentially a filing system. Instead of paper records, it keeps track of files. A typical paper filing system consists of filing cabinets, drawers within the cabinets, hanging files in each drawer and manila folders in the hanging files.

If you are an employer looking for records on one of your employees in a division of your company, you would first go to the filing cabinet with personnel information, then to the drawer for the particular division, and then to the hanging file with that employee's records. Each time you make a decision (which file cabinet, which drawer, etc.), you narrow the mass of files down, getting closer to that one piece of paper you are looking for.

MS-DOS's directories work much the same way. You could have all your programs and files together, but would you organize a paper filing system that way? Probably not. Instead, you would group files together by what they are used for.

You could organize the files into a series of groups, or "directories." A directory would be set up for accounting. Within that directory would be directories for accounts payable, accounts receivable, payroll and general ledger. Within each of those directories would be the individual programs and data files pertaining to that aspect of your accounting procedures.

(Danny Humphress, SOFT SECTOR's Technical Editor, is the owner of a computer software and consulting firm in Louisville, Ky. Danny brings to SOFT SECTOR his extensive experience with small business computers and applications software.)

You may also want a main directory for word processing and smaller directories within the word processing directory for letters, reports, proposals and other main groups of documents.


With the relatively small amount of storage space on a floppy disk, chances are that most of the files on the disk are related. Thus, you may have little need for hierarchal directories. Hard disk drives, on the other hand, may contain literally hundreds of programs and files for dozens of different applications, making file organization essential.

# **Family Tree**

A hierarchal directory system has many resemblances to a tree. The trunk, branches and limbs are directories and the leaves are individual files.

Much of the terminology of MS-DOS directory systems is borrowed from the tree simile. For instance, the main directory from which all other directories "branch," is called the "root." The directories and files within a system are called the directory "tree." Working with directories becomes less abstract when you keep this in mind.

Figure 1 is representative of how the directories would be structured in the example of an accounting department discussed earlier.



The root is the directory from which all other directories originate. The AR, AP, GL and PAYROLL directories are within the accounting directory. Each of these directories contains a number of files. The levels of directories could go beyond this. In addition to files, any directory may contain other directories. Just as with limbs on a tree, there is no limit to the number of branches of directories.

# A-OK Computers

# The Center of Creation and Dissemination of Sanyo PC Software and Hardware

# The A-OK™ DOS Family

"Upgrade your MS-DOS 1.25 or 2.11 and Video Board"

All members of the A-OK DOS family add these features to your MS-DOS

 A-OK DOS supports RAM expansion to 960K.

With the Video Board, A-OK DOS uses 24K less memory than the "competition". With extended memory, A-OK DOS uses 55K less memory than the

- A-OK DOS now includes free high-quality ramdisk software-Turbo-Drive550 (a \$33 value).
- Still the only text dump for 2.11 automatically transferred via FORMAT /S.
- Prints a screenful of text to any Sanyo-compatible printer.
- Interactive mode
- It works with one keystroke in DOS, BASIC and all other software packages that run on the Sanyo.
- · Does not interfere with program execution or affect the data.
- Batch mode
- Can be activated in BASIC by a one-line command.
- Interrupt-driven and can be called from programming languages
- Supports the only graphics screen dump software built into DOS-PrintScreen550.
- Includes a special "Sorted Directory" utility
- · Has a utility to strip the high-order bit off WordStar document files.
- User-controlled scrolling in all subsystems, not just DOS.
- A-OK DOS system messages are easier to understand.
- Supports up to 4 disk drives.

A-OK DOS versions for MS-DOS 1.25 correct flaws in MS-DOS 1.25 without sacrificing its strengths

- All A-OK DOS/1.25 are much faster and use far less memory than any version of MS-DOS 2.11.
- Runs all software that comes with the Sanyo.

A-OK DOS versions for MS-DOS 2.11:

- Run all software which runs on the Sanyo under MS-DOS 2.11 and Video
- PLUS special support for Sidekick™ and Flight Simulator.™

Support installable drivers for hard disks, etc.

Comparing A-OK DOS-3 and DS DOS+, the Sanyo PC Hackers Newsletter states "In a nutshell, you get more for your money in A-OK's package" A-OK has tailored different versions of its DOS for varying disk drive configurations. This makes our ad more complex, but our DOS more efficient and easier for you to use.

### A-OK DOS-1™

"Not just another Double-Sided DOS"

- Any combination of up to four single and double-sided drives.
- Double-sided drives support single and double-sided diskettes.
- 8 and 9 sector formats-360K, 320K, 180K, and 160K.
- A-OK DOS-1/1.25 or A-OK DOS-1/2.11 and Video Board . . . . . . . . . \$35

### A-OK DOS-2™

"Increase the Capacity of your Current Drives"

- All the features and formats of A-OK DOS-1
- PLUS it reads, writes, and formats 10-sector formats
- · 400K per double-sided diskette on DSDD drives
- 200K per single-sided diskette on SSDD and DSDD drives
- · uses ordinary diskettes
- · pays for itself in saved diskettes.

A-OK DOS-2/1.25 or A-OK DOS-2/2.11 and Video Board . . . . . . . . \$45

### 800K PER DISK DRIVE

# A-OK DOS-3™

"A-OK DOS for Double and Quad-Density Drive Systems"

- . All the features of A-OK DOS-2
- PLUS up to 4 double-density and quad-density drives
  - on double-density drives:
    - reads and writes all formats read by 1.25 and 2.11
    - · reads, writes, and formats 200K SSDD diskettes
  - · reads, writes and formats 400K DSDD diskettes
- on quad-density drives:
- reads, writes, and formats 730K and 800K on ordinary diskettes.

A-OK DOS-3/1.25 or A-OK DOS-3/2.11 and Video Board . . . . . . . . . \$55

# A-OK DOS-4™ "The Standard Quad-Density DOS"

- All the features of A-OK DOS-2
- PLUS up to 4 quad drives—3.2 Megabytes of removable medium!
  - quad drives read all diskettes written by MS-DOS 1.25 and 2.11
  - quad drives read, write and format 160K, 180K, 200K, 320K, 360K, 400K, 730K, 800K formats on ordinary diskettes.
  - will not run Prolok™ disks.

We at A-OK Computers thank you for making A-OK DOS-4 " the standard DOS for quad-density drives on the Sanyo. Thousands of copies of DOS-4" are now in use in the most demanding applications—yours. Potential bugs have been identified and corrected, making **DOS-4** a mature, well seasoned tool. Your constant feedback has resulted in the successive refinement of our documentation. After thorough testing and comparison to would-be competitors, Scottsdale Systems, America's No. 1 seller of Sanyos, selected DOS-4 as the standard DOS supplied with their Silver Fox \*\*. (HAGEN-DOS \*\* is A-OK DOS-4). And of course, MidWest Micro Peripherals-one of America's largest sellers of computer equipment has selected **A-OK DOS-4** for their quadbased Sanyo. Because **DOS-4** is now the standard, our 720K and 800K formats are also regarded as the standard. Of the quad-density operating systems, only A-OK DOS-4 supports the very popular PrintScreen550. Soft Sector sums it up well in their September 1984 review entitled "A-OK DOS and PrintScreen550—An Unbeatable Combination".

A-OK DOS-4 is the choice of OEMs. Don't trust your work to an experimental DOS, be sure your operating system is A-OK.

Look for these features in a quad-density drive DOS:

- Unique support for Lotus 1-2-3™ and Picasso™ on quad drives.
- Still the only DOS which you can install with quad drives.
- The system automatically recognizes 8/9/10 sector, 40 and 80 track formats without reconfiguration or using alternate drive symbols (e.g. E:, F:, etc.).
- Free ramdisk—TurboDrive550 "
- Uses low-cost ordinary double-density diskettes.
- FORMATS, READS, WRITES, and DISKCOPYS all MS-DOS standard formats employed by the Sanyo 550 Series.
- Uses the standard DOS-4 730K and 800K formats.
- Built-in text screen to printer dump.
- Supports the only graphics screen dump software built into the DOS-PrintScreen550.

# PrintScreen550™

"Fast, High-Resolution Graphics and Text from Screen to Printer with One Keystroke'

- PrintScreen550 now also supports the Video Graphics Board.
- PrintScreen550 is designed for the everyday needs of most users.
- PrintScreen550 capabilities
  - Prints a screenful of graphics to most popular printers.
  - This prints everything on the screen whether it's graphics or text.
  - User has the option to rotate the image on the paper. This permits Okidata 92s and other printers with less than 640 horizontal dot positions to print out the full screen.
  - Turns your Sanyo into a high-resolution graphics machine.
    - Multiscreen facility permits a printed image to be 640 dots by an almost unlimited number of dots in the perpendicular direction.
- PrintScreen550 is flexible and easy to use.
  - Interactive mode

\* \* \* \* \* \* \* \* \*

- Works like the "Print Screen" button on the IBM-PC.
- One keystroke does it all. No need to embed commands in BASIC. No extra programs to execute. Same single keystroke works in DOS, BASIC and all other software packages that run on the Sanyo.
- Batch mode can be activated in BASIC by a one-line command.
- PrintScreen550 is very fast and a lot of fun!

A-OK's PrintScreen550 software pulls the Print Screen button off the IBM-PC and puts it on your Sanyo MBC-550 Series computer.

PrintScreen550 is an option to any A-OK DOS for a meager . . . . . . \$24

# Orders may be placed immediately.

Please send money order or cashiers check. Personal or company checks require 2-3 weeks to clear. Prices reflect a 3% cash discount. MasterCard/VISA/CHOICE accepted. MD residents add 5% sales tax. Out-of-state order, no tax. Prices subject to change. All brands are registered trademarks. 20% restocking fee for all returned merchandise. No returns accepted without a Return Authorization Number.

A-OK Computers 816 Easley St., Suite 615 • Silver Spring, MD 20910 301-585-5105, 301-585-5106

© Copyright 1984, 1985 Apollo Optics & Kinematics, Inc.

# **Directory Names**

Directories are named with the same conventions used when naming any disk file except they may not have a three-character extension. A directory name should be chosen which will accurately describe the files and/or directories within it.

We could name the accounting directory in our example ACCTING and each directory within it AR, AP, GL and PAYROLL. These names would be easily understood and conform to the naming rules.

The root directory has no real name, but rather it is identified by a single backslash (\).

# **Making Directories**

We've done a lot of talking about directories; let's get down to the nuts and bolts.

Before you can begin to put things into a directory, you must first create it on the disk. This is done with the MKDIR command. The command can also be abbreviated to MD.

Let's go ahead and create the ACCTING directory. Do this on a backup of an MS-DOS diskette or on your hard disk (unless you already have a directory by this name). Enter this command:

MKDIR ACCTING

Now do a directory and you will see that the ACCTING directory is listed within the root directory like this:

ACCTING <DIR>

The <DIR> after the name indicates this is not a normal file, but a directory. To see what's contained within the directory, do a directory of it:

### DIR ACCTING

There will be two funny-looking entries which we'll talk about later, but no other files. Of course not — we haven't put any there yet!

What we could put in our ACCTING directory would be any combination of files or directories. We're going to add the four directories for the individual accounting programs and files: AR, AP, GL and PAYROLL.

# **Changing Directories**

As it stands, when you enter an MS-DOS command, the files affected will be only those in the root directory unless you specify otherwise. That is because the root directory is the "current" or default directory.

While it is possible to gain access to almost any file from any directory by specifying a "path" to the file, it is much more convenient to switch the current directory to the one you'll be working in. This is done with the CHDIR (abbreviated CD) command.

To switch to the newly created ACCTING directory from the root directory, enter this command:

CHDIR ACCTING

DISK DRIVE FOR

**NOW OPEN MOST SUNDAYS 10-5!** 

Now do a directory with a simple DIR command to see that the files listed are those of the ACCTING directory.

MEMORY UPGRADE

# We take the BYTE out of high prices!

### Accessories

P	ANASON	IIC CT	13001	)
(	COLOR	TINON	OR	279.00
R	S-232C P	ORT		.49.00
A	NCHOR	MARK	XII	259.00
A	NCHOR	MARK	X	129.00
6'	KEYBOA	ARD		
E	EXTENDE	ER		9.95
10	DS/DD			
	DISKETT			. 21.95
S	ANYO ME	3C		
	USER H			.15.95
	ASIC RE			
	MANUAL			. 35.00
	ATASTA			
	REFEREN			30.00
	EPORTS			
	MANUAL			. 45.00
	S-DOS F		ENCE	
	MANUAL			. 49.00
	8K RAM	ON		
1000		Septiment of the least of the l		24.95
C	OMPUSE	HVE	VII	. 31.95

# **SPECIALS**

VIDEO RAM BOARD Best Price
FLIGHT SIMULATOR WITH
PATCH DISK 39.00
TEAC 360K DISK
DRIVE 109.00
DUST COVER SET
WITH 2 YEAR
GUARANTEE 29.95
TILT AND SWIVEL STAND
FOR MONITOR 19.95

# Software

PAYROLL OR
INVENTORY69.95
ACCOUNTS PAYABLE OR
RECEIVABLE69.95
GENERAL LEDGER 69.95
THUNDER CHIEF 29.95
SOFT SPOOL
SOLITAIRE 34.95
MI-TERM MODEM
SOFTWARE
DS-DOS49.95
MAJOR MOTION 24.95
TIME BANDIT 34.95

Visa, MC add 3%. Personal checks allow 10-15 days to clear No CODs. In MD add 5% tax. Add 3% for shipping, \$3.00 minimum. Send for free Sanyo catalog.

Comp-U-Type



2.0. Box 777, Millersville, MD 2110 1301) 987-1550



TEAC 55F119	64K (15ONS)
ACCESSORIES 8087 APV CHIP119	DILL K DICK
8087 APV CHIP119	BULK DISK
VIDEO BOARD159	Lifetime warrantee
PLOTTER 450	20 SS/DD DISKS
120112111111111111111111111111111111111	20 00/00 010/00
SOFTWARE BY SPE	CTRUM SOLUTIONS
LISE VOLID SANVO AS AN ELECTRONIC	MEMORY TYPEWRITER.
YOU ONLY NEED TO KNOW TWO COM	
	now available)
LOTS OF LITH ITIES LIKE MUSIC ALA	RM CLOCK AND FAMOUS HACK COPY
INCLUDES PATCHES FOR PICASSO AN	
LOGMASTER	
KEEPS TRACK OF COMPUTER USAGE	FOR BUSINESS AND TAX PURPOSES
	24.95
UNPROTECTS PROTECTED BASIC PRO	GRAMS SAVED FROM SANYO BASIC
	29.95
THIS AMAZING GRAPHICS DEMONST	RATOR WILL SELL SANYO BY SHOWING
YOUR CUSTOMERS THE SUPERIOR GE	
	FREE TO DEALERS WHO ORDER 4 OR
MORE PROGRAMS	
MASTERBRAIN	19.95
A GAME OF SKILL AND CHALLENGE B	Y THE MASTERBRAIN!
BIORHYTHMS	14.95
CHART YOUR BIORHYHMS WITH SA	ANYO'S HI-RES GRAPHICS. RECEIVE \$5
DISCOUNT ON BIORHYTHMS IF ORDE	
HOURS 9-6 E.S.T. MONFRI. CLOSED	SAT. SPECTRUM SOLUTIONS HAS YOUR
LONG DISTANCE SOLUTION!	1001

# DEALER AND DISTRIBUTOR INQUIRES WELCOME SPECTRUM SOLUTIONS

CALL ON SUNDAY WHEN THE LONG DISTANCE RATES ARE LOWEST.

(513) 461-0901 . P.O. BOX 246 . DAYTON, OHIO 45409

PRICES MAY REFLECT A 3% CASH DISCOUNT MC & VISA, MONEY ORDER, CASHIERS CHECK ACCEPTED. PERSONAL OR COMPANY CHECKS REQUIRE 2-3 WEEKS TO CLEAR. SHIPPING & HANDLING FEE EXTRA OHIO RESIDENTS ADD 6% TAX RESTOCKING FEE OF 20% FOR ALL RETURNED MERCHANDISE.

omp-U-Type

None of the root directory files are listed here because they are in a level "below" us.

To demonstrate that the files of the root directory are still there, move back down to it and do a directory with these commands:

CHDIR \

Remember the root directory is symbolized by a single backslash (\).

Let's move back to the ACCTING directory to create our other subdirectories. Enter this command:

CD ACCTING

Remember, CHDIR may be abbreviated to CD!
Enter these four commands to create the four subdirectories:

MD AR MD AP MD GL MD PAYROLL

We used the abbreviated form of MKDIR here to create the four directories. Do a DIR and see for yourself that there are now four new directories.

Now move to the payroll directory. Since we are already in the "parent" of PAYROLL, ACCTING, changing to the subdirectory is done with a simple CHDIR command:

CD PAYROLL

Do a DIR of this directory. It's empty because it has just been created. This is the directory where we would put our payroll-related files and programs.

# Where Am I?

When directory systems become complicated labyrinths, it becomes difficult to remember just where you are within the great maze. There is an easy way to refresh your memory, though, with the CHDIR (CD) command. If you enter the command without any parameters, it will tell you which directory you're in and all the directories between the root directory and where you are now. Go ahead and try it. Since we're still in the PAYROLL directory, you should see:

\ACCTING\PAYROLL

### Paths

Whenever you use a command such as CHDIR, you specify a "path" telling MS-DOS how to get to that specific directory from where you are now. If the directory you're going to is just one level away, getting there is just a matter of specifying the name. If, however, you're farther away from the target directory, you must specify a path for MS-DOS to follow.

We'll do some examples of paths, but first we must move back down to the root directory with this command:

CHDIR \

Now that we're in the root directory, suppose we wanted to move to the AR directory. We could do it with two commands by first moving to the ACCTING directory and then to AR, but there is an easier way. Enter this command:

### CHDIR ACCTING\AR

Using this command, we specified the complete path from the root to the AR directory. Use the CHDIR command to verify that we have arrived.

The backslash, when used this way, separates directories or filenames.

Now suppose we want to go from the AR directory to the GL directory. Refer to Figure 1 again to see their locations. If you think of the lines on the illustration as roads, you see that to get from AR to GL, you must first travel back to ACCTING. Therefore, you need to specify more than just CHDIR GL; you must specify an entire path from the root to the GL directory.

The steps we want MS-DOS to follow could be outlined as: 1) move back down to the root (\) directory; 2) move to ACCTING; 3) move to GL. This can be done with this command:

### CHDIR \ACCTING\GL

The first backslash (\) tells MS-DOS to start at the root directory, ACCTING moves us to the ACCTING directory, the next backslash separates the directory names, and GL moves us into the GL directory. This is what is known as a path specification. Notice we had to start the path at the root and specify every directory in between.

### A Little Quiz

Which one(s) of the following commands would take us from the AR directory to PAYROLL? Refer to the illustration in Figure 1 if necessary.

- A) CHDIR ACCTING\PAYROLL
- B) CHDIR \ACCTING\PAYROLL
- C) CHDIR \PAYROLL\ACCTING

Did you think it was 'A? If so, you were close but not quite right. Without putting a leading backslash (\) before ACCTING to take us back down to root, MS-DOS thought you were trying to go to a directory called ACCTING within the current (AR) directory.

If your answer was 'B,' you were absolutely correct! You specified the entire path starting at the root directory and moving through ACCTING to PAYROLL.

If you answered 'C,' you were pretty far off base. You told it to go to the root directory (all right so far) and then to the PAYROLL directory. Since PAYROLL is not a part of the root directory, rather it is part of ACCTING, the path would bomb at this point.

# There's So Much More!

Just about every MS-DOS command can use path specifications. Some commands, such as MKDIR and CHDIR, are specifically designed to help you manage directory file systems. There are many more things we can do with these wonderful directories and many other commands to help us, as you shall see in the next installment of "Mastering MS-DOS."

Knowing how much to invest now to ensure your children's future education is one of the benefits of understanding "Present Value"; with this program you can begin . . .

# Determining Present Value

By Robert E. McCoy

ave you ever wondered how much money it would take to invest at a particular moment so that you could count on a certain return at some point in the future? Suppose, for example, that you have some money and are interested in setting up an endowment for your children's college education. It is relatively easy to estimate future tuition costs by contacting the institutions themselves; however, you still wouldn't

\$ \$ \$

know how much to invest now to be prepared for that cost in the future.

The accounting convention, termed "present value," is designed to answer this type of question based upon two assumptions. The first is that the future amount of money can be reasonably estimated and the second is that the rate of return or interest can be closely predicted. While these assumptions may put some people off because of the lack of precision involved, it is wise to recognize that some planning is better than no planning at all.

Various trade associations are often sources of fairly reliable estimates of future costs in their fields since it is in their best interests to be as well prepared for the future as possible. Financial institutions themselves implicitly provide predictions about rates of return when they publish interest rates for long-term certificates of deposit. Armed with the appropriate data, one can then determine how much to invest now — the present value — to meet that future need.

The BASIC program for determining the present value is relatively simple as can be seen from the program flow chart or diagram and program listing.

% % % % % %

(Robert McCoy has a master's degree in management information systems and has 15 years of managerial and supervisory experience in data processing. He can be contacted at 3307 Chillum Rd., Mt. Rainier, MD 20712; 301-864-7859) Lines 100 through 180 of the listing identify the program, instruct in its use, and accept input data. Note that the largest number possible is 9,999,999.99. If larger (or smaller) ones are desired, simply adjust the print fields — indicated by the series of number signs (#) — accordingly. No dollar signs or commas are permitted during data entry as the numerical input fields will not accept them. For example, \$1,234,567.89 is entered as merely 1234567.89.

\$ \$ \$

Since we normally speak of interest rates as percentages rather than as hundredths of a whole, the program is set up to handle the rate of return in this fashion. Rates can include "hundredths of percent" (as low as .01 percent and as high as 99.99 percent) and are to be entered without the percent sign (%) for the same reason given above. That is, 10.25 percent is an acceptable entry when entered as 10.25.

To avoid making the program unnecessarily complicated, only whole numbers (one to 99) are accepted for the "year" input. Long-term personal plans rarely dictate greater precision in any case.

Lines 190 to 210 convert the interest rates from percentages into decimal numbers, calculate the present value amount, and then display it.

Note the use of the number sign (#) after some of the variables. This forces the computer to use double precision in its calculations and outputs. Without this feature, any number larger than six digits would be rounded up to only six significant places, reading from left to right. For example, without double precision, the amount \$1,234,567.89 would be rounded to \$1,234,570.00 and accuracy would suffer. Further, a number larger than 9,999,990.00 would be rounded up to 10,000,000.00 and thus be too large for the print field, causing an unwarranted error message.

Lines 220 to 280 present the opportunity to obtain a listing of the present values for each year of the investment, return to the input stage to use new input data, or to exit the program.

Typing in the letter 'X' (uppercase and without the quote marks, please) and pressing RETURN sends control of the program to Line 610, the end. Typing the letter 'R' and pressing RETURN directs control of the program to Line 110 where the process begins anew. Any other response, including merely pressing RETURN, allows control of the program to "fall through" to the next line.

\$\$\$

Lines 290 through 380 calculate and display the present value amount by each year of the investment period. An appropriate heading is provided to identify the input data used since the screen is cleared to prevent a cluttered appearance. A dimension statement is used so that the optional printout can be done without having to recalculate the yearly values.

The next section of the program, Lines 390 through 450, offer the option of obtaining a printout of the present value listing, returning to the input stage for different values, or exiting the program.

As before, typing the letter 'X' and pressing RETURN sends control of the program to Line 610, the end, while typing the letter 'R' and pressing RETURN directs control to the input stage (Line 110), to restart the process. Any other response, including merely pressing RETURN, allows control to pass to the next program line.

Lines 460 to 540 cause a printout of the present value listing by each year of the investment period, just as it was previously displayed on screen.

Finally, Lines 550 through 600 allow the choice of returning to the input stage to compute a new present value using different input data, or of exiting the program.

It may be helpful to briefly illustrate the program with an example. Let's continue the one about the college endowment (it could just as easily be investing for a mortgage down payment or building cash for a Sanyo 775). Assume that a little investigation reveals that four years at good ol' State U will probably cost \$40,000 in the year 2000 and that your local bank is offering 15-year certificates of deposit (coincidentally, the amount of time you have from 1985 to prepare for the outlay) at an interest rate of 10.25 percent compounded annually.

At the first prompt, "Amount returned in future?," you enter your goal of \$40,000 as 40000. For the second prompt, "Annual Interest Rate As

\$\$\$


Percent?," enter 10.25. In response to the third, "Years Until Return Occurs?," you enter 15. Almost immediately after you press the RETURN key, the answer of how much you need to invest now is displayed as "Present Value = \$9,255.10." Choosing to view the yearly present value listing will present the screen display as shown in the accompanying figure. The printout will be exactly the same.

This listing illustrates two things. First, it shows the amount of investment needed at that particular year prior to the future in order to meet the goal. Note that the present value listing for year 15 shows \$9,255.10. This is the amount needed to invest now to achieve your goal of \$40,000 in 15 years at an interest rate of 10.25 percent, the same value displayed on the screen as "Present Value =."

Second, it is also what any investment made on schedule is worth at that time, the number of years prior to the future return

Looking at year 7 of the figure, you can see that you would have to invest \$20,202.72 at 10.25 percent in order to accrue \$40,000 in seven years. You also know that, after eight years, your original investment of \$9,255.10 should be worth \$20,202.72 if the rate of return is 10.25 percent.

By using the present value technique, it is easy to answer "What if . . . ?" questions about future money requirements. There is also a greater psychological inducement to invest for the future when one can get a better "picture" of the results of those efforts.



LPR CCOUNTS PA

LPR

ACCOUNTS RECEIVABLE

IPR

Bookkeeper

LPR GENERAL LEGGER

LPR

Business accounting has never been easier...

# Beautifully Simple

LPR Bookkeeper is a comprehensive accounting system designed especially with simplicity, speed, disk space efficiency and proper accounting procedures in mind

# Powerful

Doing everything you'd expect of a powerful accounting system, LPR Bookkeeper includes many of the features found only in "large" accounting systems, yet it BUSINESS SOFTWARE offers outstanding speed and data storage efficiency.

**Backed by Professional Support!** Invoicing at point of sale is easily integrated along with complete reporting and flexible GL Layout.



圖



**General Ledger** Accounts Payable Accounts Receivable Inventory

Payroll (Fall 1985)

Tri-Pak (GL, AP, AR) Quad-Pak (GL, AP, AR, INV)

You may order \$10 Sampler manual and diskette,

\$150 each

\$375 \$475

\$195

which includes samplings of displays, reports and manuals Minimum requirements: dual disk drives, 128K RAM

most 80 column printers. For Sanyo MBC 555, 675, 775, 885; IBM PC® and compatibles.

See your dealer for further information or contact us at:
PLATA RESEARCH P.O. B P.O. BOX10612 ● Farmington, NM 87499 (505) 326-5833

LA PLATA RESEARCH

```
PRESENT VALUE": PRINT
                      THIS PROGRAM WILL CALCULATE A TABLE OF PRESENT VALUES"
BASED UPON YOUR ANSWERS TO THE FOLLOWING QUERIES. DO"
NOT USE COMMAS, DOLLAR SIGNS, OR PERCENT SIGNS. NOTE"
INTEREST RATES MUST BE PERCENTS (EX: 9.76 VS .0976)."
100 CLS
11Ø PRINT "
12Ø PRINT "
13Ø PRINT "
140 PRINT "
150 PRINT "
160 PRINT: INPUT "AMOUNT RETURNED IN FUTURE"; AT#: IF AT#<>0 THEN A#=AT#
170 PRINT: INPUT "ANNUAL INTEREST RATE AS %"; IT: IF IT<>0 THEN I=IT
180 PRINT: INPUT "YEARS UNTIL RETURN OCCURS"; YT: IF YT<>0 THEN Y=YT
19Ø R=I/1ØØ
200 PV#=A#/(1+R) Y
21Ø PRINT: PRINT USING "PRESENT VALUE = $#,###,###.##";PV#
23Ø PRINT "

FOR A YEARLY LISTING OF THE PRESENT VALUES FOR THIS, MERELY"

PRESS THE RETURN-KEY. TO EXIT THE PROGRAM, TYPE THE LETTER"

'X' AND PRESS THE RETURN-KEY. TO BESTARD THE PROGRAM TYPE THE LETTER"
26Ø PRINT " OTHER VALUES, TYPE THE LETTER 'R' AND PRESS THE RETURN-KEY."
27Ø PRINT: INPUT X$: CLS
28Ø IF X$="X" THEN 61Ø ELSE IF X$="R" THEN 11Ø
29Ø PRINT "
3ØØ PRINT USING "
BASED UPON $#,###,###.##";A#;
31Ø PRINT USING " AT ##.##"; I;: PRINT USING "% DUE ##"; Y;
320 PRINT " YEARS IN THE FUTURE": PRINT
33Ø DIM P#(Y)
34Ø FOR YY=1 TO Y
350 P \# (YY) = A \# / (1 + R) \Upsilon Y
                                              YEAR ##"; YY;
                     YEAR ##
$#,###,###.##";P#(YY)
36Ø PRINT USING "
37Ø PRINT USING "
38Ø NEXT YY
39Ø PRINT: PRINT
400 PRINT "END OF THE PRESENT VALUE LISTING. FOR A PRINTOUT, TURN ON THE"
410 PRINT "PRINTER AND MERELY PRESS THE RETURN-KEY. TO EXIT THE PROGRAM,"
420 PRINT "TYPE THE LETTER 'X' AND PRESS THE RETURN-KEY. TO RESTART WITH"
430 PRINT "OTHER VALUES, TYPE THE LETTER 'R' AND PRESS THE RETURN-KEY."
440 PRINT: INPUT X$: CLS
45Ø IF X$="X" THEN 61Ø ELSE IF X$="R" THEN 11Ø
460 PRINT "NOW PRINTING THE PRESENT VALUE LISTING"
                                             PRESENT VALUE LISTING"
47% LPRINT USING "BASED UPON $#,###,###.##";A#;
47Ø LPRINT "
49Ø LPRINT USING " AT ##.##"; I;: LPRINT USING "% DUE ##"; Y;
500 LPRINT " YEARS IN THE FUTURE": LPRINT
51Ø FOR YY=1 TO Y
                                               YEAR ##"; YY;
52Ø LPRINT USING "
53Ø LPRINT USING " $#,###,###.##";P#(YY)
540 NEXT YY
55Ø CLS
560 PRINT "END OF THE PRESENT VALUE LISTING PRINTOUT. TO RESTART WITH OTHER"
570 PRINT "VALUES, PRESS ONLY THE RETURN-KEY. TO EXIT THE PROGRAM, TYPE THE"
```

58Ø PRINT "LETTER 'X' AND PRESS THE RETURN-KEY."

590 PRINT: INPUT X\$: CLS 600 IF X\$="" THEN 110

61Ø END





# More On Sanyo **BASIC** Graphics

By Fred Blechman Soft Sector Contributing Editor

ast month we began looking at some of the color and graphics capabilities of Sanyo BASIC. As you have probably read many times in the pages of SOFT SECTOR and elsewhere, Sanyo BASIC is widely respected for the power and flexibility of some of its graphics commands. We will continue now with a look at some of those commands.

**High-Resolution Graphics** 

The Sanyo MBC-550/555 is always in the high-resolution graphics mode. Figure 1 shows the coordinate system

(Fred Blechman, an acknowledged authority on home computers, has written several articles and books related to microcomputers. He is selftaught in electronics and computer BASIC programming and specializes in writing for beginners. This article is based on material from a forthcoming book by the author, Sanyo MBC-550/ 555 Beginner/Intermediate Guide, now available from Blechman Enterprises, 7217 Bernadine Ave., Canoga Park, CA 91307; 818-346-7024.)

Copyright® 1985 by Fred Blechman.

of 640 dots (frequently called "pixels" as a contraction of "picture elements") across and 200 down, starting at the upper left corner. The allowed numbers are zero to 639 and zero to 199, unlike the LOCATE command where zero is not allowed.

What really makes the Sanyo unique among most other MS-DOS micros is that, without optional equipment, each of these 640-by-200 dots (128,000 pixels) can be COLORed with any of the eight colors, and text can be freely mixed with graphics.

### The SYMBOL Command

The Sanyo has a very special and powerful command not available, as far as I know, on other micros. The SYMBOL instruction allows you to place any text starting in any screen pixel location, magnified in any width and any height, in any of the eight colors, and in any of four 90-degree orientations! The only restriction in size and placement appears to be that the expanded characters cannot extend beyond the top or left side of the screen (or outside the maximum "world coordinates" described later).

The syntax is confusing at first, but you'll quickly see how versatile and useful this command is with some simple examples. Here's the syntax:

SYMBOL(X,Y)"text",A,B,C,D

The X and Y values are the row and column (from zero to 639 for X, zero to 199 for Y) for the upper left corner of the first character of the "text." The text can be anything you can type in from the keyboard or describe with a CHR\$ number.

'A' is a number from zero to 255 to indicate the horizontal magnification, with each number making the character eight dots wider. The 'B' (from zero to 255) controls the vertical height, with each number making the character eight dots higher.

For example, a regular character is eight-by-eight dots. If you used A=5 and B=7, the SYMBOL characters would each be 40 dots wide and 56 dots high!

The variable C is for COLOR, from one to seven, with two (green) as the default. The variable D is the 90-degree orientation, from zero to three, with normal horizontal as default zero. A one here makes the SYMBOL vertically downward. a two makes it upside down, and a three makes it vertically upward. In all cases, the upper left corner of the first character is the starting point. This is illustrated in Listng 1.

All eight-by-eight characters are not square at all, but actually almost twice as tall as wide when drawn horizontally in the normal fashion. When a character is printed vertically instead of horizontally, its height and width relationships are exchanged, leading to unexpected

Prove this to yourself by RUNning the following four-line program:

10 COLOR 7,0:CLS SYMBOL (200,75), "A",10,10,7,0 SYMBOL (400,75), "A",10,10,7,1 40 GOTO 40

Although the SYMBOL command in each case shows 10 for both vertical and horizontal character magnification, look how different the first 'A,' printed horizontally appears compared to the 'A' printed vertically.

**Advanced Graphics** 

An advanced concept of graphics, used by later versions of IBM PC BASICA, and also available on the Sanyo MBC-550 series, is that of dual graphics coordinate systems - "world" coordinates and "screen" coordinates. Several books have been written about IBM PC graphics that go into great detail on this concept. It is complex and intended for advanced graphics programming, so we won't go into much detail here.

## World Coordinate System

Briefly, the "world" coordinates can extend from zero to 32,767 both horizontally and vertically. Within that vast coordinate system you can use the WINDOW statement to specify any size within those limits, and that will be the area of the world shown on your screen through "viewports."

### **VIEWports**

One or more rectangular VIEWports can be specified for your display, located within the horizontal limits of zero to 639 and the vertical limits of zero to 199 — the screen display limits what you are used to. These are referred to as the screen coordinate system.

The VIEWport then will display anything within the WINDOW area with proportions automatically scaled by the computer. This means if you have a large WINDOW, everything will be scaled down to fit within the VIEW size and shape. If, on the other hand, you have a WINDOW smaller than the VIEWport, then each VIEWport will show less than the entire normal screen display. Within the VIEWport, the original screen coordinate maximums of 639 and 199 still apply.

The POINT statement is used to translate coordinates between the world and screen coordinate systems, and its use is beyond what we cover in this article.

Actually, you really don't need to know any of this unless you have intentions of specializing in graphics. Both the WINDOW and VIEW, unless you specify otherwise in your program, have default values of zero to 639 and zero to 199, and have no affect whatsoever for normal graphics.

# Your Sanyo Does WINDOWs

A screen sample is worth a thousand words, so type and ENTER Listing 2, then RUN it to see the effect.

The WINDOW statement in Line 20 is not needed, since the coordinates shown are the default numbers on RUN. We'll change them shortly so you can see the effect

Lines 30, 50 and 70 set up three VIEWports on your display, in different shapes and locations, with different colored backgrounds and borders. For example, Line 30 uses a ,4,7 at the end for background COLOR 4 (red), with border COLOR 7 (white). The syntax is:

VIEW(upper-left corner coordinates x,y)-(lower-right corner coordinates x, y), background color, border color

If you omit the colors, they default to the screen's background color. If you

just want a border color but no different background color, be sure to use two commas before the background color number.

The SUBroutine in Line 100 places the word "Sanyo," in enlarged size, at about the center of each VIEWport. Notice, when you run this, how the word "Sanyo" is adjusted to the proportions of the VIEWport, and how it maintains its relative location.

Try changing the VIEWport locations and proportions, just to see the effect. You'll notice that a "new" VIEWport can overlap and erase an "old" VIEWport.

Now change the WINDOW dimensions to see the effect. Try WINDOW(0,0)-(300,300). Although the VIEWports have not changed, the narrower and taller WINDOW cuts out part of the "Sanyo" and raises it within the VIEWport. Remember, the VIEWport. despite its location or shape on the screen, maintains zero to 639 and zero to 199 maximum coordinates within itself.

WINDOW(0,0)-Changing to (800,400) moves "Sanyo" up and to the left since the WINDOW is now larger than the maximum VIEW dimensions of 639,199. Notice, also, that the tail of the 'y' in "Sanyo" has been cut off on the wide, but short VIEWports, due to reproportioning.

Further information on WINDOW and VIEW can be found in advanced graphic texts for the IBM PC.

# PUT, GET and GCURSOR

Three more statements associated with advanced graphics are PUT, GET

# Hard Disk Drives and Complete Systems! Specials on drives for

# Sanyo · IBM & Compatibles · PCjr · Kaypro

(1100, 550, 775)

If you own or are about to purchase one of the above computers, call SPC first for the Best Prices on the entire system, including the Hard Disk Drive. SPC can provide a complete system for substantially less than the total cost of individual parts. This is a cooperative marketing effort so Distributor Inquiries are welcome. We support the widest variety of fixed and removable drives available. We have what you need for all Z80 and MS-DOS systems.

# COMPUTERS

Sanyo 550-2XT (10 MB internal system) \$1895

Kaypro 2X+ 10.8 MB formatted Kaypro 2/84+

10.8 MB formatted

Diskit 10+5R (combo) Diskit 22+5R (combo) \$2490 \$795 Diskit 5.7 MB Ext. (1st come) 1295 Diskit 10.8 MB Ext. Diskit 10.8 MB Int./you do it EZ 1195 Diskit 10+10R (combo) Diskit 22 MB Ext. 1995 Diskit 22+10R (combo) 2695 Diskit 34 MB Ext. **BIG! FAST!** Ultrastore 70 MB (30 MS) \$3995 Diskit 5R (5 MB cartridge drive) 1495 Diskit 10R (10 MB cartridge drive) 2195 Ultrastore 140 MB (30 MS)

Call Now! (619) 693-8611 Systems Peripheral Consultants

9747 Business Park Ave., San Diego, 92131

One Year Warranty Cash discounts

2990

2790

3190

4995


and GCURSOR. PUT and GET, which are graphics array plotting commands, require at least 256K in the Sanyo MBC-550 series. GCURSOR assigns the two screen coordinates of its present location to two variables for later use when ENTER is pressed. The use of all three of these statements is well beyond

the scope of this article, and can be found in books devoted especially to advanced computer graphics.

# Two No-Nos

SCREEN and DRAW statements are used extensively in IBM PC BASICA. DRAW,

which allows you to sequentially trace a line, is not available in Sanyo BASIC. SCREEN is a reserved word in Sanyo BASIC, but does not appear to be implemented in the interpreter. The computer not only ignores SCREEN, but ignores anything following the keyword SCREEN. Don't use it.




DO YOU HAVE THESE PROBLEMS
Compatibility with "Big Blue" Programs
Manufacturer's broken promises
"Cut—throat" Mail order prices
Dealers failing because of shrinking margins
Non—standard peripheral interfacing
Prices and availability of accessories

WE HAVE THE SOLUTION FOR YOU
The all new PRO SERIES XT-PLUS Computer
100% Software and hardware compatible
Wide range of low cost options available

Call or write for complete spec's and prices

Dealer packages are available now



LEVEL IV PRODUCTS, INC. 28194 Schoolcraft Road Livonia, Michigan 48150 (313) 525-6200

# TIME BANDIT Bill Dunlevy & Harry Lafnear

ACTION! Battle the Looking Lurker, Killer Smurphs, and others as you try to escape with the Treasures of Time. But hurry Bandit, the Technopatrol is hot on your trail!

ADVENTURE! Over TWENTY unique screens let you explore medieval dungeons, western frontiers, and future science in one game! And embedded somewhere within the 300 LEVELS OF TIME are the NINE GREAT ARTIFACTS! Can YOU find them all?

ART! This machine language epic will dazzle the fusslest graphic gawker and challenge the quickest arcade player. Beautiful scrolling landscapes, life-like animation, thrilling sound effects, and HUNDREDS OF DETAILED SCREENS -- The conquest of Time and Space awaits you...

128K Sanyo 550/555, Joystick recomm . \$39.95

# CHECKMATE

Chess players, prepare for the ultimate challenge! Announcing CHECKMATE! From the opening play you can see the computer "think" as it contemplates each move. This classic game has a level of play for every degree of skill: from novice, to tournament caliber for the expert! Superb graphics put you right across from the Master. And if you can't decide on a move, ask the computer to suggest one! You can even switch sides and save games to disk for future reference or replay. Match wits with the computer in the most challenging strategy game of all!

生物學

N. But

# SPEED RACER Bruce Hansen

The checkered flag drops as your pulse rises in this lively, new arcade game. The road twists to the horizon on a 3-D panorama that sets the stage for the most exciting race the Sanyo has ever seen! Vie for time as you speed through the curves. Stay ahead of the pack, but beware of those who will stop at nothing to slow you down! Four challenging raceways, complete with obstacles and 3-D scenery, put your skills to the test in this Turbotm type game.

128K Sanyo 550/555, Joystick recomm . \$34.95

# THUNDER CHIEF McKenzie & Sorenson

Join the crew of the THUNDER CHIEF on a spectacular flight into danger, daring, and downright fun! Each mission in this 3-D jet simulator consists of another unique scenario: from defending American soil, to provocative attacks behind enemy lines—on Earth, and beyond! Can you overcome the challenge of swifter enemy missiles, tougher tanks, and smarter helicopters, or will you become a fireball over Moscow? Only your skill's the limit in this high-flying arcade game.

192K Sanyo 550/555, Joystick recomm . \$34.95

### **PLEDGE**

经公公公司 经被额的

### by Jon Kring

Once the financial staff at your church tries PLEDGE, they'll vow never to go back to pen and paper. This new pledge-tracking program will take hours off recording donations, preparing reports, and mailing statements.

PLEDGE requires no computer knowledge and comes with friendly instructions. Data entry is a snap; easy-to-understand screens aid the user in typing data. Just a few keystrokes produce any of five neat, detailed reports: member rosters, pledge summary, collections, pledge vs. given, and year-to-date summary.

128K Sanyo 550/555, IBM compatible . \$199.95

### TYPE RIGHT

### by Ken Olson

Whether you want to end the fumbling of huntand-peck typing, or simply improve your speed and accuracy, TYPE RIGHT is the answer. Learn touch-typing in a way that ends computer anxiety and keyboard fears. Written in MACHINE LANG-UAGE to be fast and accurate, TYPE RIGHT never misses a key. Color graphics and large letters make TYPE RIGHT perfect for any age! Learn at your own pace; repeat a previous drill, or forge ahead to sample paragraphs. TYPE RIGHT offers friendly, menu-driven use, and keeps track of everyone's personal progress.



576 S. Telegraph, Pontiac, MI 48053 Orders and Information (313) 334-5700 Prices Do Not Include Shipping and Handling The IBM-compatible RGB monitor is a good one, but you'll find a few problems associated with it when you use it with your Sanyo.

Now you can . . .

# Have Your Monitor Compatibility and Vertical Interlace, Too!

By Ron Tevonian

anyo users will face some incompatibility problems when they try to use IBM-compatible RGB monitors with MBC-550 series computers. In addition to the relatively obvious fact that the IBM cable packed with the monitor doesn't mate with the DIN socket on the computer, there is also a problem with the horizontal and vertical sync pulses; the Sanyo computer sends pulses which go to zero from a normal +5 volts, while the monitors expect a +5 volt pulse from a normal ground level.

While you can buy a connector cable which will solve both problems (Micro World Computer Store, 1905 Vestal Pkwy. East, Vestal, NY 13850, 607-785-4500) for about \$50, there is a simpler and cheaper solution available to those who are not afraid of a soldering iron. The diagram in Figure 1 shows a circuit which will invert the sync pulses using half of a "Quad 2-Input NOR Gate." (Radio Shack, Number 4001) Each of the NOR gates has one of its inputs tied to ground. This results in the output simply being the inverse of the input; +5 volts in, gives zero volts out, and vice versa.

Construction is relatively simple. You can steal the necessary 5-volt power from inside the computer or you can be lazy, like me, and use a 9-volt battery with a switch. The cablemounted 8-pin DIN plug and the 9-pin 'D' socket are also available from Radio Shack, and so are a variety of small

utility boxes to contain the socket, switch, battery, and Integrated Circuit.

With this simple little project, we have solved the sync pulse incompatibility problem between the Sanyo MBC-550/555 and the IBM-compatible RGB monitors. For many of you, this may be all you want or really need. But for those of you who don't mind the project getting a little more complicated, we can go ahead and deal with another problem involving the use of Hi-Res RGB monitors.

# Vertical Interlace Generator

an a monitor actually be too good? A high quality monitor, with very small spot size and high video band width, will give nice crisp graphics and alphanumerics — just as a fine-point pen will allow better detail than a dull crayon! But while the horizontal resolution improves with smaller spot sizes, the vertical resolution can suffer. With the vertical dimension of your display divided into only 200 scan lines, thinner lines will have visible spaces between them, resulting in a display with vertical lines which look "dashed," and filled areas which look as if they have horizontal stripes.

In a standard television picture the vertical dimension is divided into about 500 scan lines. However, in one vertical sweep the picture only traces out every

(Ron Tevonian is a director of engineering for AT&T Technologies. He has been involved in both hardware and software developments, using small computers, for over 25 years. The author may be contacted at 624 W. Franklin St., Wheaton, IL 60187; 312-668-1976)

other line and then fills in the missing lines in the next vertical sweep. This technique is called "vertical interlacing." The TV signal includes a special provision which forces the receiver to move the scan lines in alternate vertical sweeps down about a half space.

We can use the same technique to solve the vertical granularity problem in our computer displays. By making alternate vertical sweeps, move down about a half space and we will actually get what looks like 400 scan lines instead of 200. Of course we can't generate new picture information out of thin air; the computer sends out the same picture information for each sweep. Therefore, the picture we see will actually consist of pairs of identical scan lines, each drawn during alternate vertical sweeps.

To force the monitor to produce an "interlaced picture" we need to delay the start of every alternate vertical sync pulse by about one half of a horizontal scan interval - about thirty microseconds will do. During this interval, the spot will not only have moved halfway across to the right but also about halfway down toward the start of the next normal scan line. The attached schematic shows a circuit which does the job. It also takes care of the sync pulse inversion problem so as to allow the use of any IBMcompatible monitor. I use it with my AMDEK Color 700: the improvement is incredible!

# The Circuit

The circuit is built using two ICs from Radio Shack, (under three dollars). There are also six capacitors and four resistors. IC1 through IC4 are sections of a Quad 2-input NOR Gate. Each gate has two inputs and one output. Whenever both inputs are at zero volts, the output will go to +5 volts. Otherwise, the output remains at zero volts. One gate (IC4) inverts the horizontal sync pulse produced by the computer to make it acceptable to the monitor. The incoming signal from the computer normally sits at +5 volts. When the computer wants to trigger a vertical sweep, this signal briefly goes to zero. Since the second input to IC4 is always at ground, this causes the output to swing from zero to +5 volts.

Now consider the three gates, IC1, IC2 and IC3. If Pin 8 of IC3 were at zero volts, then all three of these gates would function just like IC4. The vertical sync signal from the computer

would be inverted once by each gate, arriving out of IC3 as a +5 volt pulse — just what we need. These gates introduce a tiny delay as it responds to the change in input (we'll see later why that matters). IC5 and IC6 are two halves of a 556 Dual Timer. Each of these will respond to a negative-going trigger pulse and produce an output pulse, the length of which is determined by the values of a resistor and capacitor connected to the 'T' (Threshold) input.

Timing can vary from microseconds to hours for our application R1 (15k ohms) and C1 (.0015mfd) are chosen to give a pulse of about 30 microseconds the vertical sync pulse. That's just fine, except we only want to delay every other pulse! Read on.


The other half of the dual timer IC is IC6. This one is set to give pulses of about 25 milliseconds by the values of C2 and R2. This timer is triggered by the negative-going transition of the signal coming out of IC1 (which happens to be the *end* of the vertical sync pulse). Vertical sync pulses occur 60 times per second (16.66 milliseconds), so the 25 milliseconds represent about one and a half pulse intervals. This means that at the end of a vertical sync pulse, IC6 will fire and stay on until

# "Can a monitor actually be too good?"

at the output (Pin 9 of IC5). This output is normally at zero volts and swings to +5 volts during the 30 microsecond interval. This output is connected to one of the inputs of the NOR gate, IC3. That means that, as long as this terminal (Pin 8 IC3) is at +5 volts, there can be no vertical sync pulse. Now we see why the delay in the operation of IC1 and IC2 was important; we needed time to make sure that the timer (IC5) had a chance to trigger before the other input arrived at IC3. What we have essentially done, is sliced the first 30 microseconds off the leading edge of

almost 10 milliseconds past the next pulse — which it will ignore. Hence, it will fire once every other sync pulse. The output of IC6 is connected to the Reset pin (Pin 10) of the first timer and has the effect of preventing it from operating. The IC5 timer, which we used to shave 30 microseconds off the leading edge of the vertical sync pulse, therefore can only do its thing to alternate pulses.

Power for the circuits can be gotten from the computer, but I chose to build a small +5 volt supply. A cheap transformer giving anything from six



# CALL ADVENT

SOFTWARE UTILITIES	WRITERS WORKSHOP				
Uniform: Your Sanyo 775 can read and write up to 80 CP/M disk formats. Uniform:	Punctuation & Style: Improves your writing by catching unbalanced quotes, parentheses and brackets, improper abbreviations, capitalization, sentence structure, much more. It's like having your own copy editori  Punctuation & Style (CP/M & MS-DOS)				
notepad, appointment calendar, auto dialer, ASCII conversion table and much more. On-line help if you forget any of Sidekick's many functions.  Sidekick (MS-DOS)  SmartKey II+: Saves you time. Makes every software program you use easier. Can reduce	Word Finder: This powerful 90,000 word Thesaurus allows you to select the best word the application. Works inside WordStar for greater ease of use. Instantly searches its tionary, then displays synonyms, and automatically deletes the "wrong" word and replace with the "right" word. Requires 380K disk storage.				
keystrokes by more than 50% by redefining any key to be any combination of characters or commands that you desire.  SmartKey	Word Finder (CP/M & MS-DOS)				
SmartPrint: A powerful add-on to SmartKey, SmartPrint is a versatile writing tool designed to give you full access to your printer's features such as wide, bold, condensed, underlined,	italic, real superscripts and subscripts, and 6, 7, and 8 lines per inch spacing. No new print controls to learn. Supports most popular dot matrix printers. A must for WordStar users!  Wordpatch (CP/M & MS-DOS)				
subscript, superscript, and more. Works great with programs like WordStar.  SmartPrint	The Word Plus: The ultimate spelling checker. Not only finds misspelled words but also shows you correct spelling options, shows the word in context and much more.  The Word Plus (MS-DOS)				
filename paths. Complete control of your directory including delete, rename, view, list or show. A must for the 775.  XTREE	Spell: Powerful spelling checker with over 50,000 words. Works great with Wordstar and other word processing programs. Faster than other spelling checkers usen on the Sanyo.  Spell (CP/M & MS-DOS)				
PROGRAMMING CORNER	SCHOOL HOUSE				
Toolworks Compiler: This compiler is a complete subset of C. The two-pass compiler produces relocatable object files (.obj) which are compatible with the MS-DOS LINK program. Mathpak is included for true 32 bit floating point and signed intergers.  Toolworks C Compiler - (MS-DOS) \$79.90  Turbo Pascal: Borland vision 3.0. The best Pascal compiler on the market. Period.	<b>Reading Professor:</b> Now you can use your computer to boost your reading speed while increasing comprehension and retention! Self paced lessons show immediate improvement and feedback. Includes several different practice exercises. Developed by skilled educators, this program tracks user's progress and monitors reading rates up to 2500 wpm. Additional reading libraries as well by a second progress and monitors reading rates up to 2500 wpm. Additional reading libraries as well by the second progress and monitors reading rates up to 2500 wpm.				
Turbo Pascal (CP/M & MS-DOS)	Reading Professor (CP/M & MS-DOS)				
Turbo Tutor. Teaches step-by-step how to use Turbo Pascal.         \$34.95           Turbo Tutor (CP/M & MS-DOS)         \$34.95           Turbo Graphics (MS-DOS)         \$54.95	Math Tutors: Improve your skills in basic thru advanced math. Learning thru multiple-choice problems with help and hint functions provided. Grades 8-College. (CP/M & MS-DOS)  Algebra \$34.95  Calculus \$34.95				
GAME ROOM	Geometry         \$34.95           Trigonometry         \$34.95				
Eliza: The pioneering artificial intelligence program, Eliza is a psychiatrist that carries on a conversation in plain English about anything you wish. Great to play alone or in a group.  Eliza (CP/M & MS-DOS) \$24.95	Funzeez: Arithmetic and Language program to build basic skills, provides four different progams to choose from: flashing numbers, arithmetic drills, unscrambling words and word quessing. Grades 2-5.				
Adventure: Explore the dangerous Colossal Cave for treasures. Endure mystical spells and overcome adversaries. The only original uncut version.  Adventure (CP/M & MS-DOS)	Funzeez (CP/M & MS-DOS)				
MyChess: This award-winning world class chess program features nine skill levels with over	HARDWARE & SUPPLIES				
850 opening moves. Prints moves and saves game in progress.  MyChess (CP/M & MS-DOS)	Finger Print" Letter Writer": Add near-letter-quality print, IBM and Apple Graphics printer emulation, plus 16 other print functions to your Epson FX series printer! Replacement ROMs, easy installation does not void printer warranty.				
skill levels containing 40,000 word dictionary. Fast paced, fun, and educational. Great for kidsl	Finger Print "LetterWriter"				
Word Wiggle (CP/M & MS-DOS)	Maxell package of 10 with storage box Single Sided				
COOKS CORNER	Double Sided				
Computer Chef - *1 in the Series: The computerized cookbook for food lovers. Contains a database of almost 100 recipes with space to add your own. Auto scale ingredient quantities, find recipes by key words or type of ingredients you want to use, then display or print your selection.  Computer Chef (CP/M & MS-DOS)	Economy Diskettes: package of 25 includes tyvek sleeves.  Single Sided				
What's for Dinner - *2 in the Series: 200 main dish and dessert recipes. Requires Computer Chef program (not included). What's for Dinner (CP/ M & MS-DOS)	Call or Write for our FREE catalog  All items are warranteed for 90 days. 30 day money back guarantee if not completely satisfied. Money back guarantee for software applies only if diskette seal is intact VISA and Master				
The Best of Wok Talk - #3 in the Series: Exotic Chinese cooking. Over 100 recipes from China. Includes Computer Chef program.  The Best of Wok Talk (CP/M & MS-DOS)\$29,95	Card are welcome. Please add \$2.00 freight per total order and \$2.00 for COD orders. California residents please add 6% sales tax. Prices, availability and specifications subject to change without notice.				
MyDiet: Create your own personal nutritional profile that will help you derive the maximum benefit out of the foods you eat. MyDiet is designed for the professional nutritionist, but is	National (800) 821-8778				
easy to use. Compares to programs costing hundreds of dollars!  MyDiet (MS-DOS)	CALL TODAY National (800) 821-8778				

# MyDiet (MS-DOS) ...... \$49.95 **HOME & BUSINESS CENTER**

Checks & Balances version 3.6: A complete personal checking program or business register. 3.6 is a complete package that includes check writer and data base. It is easy to learn and use with new features including more types of reports. An excellent money managerl Checks & Balances (CP/M & MS-DOS) ...... \$74.95

CP/M - DRI, MS-DOS - MicroSoft, Sanyo - Sanyo Business Systems Corp.

**CALL TODAY** California (800) 521-7182



3154-F E. La Palma Ave. Anaheim, CA 92806 (714) 630-0446

to 12 volts can be used. A diode and capacitor will give reasonably smooth DC input to a voltage regulator IC (IC7) which supplies regulated +5 volts. The capacitors provide filtering from surges and transients.

# Construction

I managed to pack all the parts except for the transformer into a 3.5 by 2.5 by 1.5 inch utility box, using a handdrawn etched printed circuit board. It was fun, but I wouldn't do it again. I suggest using a more generous box with IC sockets and terminal strips laid out for easy soldering. I'm not going into any more detail because I expect that people who are inclined to tackle a project like this are familiar with basic layout and construction.


One final note: This circuit is relatively simple because the vertical sync pulses are delivered to an RGB monitor on a dedicated wire. The composite video signal generated for monochrome monitors includes the video signal and horizontal and vertical sync pulses, combined in a way which makes it impossible to generate interlace in any

simple way.

0.8 meg

per drivell

800 245-6228



Sync Pulse Inverter And

Interlace Generator

Figure 2

# **DISK DRIVES NEW EPSON DS!!!** Lower power requirements than TEAC! Superb!!! Epson DS,DD (400K).....\$109. TEAC DS,DD (400K) ....\$119. or DSQD (800K) Second Drive \$5. Less 1 Year Warranty on ALL Drives. External Drive Kits \$115. (\$85. with Drive Order) Includes all Cables & Instructions. Holds up to 2 Drives. MT BASIC \$49.95 MULTI-TASKING & WINDOWING **BASIC COMPILER Yields Fast** Machine Code for the SANYO. SANYO BASIC REF. MANUAL \$29. NOTE: Add \$35. for M.C. & VISA Accepted AOK DOS which gives 8,9 or 10 **OWL-Services** P.O. Box 116-D sectors per disk and up to Mertztown, PA.

19539




P.O. Box 1693, Sandy, Utah 84091 (801) 572-6272 Memory Expansion for your Sanyo MBC 550 or 555

- 960K Memory card with Real Time Clock
- 640K Memory Card with Real Time Clock for use with the Video Ram Board
- All memory products come with Ram Disk and Print Spooler by Tim Purves and Level IV Products
- RS232 Boards
- Clock Calender Card (Correct time and date even after boot up).
- · AB Switches

# CHECK OUR COMPETITIVE PRICES

Dealer Inquires Welcome Six month warranty on Rocky Mountain Products



# Software review

# Type Right — No Cheating Allowed (or Necessary)

When the Army put me behind a typewriter in the fall of 1969, I cheated. Minutes before the start of an actual test, while the Army sergeant was reading the rules, I would be quietly — one painful key at a time — typing in the first few sentences of the test that was right in front of me.

I squeaked by the 35-words-per-minute limit at that. It wasn't that I didn't want to learn, it was just that the thought of hours in front of an electric typewriter, with an exercise book at my side, was dull.

Enter, some 16 years later, MichTron's Type Right program. I'd kept up, mind you, but it was a passably quick and refined-over-time method of "hunt and peck" that I was employing, and the program 'knew' it.

Type Right is incredibly simple to operate. Insert the disk (after backing it up or placing it on a system disk), type 'tr,' hit RETURN and you're off! And I do mean off. Type Right asks for your name, spreads it out across the screen in very large letters and launches into a lesson.

You then have two choices — Drill or End. Since you just sat down, you follow the screen instructions and hit RETURN.

It is a compelling program. The exercises are short (ff jj ll dd — RETURN, as sad as a — RETURN) and after a number of them, the program displays your score, indicating your average words-per-minute, total number of errors and accuracy percentage. You are offered the option of continuing to drill the same keys, learning new keys, or moving to paragraphs.

Meanwhile, Type Right is keeping track of your progress and assigning you a level from one to 20 based on the number of lessons you have completed. A "Names Utility" program allows you to modify the names, delete one or all of them and, most importantly, gives you a glimpse

at your level of progress.

Unfortunately, the documentation is a little unclear as to how you execute this particular portion of the program. It states, in the eight-page instruction booklet that accessing the "Names Utility" program involves hitting the PF5 key at the lower, left-hand corner of the keyboard. What made this particular instruction confusing, at first, was that it did not state just when to do this — at the A: prompt? during a drill? A call to MichTron solved the problem. The PF5 key should be struck when the screen displays

the Names Menu (when it displays your name and other choices for exercises).

There are more sophisticated typing programs, some that are designed to involve the student in a video game which requires increasing degrees of typing skill to win. But the bottom line for any such program is its ability to improve skills

Type Right will do this. The key to its success is the feedback involved. The program, unlike your friendly neighborhood typing instructor, does not care at all about your score. Type Right reports your progress privately and very matter-of-factly. It, unlike a formal course with an instructor, is incapable of failing you and the interaction between typist and program is such that your own progress becomes a challenge. I have sat down to practice and found myself redoing exercises with a sense of purpose and determination. ("This time, I'm going to hit 97 percent accuracy!")

Type Right is a stand alone program. The documentation provides the new student with basic instructions concerning the proper position for hands (A, S, D, F for the left hand, J, K, L,; for the right), displays the keyboard on screen to demonstrate which hands are used to strike which keys, and, in general, prepares the typist (from novice to expert)

for work.

Unfortunately (or fortunately, if learning to touch-type is important to you), you can't cheat. You can look at the keyboard or get frustrated and yank the disk out, but as far as measuring your skills, the program is merciless. It will display a 2 percent accuracy percentage as blithely as it displays perfection.

However, there's nothing to prove to anybody but yourself, and since improvement — not grades — is the

point, there isn't any need or desire to cheat.

Like most things in life, you get from Type Right what you put into it. If you're lazy or unmotivated, the program will not flash any warnings on the screen ("Caution: Skills are slipping"), but properly utilized, it will do what it promises — improve your typing skills, whether you're a beginner or an advanced typist seeking a refresher course.

One last note to prospective users with monochrome monitors: A separate page of the documentation for Type Right warns that monochrome monitor users might experience "flashing or seemingly missing information" in which case, a series of DIP switches might have to be reset. These switches are located in the left, rear corner of the machine and require the removal of the unit's cover. The proper settings are described in detail. As a monochrome man myself, I found that without resetting the switches, information was complete, but as I had been warned, flashing did occur. I liked it. It gave the exercises a dynamic quality that I felt might be sacrificed if I did as instructed and reset those switches. To each — with this choice — his own.

(MichTron, 576 S. Telegraph, Pontiac, MI 48053, 313-334-5700, \$34.95)

Skip Maloney

# Minute Manual For The Dot Matrix Printer — A Buyer's Guide

The Minute Manual for the Dot Matrix Printer is a buyer's and user's guide to the dot matrix printer (DMP). The book is easy to read, written in a breezy style and contains lots of general information as well as specific details on six popular "full feature" DMPs. Although I found a few typos and printing errors, the quality of print and diagrams is good and I found no significant errors (admittedly I am familiar with only one of the printers covered, the C.Itoh 8510). Since using a printer requires information about the computer and the software, the author is forced into discussions of idiosyncrasies of some popular computers such as the Apple //e. Where not relevant to Sanyo users, I shall attempt to ignore such material in this review.

The stated goal of this manual is to provide non-technical advice and information for the user who wants to buy and use a printer without programming. The assumed reader is inexperienced and not technically oriented yet the material is essentially technical in nature. This combination makes for a hard task; it requires knowledge, perspective and excellent writing skills. In many respects the author succeeds in these goals — in others he does not. For the novice a few sections seem to be a bit indigestible at first. Despite the non-technical orientation, the author pulls together much that will be of interest to the hobbyist and the somewhat technically oriented. Lists of current printer control codes, capabilities, and highly touted sales features are compiled in one place for the reader. For the user considering a change or an upgrade, the book provides a very useful compendium, and the buyer's guide goal is met. The technically naive will find this feature valuable against the sales barker of the computer retailer.

The book has seven chapters and a buyer's guide chart as Chapter Eight. The first two chapters introduce the reader to the DMP and its printing features and the cost of full-featured DMPs versus the less than full-featured printers. A very basic explanation of the dot matrix is given and the concept of matrix density and print quality is provided.

# YOUR SOUTHERN CALIFORNIA SANYO DEALER

SANYO HARDWARE AND SOFTWARE SPECIALISTS
WE SUPPORT ALL WE SELL

(213) 598-8869

(714) 898-7324



Hammer Industries, Inc.

5482 OCEANUS DRIVE, SUITE B P.O. BOX 2419 HUNTINGTON BEACH, CA 92647 Comparison of DMPs with other types of printers such as thermal and daisy wheel printers is made. Since the author is a supporter of the DMP against other printers, the DMP comes out as the better buy in his analysis. (Although I tend to agree with him for most cases, there are times when even the best full-featured DMP is not a substitute for a good daisy wheel, a true proportional printing word processor or the quiet of a laser jet printer.)

The meaning of Near Letter Quality printing (just now becoming available on many brands of printers in the price range of \$300 to \$600) is detailed, along with features such as printing modes, character width, special character sets and bidirectional and logic seeking capabilities. In Chapter Two, examples of most of the common printing features available are shown in enlargement figures, with a list of the printers which have the feature.

Chapter Three discusses the physical features and the costs of the printers. Costs include more than the printer, and the author reminds the reader that connecting equipment is not free. Sanyo users need not concern themselves with this extra expense beyond the connecting cable. Here too, he mentions the difference between tractor feeders and pin feeders, adjustable and non-adjustable pin feeders and the advantages and costs of each. (A short aside: My printer uses pin feeders; InfoStar seems to assume tractor feeders and as a result I lose a sheet of paper at

each printing. Ah, the little annoyances of life!)

This chapter also includes a section on prices, and what the author terms the "Dot Matrix Printer Wars." These ongoing price and feature wars make price shopping a maddening activity — the price versus service dilemma gets

# It's Here! PC LOGO

PC Logo for the Sanyo MBC 550/555 Series is now available. PC Logo features include:

- full color turtle graphics with Sanyo Video Board
- word and list capability
- comprehensive tutorial and reference manual
- utility disk with over 30 sample programs
- only \$149.95

To order PC Logo see your local software dealer or contact:

Harvard Associates, Inc. 260 Beacon Street Somerville, MA 02143

Tel.: 617/492-0660

Orders only: 800/622-4070 800/942-7317 (IL only) to all of us. I no longer get bitter because a buddy buys the same equipment at 25 percent less — sometimes even from the same dealer in the same quarter! The author hints, and I advise, that all novice buyers should deal with a local reputable retailer; even though you may find a significant discount through a mail order dealer. The novice needs the help with software and set up that only a local can supply. More experienced buyers can get away with mail-order discount dealings, but they also should understand that good local dealers can support the local user in subtle ways that are very difficult for a distant dealer. (End of sermon!)

Chapter Three also has a discussion of printer speed that is one of the best I have seen. It is a non-technical explanation which includes numerical ratings. There is an amazing difference between the rated print speed and the practical print speed. Before you let the salesman dazzle you by saying how much faster his 160 cps (characters per second) brand X printer is than brand Y's rated at 120 cps, read this: One 160 cps brand comes out one third faster than the 120 cps brand, as it should; another does not come close!

Chapter Four

Chapter Four delves into the (for Sanyo users) arcane issues of connecting the computer to printer and whether to buy a smart interface capable of adding fonts, graphics, buffer etc. Unless you unfortunately purchased a serial printer and have a Sanyo without a serial port, you can safely ignore this section. The only other part of this chapter of interest is a short section on printer switches and screen dump programs.

Chapters Five and Six instruct the reader on how to

use the printer. Since the author assumes that most readers want to use the printer without "programming" it, he develops a rating system for programs to aid the reader in deciding which programs do what. However, since he mentions few programs by name he is forced to be rather abstract. The rating system is as follows:

Number Explanation

The program does not allow for printer use.

The program allows use of printer, but no printer control codes can be sent to the printer

from within the program.

The program allows sending of printer control codes before printing, but not during the printing.

The program allows you to send control codes during printing, thus allowing for changes in type style and the like within a print run.

The program has the additional capability to allow modification, or is pre-modified, for the abilities of your individual printer.

At this point the author explains ASCII codes, communication between the printer and computer, control codes, etc. This is needed to explain how different programs have the user set up specific printer control codes. Next, he follows concepts concerning use of alternate character sets. creation and use of your own character sets and using



# **Accounting Software**

• Ledger: Double-Entry General Ledger for Bookkeeping/Accounting \$125.

• Receivables: Accounts receivable for

Accounting/Collections \$125.

• Payables: Accounts Payable for

Bookkeeping/Cash Flow \$125.

Rags to Riches was developed especially for small businesses with under 20 employees: self-employed business people, home-operated businesses, small manufacturers, service businesses, farms and ranches, professionals, consultants, and retailers, among others. Free Demo available.

System Requires DOS 2.11 Dual 360K Drives





14008 Nacogdoches San Antonio, Texas 78247

# 768K \*\* THE MISSING LINK \*\* 768K EXPANSION \* MEMORY \* CLOCK \* SOFT VIDEO

Includes free RAM disk and spooler. Run Lotus without the video board.

UPGRADE 256K TO 768K — COMPLETLY PLUGIN – USES 256K RAMS

MAINTAINS EXPANSION BUS WITH TWO 62 PIN EXPANSION PORTS

BUILT-IN REAL TIME CLOCK/CALENDAR (BATTERY BACKUP)
EXPANDED INTERRUPT STRUCTURE TO ACCOMODATE

ADDITIONAL DEVICES
SOFT VIDEO OPTION — UNIQUE COMBINATION OF SOFTWARE
AND HARDWARE ALLOWS ADDED IBM COMPATIBILITY —
SIMILIAR TO SANYO VIDEO BD. AT NO EXTRA COST

COMPLETE WITH INSTALLATION SOFTWARE

ALL OF WHICH ARE STANDARD FEATURES OF THE "MISSING

PLUG-IN RAM BOARDS		RETAIL	SALE	Sec.
256K-768K MISSING LINK (NO MEMORY)	#550-768	\$259.95	\$199.95	
256K-768K MISSING LINK (256K MEMORY)	#550-7688	\$339.95	\$239.95	
256K-768K MISSING LINK (512K MEMORY)	#550-76816	\$419.95	\$289.95	

"CALL FOR LATEST MEMORY CHIP PRICES"



# TAMPA-BAY DIGITAL (813) 527-7145

5620 - 4th Street North St. Petersburg, Fl. 33703 VISA/MASTERCARD ACCEPTED-PRICES REFLECT 3% CASH DISCOUNT

24 HR. MODEM (813) 526-1644

BASIC programming to control the printer (with examples). The second "How To Use a Printer" section, Chapter Six, covers the basics of line feed, top of form, form feed, skip over perforation, etc.

Chapter Seven is a listing of the features of the six popular printers, with some discussion of advantages and disadvantages of each. This is a moderately complete chapter for the buyer, experienced or not. Chapter Eight is a wish list chart of features with check-off columns. While on the subject of wish lists I should inject a personal observation: Most people look for more features than they will eventually use. The thoughtful buyer or shopper will realize that what they need in a printer is a little less than what they want.

Now that the book is described, how to analyze it? The book is complete from the point of view of the novice, and probably unneeded for the experienced computer/printer user — although the latter may find it useful as a buyer's guide and feature reference.

These books, as the author admits, are always a bit out of date, but the general nature of his approach minimizes this problem. Some features and options will need to be updated, but the buyer will have little trouble doing so the first time he enters the sales room.

My biggest complaint with the book is the way the author jumps from topic to topic. For the experienced user this is no problem. I don't think the novice will be able to perceive the conceptual continuity between topics; for the novice buyer/user it may be terribly confusing. The first time buyer, and some others, should sit down with the book after reading it, in front of the computer printer


combinations of interest and test some of the software turning the abstractions of the book into reality; treat the book as a tutorial. A chart-like guide to each chapter, with a statement of what the chapter goal is, what the critical information is and how the author takes you through the woods would be welcome in the next edition.

If you are already using a DMP, not to its full capability, and are frustrated in your inability to use its full capacity conveniently, as a result of incomplete information, *Minute Manual for the Dot Matrix Printer* is a good starting point to using your printer to greater capacity. You may also need better software (such as *WordStar* for example) and more specific information as in your printer's manual. Those of you who are upgrading to a full-featured DMP may find this book very useful, even if you have some technical competence.

For anyone considering their first printer, novice or experienced, I can recommend this book as a convenience, if not a necessity, since the money and time spent with it will save time later, and possibly money. If your printer is doing just what you want, this book is superfluous. And for many technically oriented and experienced users the book, although interesting, is really just another list of what you already know.

(MinuteWare, P.O.Box 2392, Columbia, MD 21045, 301-995-1166, \$12.95 plus \$2 S/H)

- David N. Wexler



Orders and Information (313) 348-4477

## MICHIGAN SOFTWARE DISTRIBUTORS INC. 43345 GRAND RIVER NOVI, MICHIGAN 48050

SANYOPOLY/All-time favorite monopoly game ......29.95

SANYO HOST & BBS/Host program with free BBS	79.95
SPEED SCREEN/Speeds up video display for 2.11 only	24.95
BASIC ENHANCED/Adds commands such as Sound; Search;	10 TO
Line Editor & H copy for 2.11 only	24 05
	34.33
SANYO SPOOLER/Print spooler, use 1-63K as a software spooler,	W. 197
don't wait for your printer	34.95
SCREEN PRINT/Prints screen to printer	29.95
RECIPE FILE/Stores and retrieves your recipes	
U.S. CAPITALS & STATES/Geography lesson	100 Miles
for young and old alike	20 05
PFKEY/Function key utility	
PFKEY/Video board version	. 9.95
KEYWORD/Keyboard utility	. 9.95
SAVE SCREEN/Saves screen to disk	
CHARACTER GEN/Generates your own characters	
SDT/Error free program transfer; patch to your terminal	20.05
3D1/Enot nee program transfer, patch to your terminar	25.50

# 

We also sell software from Michtron, U.S. Digital, TLS, Mark Data

NEW!! MARK DATA "GRAPHIC" ADVENTURES
Runs on SANYO 775 & SANYO 550/555 with VIDEO BOARD or IBM PC
TREKBOER • CALIXTO • SHENANIGANS
SEA SEARCH • BLACK SANCTUM — 29.95 EACH

VISIT OUR RETAIL STORE

DEALER INQUIRIES INVITED

. VISA, MASTERCARD, AMERICAN EXPRESS, C.O.D., CHECK .

Prices subject to change

Add 3.00 shipping and handling

# 1-800-437-4757 EXT. 241

# **ANNOUNCING SANYCAD 2.0**

Professional CAD is now available with SANYCAD. Generate schematics, mechanical or architectural layouts, and business presentations in detail. Plot your work with superb accuracy. Improved circle & arc routines make changes easy. 192 K required, 256 K recommended.

SANYCAD 2.0
with
HPGL PLOTTER UTILITY

\$149.95

S39 95



# Send for our catalog—Sanyo Applications

Send large SASE for current list of IBM software that runs on the Sanyo 550 series.

Foreign orders 701-281-0549

701-280-0764

BBS

Dealer inquiries invited. Send \$10.00 (Refundable) for demo disk and tutorial.

Computer
Associates,
Inc.

Box 683 West Fa

West Fargo, ND 58078

# Software Golden Oldies — Computer Software Classics That Are A Must

"I found my thrill On Blueberry Hill On Blueberry Hill Where I found you"

Radio stations and record companies have been making millions for years with "Golden Oldies," those great hits of the past that somehow twang a special chord in our hearts and memories.

But songs, great as they are, are not the only "Golden Oldies" to be praised, re-enjoyed and honored by our memories.

Remember the very first time you played PONG? I do. 'Twas in a place called Shenanigans in Chicago's Rush Street area. So much did I like it that I bought a whole portable video game from Magnavox just to be able to play it on my own TV. Cost of that little adventure? \$200.

Speaking of Adventures, how about the original one? The travel through the Colossal Cave to fun, fantasy, pirates, dwarves and twisty little passages all alike?

The first time I played The Original Adventure, it took me a good hour just to figure out how to get in the cave—and a couple more to solve the mystery of getting past the snake. I remember the sheer exaltation when I did it—I even called a friend long distance to tell him!

Do these classics compare with The Coasters, Buddy Holly, Elvis and Chubby Checker (who Dick Biondi of WLS once said was "a fat taxi cab"?) You bet!

"It's one for the money
Two for the show
Three to get ready
Now go, cat, go
But don't you step on my Blue Suede Shoes"

A company named Software Country has put together what I consider to be a "must" list for everyone who has any sort of interest in — or nostalgia for — personal

# **RENT THE PUBLIC DOMAIN!**

Public Domain Software isn't copyrighted! Business-Educational-Games-Graphics-Finance Utilities, and more...Hundreds of useful programs you can rent and copy yourself.

70 VOLUME LIBRARY FOR THE SANYO 550/555

VOL. 1-70 (70 Disk sides) \$70.00

SAMPLE DISK (15 programs) \$5.00

550/555-VIDEO BOARD, 775 or IBM OWNERS

300 VOLUME IBM PC/MS-DOS \$300.00

VOL. 1-50 (50 Disk sides) \$50.00

Rental is for 7 days, add \$7.50 for shipping plus
Refundable Security Deposit of \$2.00 per volume.

Send \$5 for sample disk or S.A.S.E. for more information.

FUTURESYSTEMS, Box 3040, Vista, CA 92083

computing. It is called Software Golden Oldies Volume I and features the original PONG, Adventure, Eliza and Life. Do these programs need explanation? Probably not.

Still in all, PONG is the original arcade game, and can be played in either black and white or color, one person or two. Adventure is the original version of the great Wil Crowther/Don Woods hit. Eliza is the original "artificial intelligence" program which resembles a psychiatric session. You type in comments and Eliza asks you questions. It isn't real, but it is a lot of fun. Life is that famous game—that isn't really a game at all—in which you set up individual cells on the screen and they either give birth to new ones or cause death of old ones, according to their proximity to one another. There are some classic starting patterns stored on the disk, as well as some interesting variations.

I know that when I got my first personal computer, I searched for months trying to find a version of Adventure that would run on it. I was addicted to the game. In its original version, Adventure was the classic "text" Adventure — and in whatever color the screen would handle. This version has been livened up with your commands in one color and the computer's responses in another. There is also a "Save Game" feature!

A real blast from the past!

"Went to a dance Lookin' for romance Saw Barbara Ann So I thought I'd take a chance"

Here's the Barbara Ann of Software.

Software Golden Oldies Volume I comes with a 40-page perfect-bound book (I'd hate to call it a manual) that spends most of its space explaining the history of the four programs and bringing out some of the flavor of them — including Tracy Kidder's Pulitzer Prize winning "The Soul of a New Machine" essay on Adventure. The book itself is a joy to read, a "Book Of Love" to the greatest computer software classics ever.

Finally, recognizing that these "golden oldies" have been adapted for what they are, essentially, business machines, Software Country has added a nice little touch too often missing from software today — a touch of humor.

If your supervisor or the BIG BOSS walks in your office while you are playing, there's a "panic button," CONTROL-P, that will quickly erase your screen and put a "spreadsheet tutorial" display on your monitor for the boss to see how hard you're working. A perfect touch.

These are programs you should have. They are original uncut author endorsed versions of the classics which, as classics, will certainly live forever — or, at least, as Johnny Mathis once said, until "The Twelfth Of Never."

(Software Country, distributed by Electronic Arts, 2755 Campus Drive, San Mateo, CA 94403, 415-572-ARTS, \$34.95, requires 256K with the Video RAM Board or an MBC-775)

- Lonnie Falk

# Prickly-Pear Datapack — A Truly Relational Database Program

With all this talk these days about relational database managers, it's difficult to find one which is reasonably priced and easy to use, as well as designed to run on the Sanyo MBC-550/555 series computers. Prickly-Pear Datapack is a program which is, in fact, a true relational database as well as meeting the other two criteria. The package, which was written by Ocelot Computer Services of Edmonton, Alberta, Canada, is published by Prickly Pear Software and hence, the name. Having seen a few other database managers, I felt at ease running it through its paces and decided to evaluate it by using it on a database which had been constructed using another database management program.

The finest feature of this package is the command language with its excellent help utility. The command parser appears to be well-written and will accept any unambiguous abbreviation for keywords in a command. The help utility is also well-done in that it prompts you with textual information on the specific command and then provides you with the information relative to the current record and database in use. The closest thing I have seen to this is *Condor* which uses a command language type structure, but sells for around \$600. *Condor* has several other features,

however, which will be discussed later.

The program comes with a short but concise manual which includes a series of exercises that can be done on the sample database included on the disk. The program is entered simply by typing the name and entering commands which tell it what you want to do with your data and databases. As promised, this is a true relational database manager and a relationally complete set of operations is included in the command language.

The instruction set includes:

Database and Record Specification Commands — DATABASE (to select a database for use), TYPE (to select a particular record within the database), MAKE (to build a new database) and KILL (to destroy the contents of a database).

Record Select, Project and Join Commands — FIELDS (to specify the fields you want displayed, really a projection), LOOKUP (to specify your selection criteria) and JOIN (to join records with matching join field contents).

Report and Output Commands — OUTPUT (to print the records you have selected to the screen or printer), BREAKFIELDS (to specify fields on which you want the program to break the output into sections), SORTFIELDS (to specify the fields on which you want the output sorted) and PAGEHEADING (to specify a heading on your output).


Database Maintenance Commands — EDIT (to change existing records), NONVALID (to specify conditions which records must meet in order to be added to the database), READ (to read fixed length ASCII records from other files, created by other programs into the database) and

UPDATE (to update the contents of fields which are calculated from the values in other fields or constants using definitions which you provide).

Utility Commands — CHANGE (to swap diskettes or drives), GENERAL (to advise you of your current status), HELP (a really nice help utility), INPUT (to accept command input from a disk file built with a text editor), JOT (to make notes to yourself in the above mentioned command files), QUIT (to exit to DOS), WRITE (to write the contents of the selected records to an output file in contiguous ASCII format), and VARIABLE (to define macros to facilitate repetitive operations).

After thumbing through the manual, I decided to try a few of the exercises and found that the program performed as promised. In no time at all I was running through the exercises. That being accomplished, I decided to try reading the contents of a sequential file that I had created with another database program. Since the file was a fixed record length sequential ASCII file, I was able to build a database to receive the file in approximately 10 or 15 minutes, using the MAKE command. Then, using the READ command, I was able to read the contents of my file into the newly created database, one record at a time.

Once I had the records in, I tried out the other data manipulation commands and found that the program functioned very well. Next, I tried to emulate the report format which I had created with the other database program. At this point, I ran into one of the limitations of the program — limited report formatting capability. Try as I might, I could not duplicate the format which contained listings of the records in a two-line format on



a page with a blank line between each record. I couldn't tell if this was within the program's capability or not and it was not documented. I was also a little disappointed in the lack of screen formatting capability because you cannot change the default format. Next, I tried to save the data set so that I could use it later and found that this was not possible, another limitation.

The next step in my evaluation was to add fields to one of the records to see if it could be done without a data loss, but there is no command to add fields to the record and so I couldn't do this either. Finally, I wanted to edit the contents of some of the fields in the records which had been joined, and I found that this was not possible (nor is adding or reading of joined records possible). All of these things are possible with some of the more powerful (and more expensive) database managers such as dBASEII and Condor but neither of those is terribly easy to learn. I liked this program's command language and with little effort, I think it could be developed into something as powerful as any of the others.

There is one other detail about the program which bothered me and that was the lack of a key which could be used to interrupt the current activity and return to the command level. Several times, while running the program, I wanted to discontinue what I had started and go back and try something else. I tried several commonly used combinations but none of them seemed to work. This was not bad when I had only 13 records to look at, but was inconvenient when I was forced to work my way through 200 records during my use of the READ command on my old data file. I ran through the customizing utility

provided with the program but it was no help. If there is a key which works on the IBM PC, then the customizing utility should allow the assignment of an alternate for the Sanyo. If there isn't such a key, then one should be added to the program.

Some other features which I liked about the program include the capability to sum, count, average and display maximum and minimum values for numeric fields - a very nice feature for report purposes. The macro command, which I also liked, allows you to assign entire command strings to a single keystroke so that executing even a very lengthy lookup command is as simple as entering a one keystroke command. The ability to read input from a diskfile is also a nice touch. Using this feature, you can perform lengthy report procedures simply by directing the program to take its input from a specific diskfile. The command language is not as powerful as that of dBASE or Condor which allow variable assignment - iteration and conditionals - but it still allows you to do some lengthy or repetitive things very easily. All of these features considered together make it a nice package for the average user. At \$150, it's one I would consider purchasing for my own library despite the above limitations.

(Prickly-Pear Software, 2640 N. Conestoga Avenue, Tucson, AZ 85749, 602-749-2468, \$150)

- Bill Chang

# **★** SANYO 550/555 **★** IBM-PC **★** PC jr. **★** IBM Compatibles **★** TANDY 1000/1200/2000

#SS1 — IQ Builder . . . . . . \$8.95ppd.
Numbers and Number Series
Analogies Drill
Synonym Drill
Antonym Drill

#SS2 — Young Folks Diskette .\$8.95ppd Rock Stone & Scissors Game Concentration Board Game Math Dice Snoopy Display or Poster Spelling Game Hangman Guessing Game Think of the Computer's Animal Tic-Tac-Toe Reading Skills Drill Hide & Seek

#SS3 — Arcade Disk. . . . . . \$8.95ppd.
Ping-Pong
Defend the Earth
Shooting Gallery
Spinout
Ghost Gobbler
Barricade
Motorcycle Jump
Stattrek

#SS4 — Strategy I.......\$8.95ppd
Ancient Gomaku
Beat The Taxman
The Challenging game of AWARI
Hamurabi - You Are the King of your Kingdom
Desert Survival Simulation
Your The General in this WAR
FLIPPER - A Challenging Logic Game
BATTLESHIP
Computer Football
The Game of NIM

#SS5 — Card & Casino . . . . \$8.95ppd.
Slot Machine
Craps
At the Horse Races
Kena
Crazy Eights Card Game
Baccarat
Computer Blackjack
Yahtzee
Roulette

Super Sampler Diskette . . . . \$5,00ppd. Craps - A Las Vegas Dice Game The Financial Wizard Calculate Remaining Balance on a loan Polygons - A Demonstration of Graphics Computer Spelling Bee Kena - A Number Guessing Game Maxit - High Score Numbers Game The Amazing Maze Generator Blackjack - The 21 Card Game The CIA Mystery Adventure

SUPER MAILING LIST \$14.95 Postpaid

Add, change, delete names, addresses and phone numbers with 8 category flags to select on. Prints lists or labels. Sort on zip or names. A random access tutorial in itself. A SUPER VALUE!

# **GOOD STUFF!**

Looking for good low-cost programs for your computer, as well as good, solid information? You've found it!

Business, Financial, Games galore, Educational, Utilities and Graphics. They're all here! There are presently 12 disks and each has 7-12 programs. They are all menu-driven, listable and unprotected. Don't take our word for it, listen to what Dr. Michael Ecker, contributing editor to Soft Sector has to say: "I would recommend these programs as an excellent value, they are close to professional in quality at public domain prices . . . get all you can before Computer Solutions comes to its senses. I don't know how they do it!" With your order we will include our full catalog with 100's of products at discount prices and an issue of our information-packed newsletter.

★ SPECIFY COMPUTER TYPE WITH ORDER ★

P.O. BOX 354 888 S. EIFERT MASON, MICHIGAN 48854

(800) 874-9375 for Orders (517) 628-2943 for Info. & Mich.



MONEY-BACK GUARANTEE
Phone Orders Welcome - Quick Service



#SS6 — Financial Disk . . . . . \$8.95ppd
The Financial Wizard
Linear Regression Analysis
Personal Budget Analysis
Complex Income Averaging for Taxes
Lease/Buy Advantages Comparison
Continuous Compounding of Money with Options
Calculate Future Value of an Investment
Determine Accrued Interest and Maturity of Bond
Calculate Remaining Balance of a Loan
Mean Variance & Standard Deviation Analysis

#SS7 — Education II. . . . . . \$8.95ppd
Fun with Math Drill
BOGGLE - The Word Game
SCRAMBLE - Word Skills Exercise
STORY - Vocabulary Fun
Basic Reading Skills
Biorhythm Plotter
Shopping Spree
Magic Square Generator
WOMBATS - Story Teller with Math & Vocabulary

#SS8 — Strategy II ......\$8.95ppd
Mastermind - Computerized Code Craker
STRIKE 9 Number Strategy
TRAP - Trap the Computers Number
Rule your KINGDOM to fortune or famine
Defuse the Hidden Bomb!
Try to avoid getting the last Match
FOOTBALL - The keyboard Quarterback
Number REVERSE
The old game of DOTS against the Computer
Number Square

#SS9 — Adventure . . . . . \$8.95ppd CIA - Central Intelligence Agency Adventure MANOR - The Stonevill Manor Adventure The Intergalactic Trader LOSTGOLD - Help the lost miner find the gold SURVIVAL - Marooned on the moon - Can You Survive?

#SS10 — Games II . . . . . . \$8.95ppd
Hunt the Willy Wumpus
Concentration
Acey-Ducey Card Game
A Number Guessing Game
Play Checkers against the Computers
Biorhythm Chart for Printer
Birthday Statistics
Computer Spelling Bee
Escape from Mars Adventure
Banner Printer

# Oki Font-Do — Fonts For The Fontless

I bought an Okidata printer because I had heard they were more reliable than some of the other brands, and I haven't been disappointed in my decision. I do a fair amount of word processing as well as data processing and I like to do screen dumps from some of my graphics stuff.

There is, however, in the Okidata 92A manual, a section on All Points Addressable (APA) graphics which I promised myself I would "bone up" on so that I could create a Greek letter font for use with my scientific work. Anyway, a year or so had gone by and I still hadn't done it, when along comes Oki Font-Do for review. The program was just what I was looking for!

Included in the \$9.95 package are several BASIC programs which are designed to load one of four different fonts (Block, Futuristic, Italic and Script) into the Oki's Down Loadable Character Generator (DLCG). Once the font is loaded, all that is required is for you to set up your BASIC or word processing program to send the control characters needed to turn on the DLCG character set and Presto!, you're printing in script or italics with your Oki.

The Menu program furnished on the disk lets you select which of the four provided fonts (or any of the six you can define yourself) you want to load into the DLCG. After that is done, you are taken to FUNCTION. BAS which presents a menu that can send any of the control codes which affect character width, line spacing or print mode to the printer. The result of all of this is the ability to print in any of the new font combinations in 8.5, 10, 12 or 17 characters per inch as well as varying them even further by using the emphasized or enhanced print modes or both — all told, an impressive number of combinations.

Also included in the package is a shell program which gives you the skeleton of a program designed to let you design your own fonts. You need to study the Okidata manual to understand this part, but with a few minutes of study I was able to load the first five or six characters of the Greek alphabet into the DLCG and print them. Not bad at all!

The program is furnished with several pages of wellwritten documentation which explains the function of each

### **PRODUCTS FOR 55X**

RS-232 Serial Port 1 yr. Wty	\$26.95
128K RAM (16 150 NS Chips)	
6 Foot Keyboard Extension	

Terms: Cash, Check, Money Order; \$3.00 Shipping and handling.

Alpha Bit Inc.

4141 John Young Parkway, Suite 7 Orlando, Florida 32804 (305) 291-7325 of the programs furnished on the disk, as well as the concepts you need to understand to best utilize the program.

There are three other programs on the disk, DEMO.BAS, WGRAPH.BAS and LGRAPH.BAS. DEMO gives you a graphics picture on your screen which can also be LPRINTed to your printer. WGRAPH is a program which loads the block and line graphics characters into the DLCG to print them in word processing programs which are unable to translate graphics characters from the keyboard's graphics mode. Finally, LGRAPH loads line and graphics characters which can then be used in BASIC or other programming languages (characters with ASCII values above 176 are converted by subtracting 128 so the Oki's DLCG can be used).

The DEMO program, as well as a section of the documentation, shows you how you can create interesting mixes of characters and graphics using the graphics DLCG characters. In addition, if you vary the line spacing here

you can really get some nice looking graphics.

The program's documentation states that it is compatible with any PC/MS-DOS computer, making it an even better value. This program is well-written and useful as well as very reasonably priced. If you own an Okidata 92/93 printer, I would highly recommend this as an addition to your library. The number of combinations of text possible with the fonts provided makes it well worth the price. If you master the art of character generation, the possibilities are almost limitless.

(Wolfsangel Enterprises, Maple Avenue, Bldg. Y3-3, Hatfield, PA 19440, 215-362-8875, \$9.95)

Bill Chang



# WordPerfect 4.0 -A New Standard In Word Processing

WordPerfect 4.0 is a word processor whose name comes close to a true description. Even the version number -4.0 — echoes the grade that Satellite Software International deserves for producing such a sparkling product.

What's so good about it? Almost everything. It's quick, simple, easy to learn and easy to use. It re-forms paragraphs automatically, underlines and boldfaces on screen, automatically adjusts for footnotes, endnotes, "widows" and "orphans" (those pesky single words or lines which are left hanging at the bottom or top of a page). It generates outlines, indexes and tables of contents. It edits two documents at once, allowing easy merger of charts and text. It does four-function math for business applications and supports every Sanyo keyboard, including direct entry from the graphics keyboard for special effects. And it keeps getting better: The program is updated every few months in response to customer suggestions.

Basic word processing with WordPerfect 4.0 is simplicity itself. The cursor control keys position the cursor anywhere on the line, screen, page or document without special and notoriously forgettable control codes. The fully-implemented function keys give easy access to all the program's menu-

driven features.

The sole difference between WordPerfect on a Sanyo and WordPerfect on an IBM lies in the function keys. Because Sanyo neglected to completely mimic IBM's 10 function keys, running WordPerfect means using the IBM keyboard translation table in the Sanyo documentation. For example, CONTROL-8 on the IBM is the print format command, and on the Sanyo it is CONTROL ',' (comma) - a minor inconvenience.

The WordPerfect help screen is also a marvel, listing functions either by general category or detailing instructions for a particular function by pressing "help" (PF3) followed

by the appropriate key.


WordPerfect's sophisticated features are as simple and straightforward to use as those for basic word processing. Take, for example, embedded control codes. With the touch of a button, the program reveals embedded control codes

Disk, manual and shipping..... (Minnesota residents, add 6% sales tax)

PORTH-83 Standard programming language, up to 30 times faster than BASIC. Ideal for graphics, games, robotics. Built-in extensions to support SANYO's unique features:

- \* MS-DOS function support
- \* Full featured editor
- \* Mulitasking and timing
  \* Now-IBM PC/Sanyo Video Board Compatible

SEND CHECK, MONEY ORDER OR INQUIRIES TO:



2537 Colfax Avenue South Minneapolis, Minnesota 55405 (612)377-7369 for direct editing of format or printer control commands. When the document is finished, WordPerfect prints it from the screen, not from the last copy written to disk, although disk files may also be printed or even spooled to print several files in sequence.

The program comes on four disks, one each for the IBM and compatible versions, one with a spelling checker and the other with utilities. The compatible program runs without modification on the Sanyo with two drives and 256K of RAM; the IBM version runs nicely with the Sanyo Video RAM Board.

One utility, Convert, not only changes all those old WordStar files to WordPerfect files, but changes WordPerfect files to WordStar, letting you send text to

everyone still riding the dinosaur.

WordPerfect's documentation and tutorials are excellent (they promised to fix the sole error I found), as is customer support. For example, if you can't find your printer on the long list of factory installed printers and are too lazy to install it yourself, SSI will write you a print driver. (Try asking MicroPro to write you a print driver for nothing.)

Special features? The program is loaded with them.

The spelling checker lists a half dozen options, letting you check a word, a page, or the entire document, either comparing words exactly or phonetically using standard wildcard characters (\* and ?). You can also use the spelling checker just to look up a word. Maintaining the dictionary is also a simple, menu-driven operation. Indeed, even the merge codes for mass mailings are menu-driven, simple and mnemonic: Fields are indicated by ^F, records by ^R, end-of-record by ^E, etc.

If pushing a few buttons to access features proves tiresome, WordPerfect supports user-defined keyboard redefinition and macros (the program's equivalent to a batch file) to remember frequently used or complicated

sequences of keystrokes.

Do you have a use for double-column printing like a

newspaper? WordPerfect does it.

The list of features goes on. My favorite is the outline generator, allowing the easy collection of ideas before writing. Sufficient to say, WordPerfect makes a variety of heavy-duty word processing tasks as painless as possible and, at the same time, stays out of the user's way.

Complaints? More like suggestions. On screen, during basic text entry, WordPerfect shows only the document number one or two, the page, line and cursor position numbers. Adding an option to show the file name on the status line might be helpful. The documentation, with its clearly written tutorials and reference section, is excellent. But a cross-referenced page, referring the reader to the appropriate reference section listing for each embedded code, would be useful.

Overall, WordPerfect is an impressive program, bound I hope, to replace WordStar as the industry standard.

(Satellite Software, 323 North State Street, Orem, UT 84057, 801-321-5906, \$495)


- Stephen Robinett

# From the best resource for your Sanyo computer comes the best software deal on the market!

Each and every month of the year, SOFT SECTOR offers an assortment of programs for the home and office — utilities, business applications, games and more — all for the price of typing in the listings. But for the person on the move, that's a high price to pay.

Now, at long last, we introduce

SOFT SECTOR ON DISK



Ask yourself how much your labor is worth. Five dollars an hour? Ten? Even 20? Now ask yourself how many hours it takes to type in and debug just one of those wonderful (but long) programs from SOFT SECTOR. Think of it: Every program from the pages of SOFT SECTOR, ready to load and run with only a few keystrokes!

### **BACK ISSUES AVAILABLE**

Several of the first issues of SOFT SECTOR are now out of stock, but the programs from those issues are available as back orders of SOFT SECTOR ON DISK, along with the accompanying text files of the articles ready to be routed to your screen or printer with a simple TYPE command. This may be your only chance to get the programs that you've missed.

Volume I contains programs from August, September and October 1984. Volume II contains programs from November and December 1984 and January 1985. All other copies of SOFT SECTOR ON DISK include programs from individual issues of SOFT SECTOR.

Now is your chance to make your Sanyo a fulltime computer instead of a typewriter. Subscribe to SOFT SECTOR ON DISK today and give those weary fingers a break!

SOFT SECTOR ON DISK subscription rate is: within the U.S., \$99; Canadian rate, U.S. \$115; all other countries, U.S. \$130. SOFT SECTOR ON DISK single volume rate is: within the U.S., \$12; Canadian rate, U.S. \$14; all other countries, U.S. \$16. Subscription orders begin with the current issue, allowing 5-6 weeks for first delivery.

# Protect Your Valuable Magazine Collection With . . .

# DISTINCTIVE AND DURABLE SOFT SECTOR BINDERS

Every single issue of SOFT SECTOR is a vital resource that you will refer to again and again for new insights, to explore new areas of interest or simply to refresh your memory. So, you need to keep your copies of SOFT SECTOR safe in high-quality, vinyl binders that provide complete protection.

Signature.

These handsome royal blue and gold embossed binders, which protect your valuable issues of SOFT SECTOR, are only \$7.50 (please add \$2.50 for shipping and handling each binder).

**SAVE!** Buy four or more back issues of SOFT SECTOR with this order and save \$1 per issue. Use the Back Issue Order Form on Page 67.

Mail to: Soft Sector Binders
The Falsoft Building
Prospect, KY 40059

111	CO Constitution of the Con	MBC		
Surface round		W.		
			and the same of th	
		7		
				چ

	oinder). If your order	s) at \$7.50 each (plur is to be sent via U.S R. Kentucky residents	6. Mail to a post office
Name			
Address			
City		State	ZIP
☐ My check in the down costs, we do		is enclosed.	(In order to hold
Charge to: □ VISA	☐ MasterCard	☐ American Exp	ress
Account Number			Exp. Date

# SOFILITIE

WORKLOG is an automatic logging program which provides a convenient and comprehensive method for maintaining a complete and up-to-date record of your computer usage.

WorkLog consists of two programs. The first of these is Log, which keeps track of multiple users, different types of jobs, projects and various machines. It will also monitor actual computer usage by counting keystrokes, disk activity, etc. The second program is WLREPORT which performs two functions. First, it allows you to create reports of machine use. You can develop summary reports and special reports with subtotals and subsubtotals.

Reports generated by WLREPORT can be printed or can be used by word processors, spreadsheets, database managers and other programs.

WorkLog requires a Video RAM Board or an MBC-775 and is currently available for \$59.95 from WyssWare, 5207 Ravenna Ave. NE, Seattle, WA 98105; (206)526-0711.

**BOTTOMLINE CAPITALIST** is a business management simulation which

helps increase business planning, finance, marketing and management skills. It allows up to four players and prepares them with data and a "game plan" for running their business.

This interactive simulation is complete with an overview, examples, a set of menus, an in-depth tutorial, capitalist applications and a summary.

Bottomline CAPITALIST was designed to challenge the imagination of the student, entrepreneur, junior executive and seasoned business executive. Its major purpose is educational in nature, but it takes a real-life approach by injecting the essential ingredient of "challenge."

Bottomline CAPITALIST requires a Video RAM Board or an MBC-775 and is currently available for \$80 (\$5 S/H) from Venture Software, 16200 Ventura Blvd., Encino, CA 91436; (818) 986-4110.

COFORTH 83 version 3.0 was designed to be a programmable, interactive, realtime multitasking language to be used for control of analog and digital music synthesizers. The CoForth programming environment is similar to that of Turbo PASCAL, in that it provides an integrated compiler/editor. Also in common with PASCAL is FORTH's blocking of code into named procedures and its adherence to the principles of structured programming. Each of these procedures may be called individually from the interpreter by name, variables may be examined and modules of code tested without writing special testing progams. This leads to a rapid debugging cycle and increased programmer productivity.

Although it shares its interactiveness with BASIC, FORTH is semi-compiled — an approach which can yield code that runs up to 30 times faster than BASIC and which is generally more compact than its compiled equivalent.

CoForth 83 is currently available from Bluewater, 2537 Colfax Avenue So., Minneapolis, MN 55405; (612) 377-7369.

LET THE SUN SHINE IN with a program called Solarsim. This is an

# PERIPHERAL PRODUCTS DISTRIBUTING

# • MEMORY "CHEAP CHIP" DEAL!

When you order any other item in this ad you can get the 150ns memory chips at a fantastic price. 64k \$12.00 128k 23.00

# DATA COMMUNICATION SPECIAL!

Get online now with an RS-232, the Volksmodem 300 baud modem and the Envoy communications software. \$139.00 With 1200 baud Volksmodem 279.00

# • WHY SHOULD YOU BUY FROM US?

Same day shipping (when order rcvd by 2:00 mst) Free shipping via UPS ground No additional charge for MC, VISA or COD orders Overnight and 2 day air services available

- RS-232 interface for the MBC-550 at an unbeatable price.
   Top quality with full warranty.

  \$39.00
- BATTERY BACKED-UP REAL TIME CLOCK for the MBC-550. Keep the correct date and time when the power is off. Not affected by disc I/O like the internal clock is. Includes software.
- MEMORY upgrades. Prime 150ns 4164 chips.

8 chips - 64k **20.00** 16 chips - 128k **32.00** 

- Volksmodem 300
- Cable for 300Volksmodem 1200
- Cable for 1200
- Envoy Datacomm Software

59.00 10.00 199.00 10.00 44.00

PERIPHERAL PRODUCTS
DISTRIBUTING

P.O. BOX 11986 TUCSON, ARIZONA 85734 (602) 881-4280

Allow 18 days for personal checks AZ residents add 7% tax educational tool which graphically simulates a solar hot-water/space heating system in action. It gives you control of 20 parameters to tailor the simulation to fit your own needs.

greater visual representation of how the system is doing and what effects your changes make. Cost Analysis Charts Introductory price, \$49.95, \$5 S/H. then allow you to compare the costs of solar heat to those of conventional fuels such as gas, oil, electricity and wood.

The manual is written in a textbook format which includes a complete tutorial and glossary. Solarsim is designed for students in energy related fields, for solar energy consultants or for frustrated home owners looking for a way to save money by utilizing solar energy.

Solarsim requires 192K for DOS 2.11 users and 128K for all others. This program is currently available for \$49.95 from MichTron, 576 South generated with full-symbol representa-Telegraph, Pontiac, MI 48053; (313) 334-5700.

PHRASESTAR is a program designed to simplify learning word processing and producing documents. This pro- Route 2, Box 45, Vienna, MO 65582; gram allows you freedom in choosing (314) 422-3385. the keys of your choice to enter commands and key text. For beginners, there is a simple set of commands called "Beginner Phrases."

of general-purpose document formats. PhraseStar also comes with a full keyboard overlay (the standard IBM PC layout) and optional color stickers.

PhraseStar is currently available Special Trend Graphs give you a from Adept Computer Solutions, Inc., 5900 Sepulveda Blvd., Suite 550, Van Nuys, CA 91411; (818) 501-4798.

> CARD-SHARK is a program which consists of four games: Draw Poker, Head-to-Head Poker, Casino Poker and Blackjack.

> This program may be used with either a monochrome or an RGB monitor. In addition to the four games, the diskette contains an AUTOEXEC batch file which will boot up the computer and run a program called Start. This program will invoke the program menu from which the player selects the desired game.

> The cards in all the games are tion and in proportion to those commonly sold. In addition, Head-to-Head Poker contains a computer algorithm for making playing decisions against the

> Card-Shark is currently available for \$29.95 from Viessman and Kohn,



SANYOPOLY is a computer version For quick productivity, there is a of the board game Monopoly. This "First Set of Dedicated Phrases" which program allows two players and is menu automates and creates additional fea- driven so all necessary user responses tures for WordStar, including a number are prompted on the screen. Single-

# Correction

Chuck Kincade, author of Reclaiming Those Lost Files (August '85, Page 39), has informed us that Line 1850 of his program should be deleted.

1850 IF IREC=NREC GOTO 1990

This line was intended to reduce the number of file writes by not rewriting a cluster if its position in the file is unchanged. This test also causes the program to skip the procedure that replaces "End-of-File" bytes with nulls.

This can cause problems if the user is recovering either multiple files or a WordStar file, in which the old .BAK file was deleted due to insufficient disk space. In the latter case, the end of the WordStar file precedes its beginning.

When these conditions exist, the data following the End-of-File would not be available for editing, since the editor would terminate loading the file at this point. By removing this line, all End-of-File bytes are replaced in all reclaimed clusters and the entire file would be available to the editor.

# soft sector



# **Back Issue** Availability

Back copies of many issues of SOFT SECTOR are still available.


All back issues sell for the single issue cover price. In addition, there is a \$2 charge for the first issue plus 50 cents for each additional issue mailed in the U.S. When possible, issues are mailed UPS. The postage cost in Canada and Mexico is \$3 for the first issue and \$1 for each additional issue.

VISA, MasterCard and American Express accepted. Kentucky residents please add five percent state sales tax. In order to hold down costs, we do not bill and no C.O.D. orders are accepted.

We suggest you order back issues you want now while supplies last.

To order, just fill out the form on the next page and mail it with your payment to:

> **Soft Sector** The Falsoft Building P.O. Box 385 Prospect, KY 40059



letter commands help move play quickly and easily.

The computer chooses who goes first and proceeds to "roll" the dice. The player stops the dice by hitting any key. The playing pieces are either a "Rocket" or an "Automobile." There is a master menu which is presented for each player's turn and includes a number of options. These options are explained in detail in the documentation.

Sanyopoly requires 256K and is currently available for \$29.95 (\$3 S/H) from Michigan Software, 43345 Grand River, Novi, MI 48050; (313) 348-4477.

PRINTER SET-UP UTILITY is a RAM resident program which allows you to install custom features of your printer. The program SETPRN is menu driven and can be loaded from DOS, BASIC or any or the MicroPro Software bundled with your Sanyo. It will also run with most other software.

Printer Set-Up Utility version 1.0 is designed for the Epson RX-80 printer and compatibles or the Star Micronics Gemini 10X and compatibles. Each version of this program is written for a specific printer.


Printer Set-Up Utility is currently available for \$35 from J & M Software, 400 Sawyer Rd., Lansing, MI 48910;

(517) 393-8660.

devised a non-econometric technique for decomposing a series into its trend and cycle components. It is designed to determine where a series is positioned in its cycle at any given time. It uses its cyclical analysis technique to provide long-range forecasts of any series' possible turning point. This technical approach was chosen not only because it provides more accurate forecasts, but also because it is mathematically objective and can be self-generating and not dependent on external assumptions or input.

The authors of this program have

Macro\*Track requires a Video RAM Board or an MBC-775 and is currently available for \$299.95 from Black River Software, 118 N. Marshall, Suite 150, Winston-Salem, NC 27101; (919) 924-6389.



The products and services listed above are currently available for Sanyo personal computers and many will be reviewed in future issues of SOFT SECTOR.

MACRO\*TRACK is a forecasting program which selects possible techniques for future problem solving in business, economic and financial situations.

# SUBSCRIPTION INFORMATION

Your copy of SOFT SECTOR is sent second class mail. If you do not receive your copy by the 15th\* of the month of the cover date, send us a card and we will mail another. \*Canadian subscribers and foreign air mail allow two additional weeks.

You must notify us of a new address when you move. Notification should reach us no later than the 10th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fail to notify us.

Your mailing label also shows an "account number" and the subscription expiration date. Please indicate this account number when renewing or corresponding with us. It will help us help you better and faster.

For Canadian and other non-U.S. subscribers, there may be a mailing address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at P.O. Box 385, Prospect, KY 40059.

# **BUSINESS SECTOR**

# CHARLOTTE & BRIAN STONE Soft Sector Contributing Editors

Q. I have solved the continuous underlining problem using an Epson RX-80 and WordStar by writing a couple of supplemental programs for my WordStar disk. They are as follows:

UNDERLIN. BAS

UNDEROFF.BAS

10 LPRINT CHR\$(27)"-1"
20 SYSTEM
UNDERLIN.BAT
BASIC "UNDERLIN.BAS"

10 LPRINT CHR\$(27)~-0~ 20 SYSTEM UNDEROFF.BAT BASIC ~UNDEROFF.BAS~

These programs put me into continuous underline mode at any time. They can be programmed into the specialty keys, but I am using those for emphasized mode and wide type.

I have done the same thing for subscript and superscript.

SUBSCRPT.BAS

SUPERSCR.BAS

1 LPRINT CHR\$(27)"S1" 2 SYSTEM 1 LPRINT CHR\$(27)"S0"

SCRPTOFF.BAS

10 LPRINT CHR\$(27)"T"
20 SYSTEM

I have tried to install these commands into my WordStar program so that I can use the ^PV and ^PT commands within the body of the text and I have not been successful. I would greatly appreciate your assistance in getting these options installed.

Ken Kessler Kansas City, MO

A. You will not be able to install new code for the function keys ^PV and ^PT using the *Install* program, but you could install the desired functions in place of the 'I' Ribbon Select and 'M' Phantom Character. Each of these functions allows you to have a turn-on code as well

(Charlotte A. Stone, office manager for the Detroit office of the Shaw/Walker Co., has been using a Sanyo computer in her daily work routine since October of 1983. Brian M. Stone has been using a variety of Sanyo computers since May of 1983. Charlotte and her husband, Brian, have been involved with computers since July of 1978 and presently own and use five computer systems on a daily basis, three of which are Sanyos.)

as a turn-off code. Use the *Install* program and do the following:

Location and Control	Code To Insert	Result
^PI Ribbon Select	1Bh 0Fh	Subscript ON
^PI Ribbon Select	1Bh 54h	Subscript OFF
^PM Phantom Character	1Bh 0Eh	Superscript ON
^PM Phantom Character	1Bh 54h	Superscript OFF

WordStar doesn't care what codes you send to the printer in place of what the program was originally set up to do. Now every time that you want subscript use ^PI2^PI and the 2 will be printed in one-half size characters on the lower half of the line, ^PM2^PM would give you a superscripted 2.

Q. I am using an Okidata 182 I/O Parallel printer on my Sanyo 555-2. This letter is printed using WordStar with the left margin set at five and the right margin set at 75. As you can see, the lines seem to be wrapping around which also causes pages to be printed over.

I attempted to install the printer but found (of course) that my printer is not listed. I tried both "standard printer" and "IBM Parallel printer" but the results were the same. Do you have any suggestions for me as to how I should

install this printer?

Perry E. Meltzer Monticello, NY

- A. From the looks of your letter, it seems that you are setting the left margin of your letter on screen rather than with a dot command. To get a 75-character line, you should set up your file as follows:
  - 1) Use ^OR to set the right margin to 75, left margin at zero.
  - 2) Use the dot command .PO5 to set the page offset to five spaces.

This will print a 75-column line of text starting at the fifth column on your paper with five spaces on the right margin. It is not necessary to adjust the on-screen margin at all unless you want to type large amounts of indented text.

The printer is best installed as a standard printer.

Q. I am having difficulty with MailMerge and perhaps you can help. It works well in every aspect except it skips to every second file record all through the file and I must delete the first record or move it in order to get the second set of records.

For example, using MailMerge, a file of 10 records will print out only the odd numbered records. To get the even

numbered records, I must delete the first record or move it to the end so that the second record becomes the first. Do you have any ideas?

M. Eugene Mockabee Kalispell, MT

A. There is not enough information in your letter to give me an idea of what you are doing wrong with MailMerge and your datafile to print all entries. I just created a small file. See the following:

Sample Letter .PL10 .MTO .MB0 .DF MMTEST .RV NAME, ADDRESS, CITY July 7, 1985 &NAME& &ADDRESS& &CITY& best regards .PA

Sample Data File — "MMTEST" Brian M. Stone, P.O. Box 385, Prospect, KY 40059 Charlotte A. Stone, P.O. Box 385, Prospect KY 40059 XXXXX X. XXXXX, 328 W. Rose City Rd., Rose City,

YYYYY Y. YYYYY, 328 W. Rose City Rd., Rose City, XX 44444

From the example above I will explain all of the commands for you to compare it with what you are doing.

.PL10	This example sets the page length to 10 lines.
.MT0	This example sets the top margin to zero.
.MB0	This example sets the bottom margin to zero.
.DF	Defines the file to read, i.e., MMTEST.
.RV	Defines the variables from the data file.
.PA	Forces a page break — you must do this.

I do not know what else to tell you at this point because the above examples work exactly as they should. If this does not help please send a disk with your letter (MailMerge

MS-DOS 2.11, SANYOBASIC, DataStar, Report Star, etc. Reference Manuals - Call for best prices on these comprehensive manuals for your Sanyol

file) and the data file and we will try to find out what is wrong.

Remember, you cannot use a comma (,) between city and state unless you do it this way - "Kalispell, Montana 59903-0955," (note the quotation marks). If you do, it will divide the field into two parts and mess up your results.

First, in using CalcStar, I find that I am only able to load a page and a half of information into the machine before the memory gets low and locks. Saving it to disk and hitting RETURN still does not do the trick. It has been suggested that the RAM needs the extra 128K added memory. If this is so, how many pages would I be able to load before running out of memory?

Second. A number of companies offer added memory, and the prices vary. Is there a great deal of difference in

the quality? Also, are they hard to install?

Paul D. Shadle Elmer. NJ

CalcStar is a memory-dependent program and as such, adding the extra memory will increase the size of a spreadsheet. There is no way to tell you how much larger your spreadsheet can be by adding the memory because it will depend on your use of blank lines between rows, and the size of the columns used. If you use as little extra space as possible, you will be able to increase the size of your spreadsheet.

Try not to insert blank rows to make it look good because "empty but allocated" means that space is gone but unused. Also, do not use Row 32 for calculations because there is a bug in CalcStar that will not calculate in Row 32.

The installation of memory in the computer is very easy and the instructions are in the user's manual that came with it. The most common problem is static electricity and bent pins from being inserted incorrectly. You probably have someone "in the parish" who would be more than willing to assist. The cost of the memory now is in the under \$20 range and would be a worthwhile investment. We would suggest that you purchase 150ns to 200ns 64K RAM chips at the best possible price that you can find from a dealer who has been advertising regularly in SOFT SECTOR.

# **CHRYSON COMPUTER**

SHIPPING CHARGES: PARCEL POST — \$3.00 PER ORDER – FIRST CLASS PRIORITY MAIL — \$5.00 PER ORDER — NO EXTRA COST FOR MASTERCARD of VISA

WE HAVE HARDWARE, SOFTWARE AND MOST COMPUTER ITEMS FOR IBM, APPLE, TI 99/4A, COMMODORE AND

# HARDWARE/PERIPHERALS/ACCESSORIES MEMORY CHIPS, 128K, FIRST QUALITY VOLKSMODEM, includes a \$79.95 membership in THE SOURCE for \$30) CABLE 'A', for above modem to SANYO JOYSTICKS, MACH-III MACH-III. MACH-III. \$ 44,95 DUAL JOYSTICK ADAPTER. \$ 25.45 JOYSTICK PACKAGE OFFER: TWO, MACH-III JOYSTICKS, plus the DUAL JOYSTICK ADAPTER. \$109.00 with MACH-II instead. \$89.95 COMP-U-SERVE KIT, includes password and membership PLUS reference MANUAL and 5 FREE HRS. CONNECT TIME. \$28.95 ""MASTERPIECE"", by Kensington-30% OFFII 5 in 1 unit is a MONITOR SWIVEL EMI/RFI FILTER/SURGE PROTECTOR, STATIC ELIMINATOR, 5 OUTLET/1 MAIN SWITCH. \$109.00

### SUPER SUMMER SANYO SPECIALS SOFTWARE

NORTON UTILITIES, allows you to EXAMINE AND CHANGE ANY PART OF YOUR DISK, CHANGE THE VOLUME LABEL WITHOUT ERASING THE DISK, UN-ERASE A LOST FILE, includes the main program PLUS 15 OTHER UTILITY PROGRAMS THAT MAKE THIS THE BEST SELLING UTILITY SOFTWARE ON THE COMPATIBLE and much more .....\$CALL INFOCOM SOFTWARE SERIES OF INTERACTIVE FICTION, works on MBC series with or without the Video Board: ZORK-1 \$29.95 ZORK-2 \$3 \$32.95 \$34.95 \$36.95 SUSPENDED STARCROSS ENCHANTER \$29.95 HITCHHIKERS GUIDE TO THE GALAXY \$29.95
SEASTALKERS (for ages 9 and up) \$29.95
INVISICLUES, provides clues, maps and other helpful

### MORE SOFTWARE MANUALS/SUPPLIES

TOTAL LEARNING SYSTEMS OFFERS THE FASTEST AND EASIEST METHOD TO LEARN MS-DOS, LOTUS 1-2-3, dBASE II, SUPERCALC AND MANY OTHER PROGRAMS. SPECIAL PRICING IN EFFECT THROUGH 8/31/85. MS—DOS DISK plus WORDSTAR TAPE \$29.95 (specify 1.25 or 2.11 when ordering)
TLS PLUS-PC version for MBC775 \$37.50 TUTORIALS FOR LOTUS 1-2-3, dBASEII, SUPERCALC, EASYPLANNER/FILER, CONDOR, CALCSTAR/INFOSTAR 
 INFOSTAR
 \$21.95

 dBASEII (Expert edition)
 \$29.95
 MICHTRON-MINIMUM 20% OFF retail price!!!! 
 PICASSO
 \$75.95
 MI-TERM
 \$63.95

 M-DISK
 \$26.50
 MI-KEY
 \$26.50

 ALL OTHER TITLES AT SIMILAR SAVINGS!!!!
 \$26.50
 PFS:WRITE PFS:FILE ......\$99.95 U.S. DIGITAL-PREP ... CPeMulator .....\$79. COPYLINK .....\$75.95 DISKETTES—all are DOUBLE SIDED, 10 per box MEMOREX.....\$21.95 3M ...\$20.00 (above prices valid only while supplies last)

CHRYSON COMPUTER - 109 LISA DRIVE - BROCKTON, MASS. 02402 - (617) 587-4639

ideas to solve each of the INFOCOM programs.

# Automating Ve had a request for a method to automatically merge and run the "Spider" route and run th

our Spider Graphics program (June '85, Page 52). It seemed like a good idea, so we looked into it.

Simply using the MERGE command within the program would not work. because it forced a return to BASIC. After thumbing through the Sanyo BASIC manual looking for something else, we noticed the CHAIN command. This powerful command allows you to, in one step, delete any old lines, merge in new ones and run the program automatically. It was everything we

The listing shows the modifications of the original Spider Graphics program necessary to incorporate a menu of Spider routines to be chosen and run under program control. It is presented with our own demonstrations. It takes only a few simple modifications to add your own Spider routines to the menu.

(Dave Neuendorf holds a B.S. in chemistry, an M.S. in metallurgy, and is currently employed as an extractive metallurgist. He programs in 6502 and 8086 assembler, BASIC and FORTH. Dave and his wife Patti, a computer analyst, have established a software development firm, NeuSystems. The author may be contacted at 281 Continental Dr., Pottstown, PA 19464, 215-327-2970.)

Dave and Patti Neuendorf

Line 290 is changed from GOTO 2000 to GOTO 1800, where the menu routine is written. Lines 1800 through 1960 are new. MAXMENU in Line 1810 should be set to the total number of Spider routines in the menu. DEMO\$(1) through DEMOS(MAXMENU) must be set to the names of the routines as they appear on the disk. The menu itself (lines 1860 to 1890) may contain any description of the Spider routines, being sure that the numbers to the left correspond to their position in the DEMO\$ array, and is easily expandable. That's it! The CHAIN command in Line 1960 automatically deletes any existing Spider routine in lines 2000 to 4000, merges in the specified routine at Line 2000 and runs the program.

This should make our Spider a little friendlier. We hope you're enjoying his antics.



### The listing: SPIDERM. BAS

29Ø GOTO 18ØØ

1800 REM \*\*\* Automatically MERGE and RUN the SPIDER subroutines \*\*\*

181Ø MAXDEMO=4:DEMO\$(1)="webs":DEMO\$(2)="flowers":DEMO\$(3)="polygons":DEMO\$(4)=" stars"

185Ø CLS:PRINT:PRINT, "CHOOSE SPIDER ROUTINE TO RUN":PRINT

186Ø PRINT, "1: SPIDER WEBS"

187Ø PRINT, "2: FLOWERS"

188Ø PRINT, "3: SPIRALING POLYGONS"


189Ø PRINT, "4: RANDOM STARS"

1950 LOCATE 24,10:INPUT (1); "ENTER NUMBER"; NDEMO: IF NDEMO < 1 OR NDEMO > MAXDEMO THEN 195Ø

196Ø CHAIN MERGE DEMO\$ (NDEMO), 2ØØØ, ALL, DELETE 2ØØØ-4ØØØ



September 1985



By Michael Izzi

t is sometimes true that "A picture is worth a thousand words" when it comes to analyzing numerical data. Many times the quantity of data and the many avenues of comparison make it very difficult to extract meaningful information. That's why many businessmen and technologists are turning to computers to help them visualize what's happening and to present information in a more useful way. This program will provide a start



(Michael Izzi has a master's degree in mechanical engineering and has held engineering management positions on several aircraft and spacecraft programs for a major aerospace company.)

in that direction for anyone interested in graphically analyzing data.

The Logo

The code for the program is relatively simple. I wanted the logo to alternately flash a line and bar graph in the background. This was done in lines 140 through 190 by nesting two timed loops (one for the line graph and the other for the bar graph), within another counting loop. Each graph is erased after each timed loop by essentially replotting them with no color. Since this effect is in the background, the erasures cause loss of color through the foreground screen display of the program name which had to be repeated after the erasure to fill it back in.

# **Chart Titles**

The first thing the program does is to ask you to title the chart and name the X- and Y-Axes. In most instances, the title should relate to the general subject matter to be plotted, and the axis name is a general description of the parameters to be plotted along that axis. These titles must be input since they are printed using the SYMBOL command.

**Data Entry** 

The interactive queries are straightforward. The program enables you to make two plots on the same chart for comparative purposes. When the program asks for the number of data points in a data set, however, it wants the number of points in one plot, not the total for both. This sets the dimension for each data set array.

The magnitude of any data point should not exceed 10,000 or the program will ask you to start all over again. Any value greater than that should be represented in thousands, millions, etc. This may be noted in your labeling of the Y-axis. The Y-axis will automatically be scaled according to your data so that the plot can easily be read. This is done by testing the data in lines 680 through 780 and assigning a maximum scale value from five to 10,000 in five major divisions.

**Graph Labeling** 

After entering the data, you will be given a choice to plot the data either as a bar graph or a line graph. Each bar or breakpoint in the graph may be labeled along the X-axis for a maximum of twelve data points. This will allow you to identify data by year, month, time, etc.

The reason for the limitation on the number of labels is obvious. If you have more than twelve points or bars per graph there will be little room for labeling due to crowding, especially if you have a second plot on the same chart. In the case of a bar chart showing two sets of data, each bar is labeled and is shown in a different color. The labels of one data set are offset from the other and both match the color of the bars to help alleviate confusion. In this case, the program will also ask you to associate each data set with its color by naming the color key. For line graphs, only the breakpoints or inflections in the curve are labeled, since they are plotted one above the other as opposed to side-by-side for the bar graph. Again, each plot is a different

A program note also advises you to limit the number of characters per label

to four. However, when you're familiar with the program, you may vary the size of the label depending on the number of data points. You may elect not to label some or all of the data depending on your needs by simply hitting RETURN.

# Editing, Saving And Printing A File

In its present form, the program cannot edit a plot or graph once it has been created. Graphic screen dumps such as *Freeze Frame*, however, may be used to make hard copy or save the

plot to disk if you wish. I am presently working on a version which will access my *DataStar* files and enable me to plot any records I have stored. This can be quite useful for analyzing income tax, salary, expenses and other records. These are improvements which can be added by the reader if so desired, or possibly be the subject for a future article.

When the chart is drawn and completed, the screen will be free of any ready prompt to allow for a clean copy to printer if desired. The prompt will reappear when any key is struck and you will be asked if you want to reenter data for another plot.

### Colors

One final point: This program was written using a monochrome monitor. Colors may be varied by the reader as desired. Of course the use of color or the various shades of a monochrome monitor to differentiate between two sets of data on the same graph will be lost when it is printed, unless you can print in color.

```
The listing: DATAPLOT.BAS
10 ****** DATAPLOT
                          ******
                                       By M. Izzi
                                                    3-12-85
20 CLS
3Ø WINDOW (\emptyset,\emptyset) - (639,459): VIEW (\emptyset,\emptyset) - (639,199)
4\emptyset LINE (1\emptyset,\emptyset)-(63\emptyset,45\emptyset),3,B
5\emptyset LINE (18,1\emptyset) - (622,4\emptyset\emptyset),3,B
6Ø PAINT (15,5),2,3
7\emptyset LINE (84,8\emptyset) - (84,33\emptyset),3
8\emptyset LINE (84,33\emptyset) - (55\emptyset,33\emptyset),3
9Ø SYMBOL (14Ø,18Ø), "DATAPLOT",6,5,3
100 SYMBOL (380,250), "BY M.IZZI",2,1,4
11Ø SYMBOL (5Ø,25Ø), "Y-AXIS",2,2,2,3
12Ø SYMBOL (25Ø,35Ø), "X-AXIS",2,1,2
13Ø LOCATE 24,22:COLOR 3:PRINT "A BAR or LINE Graph Plotting Program":COLOR 2
14Ø FOR N=1 TO 3:FOR T=1 TO 2
15Ø LINE (100,300) - (200,150), 2:LINE -(300,200), 2:LINE -(400,50), 2:LINE -(500,100)
,2:NEXT T
16Ø LINE (100,300) - (200,150), Ø:LINE -(300,200), Ø:LINE -(400,50), Ø:LINE -(500,100)
,Ø:SYMBOL (14Ø,18Ø), "DATAPLOT",6,5,3
17Ø FOR T=1 TO 2
18Ø LINE(125,1ØØ)-(225,327),2,B:LINE(275,6Ø)-(375,327),2,B:LINE(425,15Ø)-(525,32
7),2,B:NEXT T
19Ø LINE(125,1ØØ)-(225,327),Ø,B:LINE(275,6Ø)-(375,327),Ø,B:LINE(425,15Ø)-(525,32
7),Ø,B:NEXT N
200 CLS
210 PRINT "This program will plot a numerical data set as either a bar chart or
            graph. It also provides an option to plot a second data set on the sam
line
            for comparative purposes. Each bar or break in the line graph may be
e chart
labeled up"
220 PRINT "to a maximum of twelve(12) data points. Data sets with more than twel
ve points may be plotted without labels."
230 PRINT "A graphics screen dump may be used in conjunction with this program i
f a chart is to be hard copied or saved to disk.":FOR T=1 TO 5000:NEXT T:GOTO 2
60
240 ******
               AXIS NAMES
                             ******
25Ø CLS: ERASE B, C, D: IF N<13 THEN ERASE L$, L2$
260 PRINT :PRINT
27Ø PRINT "Chart Title": INPUT C$
28Ø PRINT "Name X-Axis": INPUT X$
290 PRINT "Name Y-Axis": INPUT Y$
                              *****
               NO. OF DATA
310 PRINT "Input No. of data points in data set to be plotted": INPUT N
32Ø '******* DATA
33Ø DIM B(N):DIM C(N):G=1
```

```
34Ø PRINT "Input data one at a time (If >1ØØØØ, input in thsds or millions)"
35Ø FOR I=1 TO N
36Ø PRINT "Next ";
37Ø INPUT C(I):IF C(I)>1ØØØØ GOTO 146Ø
39Ø PRINT "Do you want a 2nd graph shown superimposed?(Y,N)":INPUT A$
410 PRINT "Input data for 2nd graph (If >10000, input in theds or millions)"
42Ø FOR I=1 TO N
43Ø PRINT "Next ";
44Ø INPUT B(I):IF B(I)>1ØØØØ GOTO 146Ø
45Ø NEXT I
46Ø PRINT "Do you want LINE plot or BAR graph?(L,B)":INPUT Z$
47Ø '****** DATA LABELS *******
48Ø IF N>12 GOTO 63Ø
500 PRINT "Input first data set X-Axis labels one at a time, four (4) char max"
51Ø FOR I=1 TO N
520 PRINT "Next ";
53Ø INPUT L$(I)
540 NEXT I
55Ø IF A$="N" GOTO 68Ø
56Ø IF Z$="L" GOTO 65Ø
57Ø PRINT "Input second data set X-Axis labels one at a time, four (4) char max"
58Ø FOR I=1 TO N
590 PRINT "Next";
600 INPUT L2$(I)
61Ø NEXT I
63Ø PRINT "No data labels allowed for X-Axis when data count exceeds twelve (12)
62Ø GOTO 65Ø
64Ø IF A$="N" GOTO 68Ø
65Ø PRINT :PRINT "Input name for 1st data set color key (four char max)":INPUT L
3$
660 PRINT "Input name for 2nd data set color key (four char max)":INPUT L4$
67Ø ****** SCALE FACTOR *******
68Ø FOR I=1 TO N
69Ø IF B(I)<1ØØØ1 AND C(I)<1ØØØ1 THEN F=2ØØØ
700 IF B(I)<5001 AND C(I)<5001 THEN F=1000
71Ø IF B(I)<1ØØ1 AND C(I)<1ØØ1 THEN F=2ØØ
72Ø IF B(I)<5Ø1 AND C(I)<5Ø1 THEN F=1ØØ
73Ø IF B(I)<1Ø1 AND C(I)<1Ø1 THEN F=2\emptyset
74Ø IF B(I)<51 AND C(I)<51 THEN F=1\emptyset
75Ø IF B(I)<1Ø.1 AND C(I)<1Ø.1 THEN F=2
76Ø IF B(I) < 5.1 AND C(I) < 5.1 THEN F=1
77Ø IF F>G THEN G=F
78Ø NEXT I
79Ø IF N>1Ø THEN DIM D(N):D(N)=544 ELSE DIM D(1Ø)
800 D(1) = 544:D(2) = 544:D(3) = 540:D(4) = 544:D(5) = 540:D(6) = 552:D(7) = 532:D(8) = 544:D(9)
=540:D(10)=540
810 ******* DRAW AXIS *******
82Ø CLS
83Ø LINE (84,9\emptyset)-(84,364),3
84\emptyset LINE (84,36\emptyset)-(63\emptyset,36\emptyset),3
85Ø FOR I=1 TO 5
86Ø LINE (82,36Ø-1*54)-(86,36Ø-1*54),3
87\emptyset LINE -(63\emptyset, 36\emptyset-1*54), 1
88Ø NEXT I
89Ø FOR I=1 TO 2*N
```

```
900 \text{ XA} = 85 + (D(N) *I/(2*N)) - (D(N)/(4*N))
91Ø LINE (XA, 9Ø) - (XA, 364),1
920 NEXT I
930 '***** Y-AXIS SCALE
94Ø FOR I=Ø TO 5
95Ø LOCATE 2Ø-I*3,6:PRINT USING "#####";I*G;
960 NEXT I
970 '****** PLOT BARS & LABEL
980 FOR I=1 TO N
990 IF N>12 GOTO 1020
1000 \text{ R1} = 10 + (I - .25) * (D(N) / (8*N))
1010 LOCATE 21,R1:COLOR 5:PRINT L$(I)
1020 IF Z$="L" GOTO 1070
1030 Y = 360 - (C(I) * 54/G)
1040 \text{ XA} = 85 + (D(N) \times I/N) - (D(N)/(2*N))
1050 XB=82+D(N)*I/N
1060 LINE (XA,Y)-(XB, 359),5,BF
1070 NEXT I
1080 IF ZS="L" GOTO 1210
1Ø9Ø IF A$="N" GOTO 14ØØ
1100 FOR I=1 TO N
111Ø IF N>12 GOTO 114Ø
112\emptyset RA=1\emptyset+(I-.75)*(D(N)/(8*N))
113Ø LOCATE 22, RA:COLOR 4:PRINT L2$(I):COLOR 2
114Ø YB=36Ø-B(I)*54/G
1150 \text{ XC} = 88 + (D(N) \times I/N) - (D(N)/N)
116\emptyset \text{ XD}=85+(D(N)*I/N)-(D(N)/(2*N))
117Ø LINE (XC, YB) - (XD, 359), 4, BF
118Ø NEXT I
119Ø GOTO 137Ø
1200 ******* LINE PLOT *******
 1210 \text{ XA}=84+D(N)/N-D(N)/(4*N)
1220 Y = 360 - (C(1) * 54/G)
 1230 LINE (XA,Y) - (XA,Y),5
 124Ø FOR I=1 TO N
 1250 Y = 360 - (C(I) * 54/G)
 1260 \text{ XA} = 84 + D(N) \times I/N - D(N)/(4 \times N)
 127Ø LINE - (XA, Y), 5:NEXT I
128Ø IF A$="N" GOTO 14ØØ
1290 \text{ XA}=84+D(N)/N-D(N)/(4*N)
1300 \text{ Y} = 360 - (B(1) * 54/G)
 1310 LINE (XA,Y) - (XA,Y), 4
 132Ø FOR I=1 TO N
 1330 \text{ Y} = 360 - (B(I) * 54/G)
 1340 \text{ XA} = 84 + D(N) \times I/N - D(N)/(4*N)
 135Ø LINE -(XA,Y),4:NEXT I
 1360 '****** LABEL AXIS
 137Ø LOCATE 2,71:PRINT "KEY:"
 138Ø LOCATE 3,71:COLOR 5:PRINT "\\\ "L3$
 139Ø LOCATE 4,71:COLOR 4:PRINT "\\\\ "L4$
 1400 SYMBOL (160,30),C$,3,2,3
 141Ø SYMBOL (10,280), Y$, 2, 2, 5, 3
 142Ø SYMBOL (24Ø,416), X$,2,1,5:LOCATE 25,1Ø:COLOR 2
 143Ø IF INKEY$="" GOTO 143Ø ELSE 144Ø
 144Ø PRINT "Do you want another plot? (Y,N)":INPUT A$
 145Ø IF A$="Y" OR A$="Y" GOTO 25Ø ELSE CLS
 1455 END
 146Ø PRINT "Data point(s) >1ØØØØ. Re-enter data from start"
 147Ø PRINT :PRINT :PRINT :GOTO 34Ø
```

75

# Continued from page 7

end of Line 380 on Page 51 of the July '85 issue, implementing your assembly language statements - cmp al, 33h through mov al, 4ch — in the middle of Page 56 of the May '85 issue.

Even when flying with the aid of the version typed-in from the July magazine, one cannot obtain Radar by pressing the '<' key, as promised in the May magazine. Instead, one must press the comma key. But there is no key at all that will Center ailerons. The May article should not have promised that the '\*' key would do it.

In fact, Sanyo's bottom row '\*' key emits the same scan-code as IBM PC's bottom row '\*' key, and this key activates "Recall," which returns the flyer to the beginning of

his itinerary.

A flyer who wants to "Lower" his view on the IBM PC hits the ENTER key. To do it on the Sanyo, he must hit '1' on the numeric key pad. (On either keyboard, the "Raises" his view by hitting the top row BACKSPACE key.)

In order to apply the "Brakes," you must hit the period key on the Sanyo (not the '>' key). On the IBM PC, both symbols '>' and '.' are on one key.

If a reader of the July issue of SOFT SECTOR wants to type in a patching program that will enable him to Center ailerons by pressing the 'S' key, he can do so by typing 1F instead of the useless 37 for the 13th and 14th Hex characters on Line 390. Letter 'S' suggests flying Straight (or in view mode looking Straight down).

Rollin Bennett Cresskill, NJ

### TRICKS AND FIXES

Editor:

Thank you for the superb magazine! Truly the only computer magazine a Sanyo user needs. It is the only one in my house that gets read cover to cover within the same day it arrives. I especially enjoy the articles with "tricks and fixes."

Here is a simple trick to allow WordStar to come up already logged to Drive B:. Using COPY CON: (DOS 2.11), EDLIN or the 'N' mode of WordStar, create an AUTOEXEC .BAT file that looks like this:

DATE B: A:WS.COM A:

This will automatically log the system to Drive B: while in WordStar, but will bring it back to Drive A: when you exit.

Another "nifty trick" is to display a menu selection in DOS. Create another AUTO EXEC. BAT file that contains the following:

DATE ECHO OFF CLS TYPE MENU.TXT

Where MENU. TXT is a 24-line (1 page) file that has a heading and any number of menu selections labeled "1, 2, 3 . . .". Then create small batch files named 1.BAT, 2.BAT, 3. BAT, etc. that call your menu selections. For instance, I now type '2' and press ENTER in order to save typing DATASTAR B:CON TRIB. My batch file 2.BAT is one line: DATASTAR.COM B:CONTRIB, yet my menu asks if I want to "Post Contributions." So at the same time, you may make your system more user friendly.

> David Shuman Spokane, WA

### DESPERATELY SEEKING

Editor:

I want to comment on the famous "soon to be released book" by Fred Blechman. I cannot find it anywhere. I have been reading of its impending publication for six months now. Is it out or not, and where can I find it? I am ready to buy a copy of his manuscript! That's how anxious I am to get it. Please forward any information that you might have.

> Mike Booth Knoxville. TN

Editor's Note: The Sanyo MBC-550/ 555 Beginner & Intermediate Guide is currently available from Blechman Enterprises, 7217 Bernadine Ave., Canoga Park, CA 91307, (818) 346-7024, \$17.45.



### **REVIEWING REVIEWS**

Editor:

As authors of the program Prickly-Pear Datapack (reviewed for SOFT SECTOR by Bill Chang), we want to express our appreciation for the reviewer's praise of a product that we are extremely proud of. It might be appropriate to add a few remarks:

1) "Limitation in report formatting" -To list records in a two-line format with blank lines between, use the "Write" instruction (with CON or PRN as arguments if the list should go to a screen or a printer). Remember that line spacing can be controlled using the carriage return literally ("") in the "Fields" instruction — possibly Mr. Chang felt that "Write" was useful only for file export but in fact it provides a useful adjunct to the "Output" instruction for noncolumnar representations.

2) "Limitation in screen formatting" -Screens are very easily reformattable. The key here, as with reporting, is that the "Fields" instruction can totally redraw the screen form since any field can appear in any order: Field names can be replaced with literals, prompt messages or spaces, and carriage return literals ("") can force line adjustment. Also, the top, bottom, right and left screen margins are adjustable permanently using the customization program.

3) "Couldn't save a data set" - In other packages this might be necessary because their retrieval process is so slow. In ours, "Lookup" restores a data set directly from the current database with little extra trouble, so we felt an additional instruction

would be redundant.

4) The comment about adding fields to a record is well taken, and we felt this feature was important enough to include in the program's "big brother," the Ocelot Database Management System.

5) "Read" cannot be aborted - This is a problem we should fix. But the generalization is incorrect: Other instructions, such as "Output," can be aborted, forcing a return to command level in the normal way. Also, "Read" does not have to be "one record at a time." "Update 2" with no assignments gets you into a mode where whole files are read at once, and no screen forms come unless a "nonvalid" record is encountered.

6) Finally, some mention is made of the "programming" extras (variable assignment, iteration and conditionals) that dBASE II and Condor possess. It's very relevant in this context to note that extensive options are available for programmers via Ocelot's Database Management System. Putting Datapack and the DBMS together (for a total price of \$450), one would have a far more capable package at both ends of the expertise spectrum. But Datapack should be looked at for what it is: a \$150 stand alone non-programmer's package, in which category it has no equal.

Again, I emphasize that I neither expect nor desire any modification in the review you are publishing: It's intelligent, and I enjoyed reading it. But if, as Mr. Chang says, he might purchase it for his own library, perhaps some of the above will enhance his appreciation or enjoyment of our products in the future.

Peter Gulutzan President Ocelot Computer Services, Inc.

# RACKSELLERS

The stores listed below carry SOFT SECTOR on a regular basis and may have other products of interest to Sanyo personal computer users. We hope you will patronize those in your area.

ALABAMA

Birmingham

Madison Mobile Montgomery

ARIZONA Flagstaff Phoenix

Tempe

CALIFORNIA Folsom

Hayward Huntington Beach La Jolla Lancaster Los Angeles N. Hollywood Norco Poway Riverside Sacramento San Bruno

San Francisco San Luis Obispo

San Diego

Santa Maria Santa Rosa Sherman Oaks Stockton Upland

Walnut Creek
COLORADO
Aurora

Aurora Colorado Springs Englewood Security

CONNECTICUT Manchester Meriden Stamford

Stamford
DELAWARE
Wilmington
FLORIDA
Altamonte
Springs
Boca Raton

Brooksville Clearwater Ft. Lauderdale

Gainesville Jacksonville

Longwood Melbourne

Merritt Island

Miami

Orlando
Ormond Beach
Panama City

Panama City Point Ornge Port Rickey Sanibel Island Sarasota Seminole Shallmer St. Petersburg Stuart Tampa Command Computer Computer Engineers Inc. The Computer Store Madison Books Mall Tel Trade-N-Books

Datasystems Apollo Computers Tri-Tek, Inc. Books, Etc. Computer Library

Computers, Etc. 3E Software & Systems

Hammer Industries
Affordable Computers
Desert Computing
OPAMP
Levity Distributors
Wiest Custom Studios
Creative Computer Corp.
Famis Computers
Softwaire Centre International
Home Computing Centers, Inc.
Byte & Roppy Computers
Programs Unlimited
Aquarian Age Computer Center
El Corral Bookstore
Paradise Computer Systems
Information Systems Unlimited
Sawyer's News, Inc.
Data Systems West
Hardings Way News
Computer Haven
Friendly Computers
ECX Computer Co.

Devi Computers
The Computer Farm
Whole Life Distributors
Video Communications & Computers,
Inc.

Computer Training Institute Total Computers Norman Block Associates

Nor-Mar — The Smoke Shop

Micro's Etc.
Software, Software, Inc.
All American Electronics
Software City
Southern Micro Computer Co.
Computer Ease
Computer Ease
Computer Exchange
Florida Computer Resources
Electronic Specialty Products
City News Stand
B & B Office Equipment
Compuworld
Micro's, Etc.
Allstate Business Center
Computer, Computers
Computer Image
Advanced Business Systems, Inc.

Rainbow Computer Center Micro's Etc. Computer Systems Group Micro's Etc. Computer Trends Sanibel Audio Family Computers Home Computer Discount, Inc. Discount Discs

Home Computer Discount, Inc Discount Discs Software Connection Computer Market Place Computer Dimensions Personal Computer Center Southern Micro Computer Co. GEORGIA

Augusta Atlanta

> Columbus Lithonia

Boise Moscow Nampa ILLINOIS Belleville

Chicago Salem INDIANA Ft. Wayne

Indianapolis

Kokomo Marion West Lafayette KANSAS Lawrence Salina Wichita KENTUCKY

Louisville
Owensboro
Prospect
Radcliff

Cynthiana

LOUISIANA
Gretna
Opelousas
Sulphur
Thibodaux
MAINE

Bangor MARYLAND Baltimore Camp Spring

Camp Springs Millersville Pasadena Silver Springs Towsend Waldorf Wheaton

MASSACHUSETTS
Danvers
MICHIGAN
Allen Park
Ann Arbor

Ann Arbor Berkley Charlotte Dearborn

Farmington Fenton

Fremont Grand Rapids

Lapeer
Mt. Clemens
Muskegon
Novi
Owosso
Pontlac
Rochester
Royal Oak
Southgate
Sterling Heights
Troy
Wyandotte
Wyoming
Ypsilanti
MINNESOTA

Ypsilanti
MINNESOTA
Minneapolis
MISSOURI
Aurora

Columbia Creve Coeur Independence Kansas City Republic St. Louis MONTANA

Whitehall

Ram, Inc.
The 64 Store
Guild News Agence

The 64 Store
Guild News Agency
Southern Computer
Alboes Computers
Certified, Inc.

Western Computer & Office Supplies H & S Computer Supplies Canyon Computers & Communications

Software Or Systems TPS Computers Hyde Park Computers Salem Computer Systems

byrrex
Digital Perspectives
Accolode Computer Design
A Computer Store
Toso Computer Shop
Computer Corner
Von's Computers

Computer Outlet
Computer Connection
Wichita Computer & Supply

Accounting Data Corp Software Source TCBC Computer Stall Falsoft, Inc. Bluebird Computer

The Computer Supply Store Sound Electronics Home Computer & Software Great Southern Computer Systems

Downeast Specialty Co.

**Galaxy Computers** 

Computers Edge
Compudeo
Comp-U-Type
RW Electronics Computer Center
A-OK Computers
Greetings & Readings
Waldorf Computer
Micro Computer Co.

Microcon Computers & Softwarecenter

University Cellar Family Computers Computer Options Alpha-K Computer Co. ComputerTowne Computer Control Systems Petry Products POS Electronic Business Systems Bursma Electronic Dist. Co. Programs Unlimited Computer Corner Computer Plus, Inc. 8-Bit Corner Michigan Software C/C Computer Systems MichTron Rochester Book Center **New Logic Computers** Popular Computer Centers, Inc. The Family Room Creative Center ComputerTech Gerry's Book Co. Ye Olde Computer Shoppe

Computer Exercise World

Southland Electronics Computer Concepts Alcor Associates Digital Enterprises, Inc. Brands Mart Computers Franklin Computers Softwaire Centre

Rambyte Computer Institute

NEBRASKA

Omaha NEVADA

Las Vegas Reno

NEW HAMPSHIRE Berlin

NEW JERSEY
Lake Hopatcong
Lawrenceville
Ocean City
Westmont

NEW MEXICO Alamogordo Albuquerque

Las Cruces

NEW YORK Amityville East Rochester Great Neck Hicksville Lake Grove Plattsburg Rochester

Wappingers Falls
NORTH CAROLINA

Atlantic Beach Carrboro Cary Mt. Airy Raleigh

Winston-Salem
NORTH DAKOTA
Buxton
Riverside

OHIO
Ashland
Canal Fulton
Canton
Cincinnati

Columbus

Cuyahoga Falls

Euclid Fairborn Fairfield Kettering Lombard Mariend Heights Marien North Olmstead Ravenna St. Clairsville Toledo

OKLAHOMA Oklahoma City Tulsa

OREGON
Beaverton
Eugene
Hillsboro
Milwaukle
Salem
PENNSYLVANIA

Ardmore Butler Downington Exton Philadelphia Phoenixville Pittsburgh

RHODE ISLAND
Cumberland
SOUTH CAROLINA
Charleston

Heights
Travelers Rest
TENNESSEE
Knoxville
TEXAS
Austin
Carrollton

Houston San Antonio UTAH Provo Computers & Components

Computer Magic High-Tek Computer

**E&S** Computing

Jefferson Computer Center Microcon Computer & Software The Computer & Software Store American Computers

New Horizons Computer Systems Page One Newsstand Programs Unlimited Zio Computers Zia Computers Las Cruces Computers

Ross Enterprises
Foxx Computer Services
P & T Computers
Innerlogic Computer Center
Programs Unlimited
Adirondack Computer Supply
Computer Directions
Vixia Computer Center
Software City

VBS MicroSystems
Triangle Data Systems
News Center in Cary Village
Mountain Computers
Computopia
Crazy Bob's Discount Computers
Discount Computer Sales

Systematics Computer Associates

Infopro
Gemstone Computing
Micro's Etc.
Cincinnati Computer Center
Video Barn
The Book Rack
Friend Chips
Computer Warehouse
Genesis Micro Systems
Microwave Magic
Electronic Connexion
Complete Computing
Programs Unlimited

Electronic Connexion
Complete Computing
Programs Unlimited
Marion Computer Center
Softwaire Centre International
Alpha Computer Services, Inc.
D & K Computer Sales & Service
Computer Gallery

Merit Computers Data Station — Tulsa

Creative Computers & Electronics University of Oregon Bookstore Quest Enterprises, Inc. Nomies Video Tec Super Soft

Computers Plus Software Corner Downington Computer Center Software City Some Hole In The Wall Stevens Computer Center Computer Bug

Mike's CP & Software

Software Haus Concurrent Technologies Corp.

First Byte Computer Co.

Electronics Insight Videoland Computer King Wagner Bros. Computer Store

Lloyd's Business Machines

VERMONT VIRGINIA Alexandria Falls Church Gloucester Point Hampton Springfield Virginia Beach WASHINGTON

College Place Federal Way Olympia

Seattle

Centralia

WEST VIRGINIA Dunbar Morgantown WISCONSIN Janesville

Computer Marketina

Alonso Book & Periodicals Gloucester Electronics Business Machine World Micro-Enhancements Fairfax Computer Corp. Beach Business Machines

Commercial Computer Systems Centralia Computer Center Discount Computer Supply Compu-Place Crown Microproducts Computer World
Computer Centers **Puget Sound Electronics** Bits & Chips R&K Enterprises Quality Software

Salmon's Diversified Office Services Computer Closet

**Emerald Computers** 

Stevens Point

AUSTRALIA: SYDNEY Kingsford VICTORIA

ALBERTA

Mom's Computers Paris Radio Electronics

Melbourne Computer Biz CANADA:

Calgary Tesserac Computer Systems The Computer Shop CompuSoft Computique

Compu-ware Disk and Chip Kelly Software Distributors **LEW Computers** 

Grand Prairie BRITISH COLUMBIA **Abbottsford** Richmond Langley Penticton Port Coguitlam Prince George

Surrey Victoria

MANITOBA Winnipeg

Clearbrook Computer Centre Computer King Mainland Magazine Service

Corporate Computers Compulit Computer King Computer King

The Computer Dept. of London Drugs Odyssey Computer Services

Micro-Mentor, Inc.

**NOVA SCOTIA** 

ONTARIO Burlington Guelph Kitchener London Ottawa Peterborough

Scarborough Toronto

Waterloo Windsor QUEBEC Montreal

SASKATCHEWAN

ENGLAND East Susse **NEW ZEALAND** 

Palmerston North SWEDEN Alvsjo

Maracaibo

Atlantic News

**Burlington Business Systems** Neutron Computers, Inc Home Computer Centre Town & Country Business Machines E.T. Wilson Office Equipment LTD. Computer Support

Scitron Computer Junction CP&A

Computer Junction Facts & Figures Computer Service

Lemond PC

**Memory Lane Computers** 

Molimerx LTD

Viscount Electronics LTD

Woniam AB VENEZUELA


**Byte Computer Center** 

# ADVERTISERS INDEX

We encourage you to patronize our advertisers all of whom support the Sanyo line of personal computers. We will appreciate your mentioning SOFT SECTOR when you contact these firms

A-OK Computers	39. 41
AA Computer Exchange	
Advent Products	54
Alpha Bit	63
BGW Systems	38
Bayou Technologies	37
Block Marketing, Inc	24
Bluewater Software	64
Chaucer Software	14
Chryson Computer	70
CompuSoft	61
Comp-U-Type	42
Computer Alpha Corp	8
Computer Associates, Inc	59
Computer Creations, Inc	19
Computer Solutions	62
Computer Toolbox, Inc., The	3
Data Management Systems	37
Diversified Computers	21
FutureSystems	
Greywolf Technologies, Inc	
Hammer Industries, Inc	
Harvard Associates, Inc	
James River Group, Inc., The	BC

LaPlata Research	.46
Level IV Products, Inc	.50
MichTronIFC, 16,	5
Michigan Software Distributors	.59
Olympic Educational Software	1
Owl-Services	
Peripheral Products Distributing	66
Prickly-Pear Software	-
Rocky Mountain Micro	5
Sanyo	
Sanyo Canada	30
Sanyo National Users Group	38
Scottsdale Systems	
Soft Sector Binders	65
Soft Sector On Disk	65
Software Answers	21
Spectrum Solutions	42
Systems Peripherals Consultants	40
Tampa Bay Digital	58
TW Tech	27
True Data	63
U.S. Digital Corporation	BC
Wagner Brothers	58



Jack Garland Garland Associates, Inc. 10 Industrial Park Road Hingham, MA 02043 (617) 749-5852


Call: Kate Tucci Advertising Representative The Falsoft Building P.O. Box 385 Prospect, KY 40059 (502) 228-4492

Call: Cindy Shackleford Director, West Coast Office 12110 Meridian South-Suite 8 P.O. Box 73-578 Puyallup, WA 98373-0578 (206) 848-7766



7///

# IT PAYS TO INVEST IN HIGH QUALITY SOFTWARE



# NOW INTRODUCING COPYLINK-PLUS THE FIRST OF ITS KIND

What have you been waiting for in PC communications? At last it's available. Introducing COPYLINK-PLUS, a true communications language. If you know the BASIC commands PRINT, IF, LET, GOTO and GOSUB, then you can use COPYLINK-PLUS to direct your computer to communicate automatically. Using the language is a step so powerful that you will forget everything else because COPYLINK-PLUS will do it all. COPYLINK-PLUS will make you truly excited about what you can do.

# **VT100 Emulation**

COPYLINK-PLUS also provides VT100 emulation allowing the use of the full range of function keys (32 which you can redefine). For even further flexibility VT52 and ADM-3A emulation is provided along with Extensive ANSI screen control *including* color screen support.

Like COPYLINK, the new COPYLINK-PLUS does all the things a communications program should do: auto-dialing (and redialing), easy uploading and downloading, automatic logons, etc. Furthermore, it's just as flexible as COPYLINK to handle any communications situation that may come up – to reconfigure parameters on the fly, handle a full disk situation without losing data, automatically save downloaded files and disconnect the line, remote unattended communications, etc. Special introductory price . . . \$129.95

# "The Strongest Link"

COPYLINK Regular is still the most sophisticated program of its type, but it is also extremely fast and easy to use. Just "ADD" a name (like "COMPUSERVE") to the unlimited directory of phone numbers and "CALL COMPUSERVE". That's all you have to do to get online. What could be faster and easier? No tiresome menus to muck through long after you stopped needing them. Yet "HELP" is always there. COPYLINK runs on over 50 MSDOS and CP/M systems allowing the most reliable file transfers between incompatible systems, including the Sanyo 550 and 775 as well as many CP/M machines (incl. MBC 1150 and 1250) - with any kind of 300 or 1200 baud modem. Comes with a free Dow Jones subscription which is worth \$125 by itself. All this for only... \$99.95

# Impressive reviews

If you want software that really lives up to its billing, it's wise to consult the professional reviewers.

# Software Source (Australian Sanyo distributor)

**66**We are quite impressed with COPYLINK and have chosen it over all others we have evaluated.

# **Computer Shopper**

66 For all-around power and flexibility, COPYLINK is outstanding... user friendly with clearcut English style commands. Not being forced to go through a tedious menu every time... is something the regular communicator will appreciate.

# Microcomputing magazine dubs it "The Strongest Link."

data communications packages available at any price. The fact that it can be purchased for less than \$100 makes it the best communications value on the market today... \$9

### Soft Sector

**65**The remote (unattended) aspects of COPYLINK may prove to be one of its best features...I chose COPYLINK as my first choice in communications software.

### OnLine Today magazine

66The (COPYLINK) program is excellent...99

# **OTHER HIGH QUALITY PRODUCTS**

CPeMulator makes your MSDOS or PCDOS computer (including MBC 550/555) act like a CP/M-80 machine so you can actually run CP/M software without any trouble or additional hardware.

Please call today

Quality Software for Entrepreneurs
U.S. DIGITAL



PREP is a home accounting program that makes it simple to keep track of expenses. A first-time user will have absolutely no difficulty. PREP handles up to 250 expense categories which you can easily define (and redefine). PREP quickly reconciles monthly bank statements, keeps track of what you're spending in different areas, credit and cash transactions, compares month-to-month, spending patterns etc. Totally flexible (you can even change the balance). Demos nicely.

# ACCOUNTING FOR MICROS

\$325 Set of Three \$465 Set of Five

**ACCOUNTING FOR MICROS** is a set of integrated accounting programs which meet professional standards. They're fast and easy to use, with complete instructions. Our manual (shown above) also includes helpful information on bookkeeping and computers.

# GENERAL LEDGER ..... \$125

Allows up to 1,000 accounts & 1,000 transactions/month. Retains mo/end balances for Last year, This Year and Forecast. Includes Cash Disbursements, Cash Receipts and General Journals. Reports include Balance Sheet, Income Statement, Annual Summaries and Journal Reports.

### ACCOUNTS RECEIVABLE ..... \$125

Allows up to 2,500 customers and 1,000 invoices per month. Invoicing can access Inventory Module. Keeps customer names and addresses. Invoice prints on plain paper or any pre-printed form. Statements can be printed at any time.

# INVENTORY ..... \$125

Allows up to 4,000 parts. Keeps 3 month history of unit sales as well as year to date. With AR, can be used as point of sale system (prints invoices, handles cash). Reports include Inventory Value and Stock Report, Internal and Customer Price List.

# ACCOUNTS PAYABLE ..... \$125

Allows up to 500 vendors and 600 invoices/mo. Records invoices and handwritten checks. Prints computer checks on any pre-printed form. Keeps vendor names and addresses.

# PAYROLL ..... \$125

Will handle up to 100 employees with eight deductions per employee. Deductions may be determined as fixed dollar amounts or percentages, or referred to a table for automatic look-up. Tax tables are easily entered, or purchased separately. Prints checks and W2's.

SET OF FIVE	\$465
SET OF FOUR	\$395
SET OF THREE	\$325

### **RUN ON MOST CPM AND MSDOS**

ppie orivi	IDIVI FU, XI, FU JI, AI	Janyo (an)
Columbia	Kaypro (all)	Tandy (all)
Compaq	Morrow (all)	TeleVideo
Corona	Osborne (all)	Zenith 100 & 150
agle (all)	Panasonic	8 " CPM
pson QX-10	Radio Shack CPM	Other compatibles

DEMO DISK \$18.00



Try all 5 programs above (GL, AR, AP, IN, PR). Order our DEMO DISK for \$18.00 (includes shipping). Condensed versions of the programs give you the "feel" of data entry and access. Includes sample reports and instructions. Specify machine.

# TMAN ..... \$125

The "Catch-All" program. Files any type of information for quick access. Name or subject oriented with 15 lines of notes per name. Use TMAN as a mailing list, filing system, notebook, etc. Can be used alone or with data from our other programs.

Try TMAN DEMO ...... \$16

HOW TO ORDER: Please specify machine and disk format. You can pay by check, by VISA or MasterCard (we need your expiration date and card number), or by UPS COD (add \$2.50 COD charge). Our price includes shipping. Minnesota residents, add 6% sales tax). We ship most orders the same day.

or ORDER BY PHONE: 612-339-2521

James River Group

(612) 339-2521



125 North First Street Minneapolis, MN 55401